


## PLAN



## SECTION

**NOTES:**

1. TREE WELLS SHALL BE SPACED APPROXIMATELY 50 FEET APART, BUT NOT LESS THAN ONE PER RESIDENTIAL LOT.
2. LOCATION OF TREE WELLS WILL BE SUBJECT TO THE FOLLOWING CONDITIONS:
  - A. 50' FROM THE BCR ON THE APPROACH TO AN INTERSECTION AND 15' FROM THE ECR ON THE EXIT SIDE
  - B. 20' FROM LIGHT STANDARDS
  - C. 10' FROM FIRE HYDRANTS AND DRIVEWAYS
  - D. 5' FROM HOUSE WALKS AND UTILITY METERS
3. TREE WELLS ARE TO BE BACKFILLED WITH CLEAN DIRT AND FLUSH WITH THE ADJACENT WALK UNTIL TREES ARE PLANTED.
4. WEAKENED PLANE JOINTS TO BE 20' ON CENTER

DRAWING NOT TO SCALE

# CITY OF CARSON

REVISIONS	DATE	<b>CASE 2 FULL WIDTH SIDEWALK WITH TREE WELLS</b>	DRAWN BY:
WELL LENGTH FROM 3'-6" TO 5'	12/21/16		RECOMMENDED:
DATE APPROVED:		APPROVED:	<b>NO. 117</b>
SHEET 1 OF 1			