



EPA/600/R-09/132
October 2009

**Measurement of Emissions from Produced Water Ponds:
Upstream Oil and Gas Study #1**

Final Report

EPA/600/R-09/132
October 2009

Measurement of Emissions from Produced Water Ponds:
Upstream Oil and Gas Study #1

by

Eben Thoma
Air Pollution Prevention and Control Division
National Risk Management Research Laboratory
Research Triangle Park, NC 27711

National Risk Management Research Laboratory
Office of Research and Development U.S. Environmental Protection Agency
Cincinnati, Ohio 45268

Table of Contents

Measurement of Emissions
from Produced Water Ponds

October 2009 (Rev. 0.6)

List of Appendices	ii
List of Tables	iii
List of Figures	vii
List of Acronyms	ix
Executive Summary	xi
1. Introduction	1
1.1 Background	1
1.2 Phase 1 Project and Report Description	2
2. Description of Test Sites and Measurement Methods	5
2.1 The Williams Rulison and EnCana Benzel Test Sites	5
2.2 Description of EPA OTM 10 Measurements	9
2.3 OP-FTIR VOC Analysis and Calculation of Estimated VOC Flux	13
2.4 Description of SUMMA Canister Measurements	16
2.5 Description of Water Sampling	17
3. Results and Discussion	21
3.1 Results Summary Approach	21
3.2 AM Flux Summary for the Williams Rulison Facility	23
3.3 AM Flux Summary for the EnCana Benzel Facility	29
3.4 Results of OP-FTIR VOC Concentration Analysis and Estimated VOC Fluxes Using Ratio Method	34
3.5 Results of Canister Measurements	39
3.6 Summary of Water Analysis Results	52
4. Summary	57
5. Quality Assurance/Quality Control	59
5.1 Instrument Calibration	59
5.2 Assessment of DQI Goals	59

Table of Contents

Measurement of Emissions
from Produced Water Ponds

October 2009 (Rev. 0.6)

5.2.1	DQI Check for Analyte PIC Measurement	61
5.2.2	DQI Checks for TO-15 Can Measurements	62
5.2.3	DQI Checks for Ambient Wind Speed and Wind Direction Measurements	62
5.2.4	DQI Checks for the Topcon Theodolite	62
5.2.5	QC Checks of OP-FTIR Instrument Performance	63
5.2.6	Difficulties Encountered	63
5.3	Estimate of Uncertainty for OTM 10 Emission Measurements	64
5.4	EPA and ARCADIS Audits and Corrective Actions	68
6.	References	69

List of Appendices

Appendix A: OTM 10 Alkane Mixture Flux Values

Appendix B: ERG SUMMA Canister Data

Appendix C: EPA R8 Water Analysis

Table of Contents

Measurement of Emissions
from Produced Water Ponds

October 2009 (Rev. 0.6)

List of Tables

Table E-1.	Summary of AM Emission Flux Results from William Rulison and EnCana Benzel Sites	xii
Table E-2.	Summary of Estimated select VOC Emission Rates from William Rulison and EnCana Benzel Sites	xii
Table 2-1.	Optical Configuration Details for the Williams Facility Setup	11
Table 2-2.	Optical Configuration Details for the EnCana Facility Setup	11
Table 2-3.	Instrument Operation Time Periods for the EPA OTM 10 Method	13
Table 2-4.	Periods of OP-FTIR VOC Analysis	14
Table 2-5.	Detection Limits for Optimal OP-FTIR Setup with Clean, Fully Populated Retroreflector Arrays	15
Table 2-6.	Periods of SUMMA Canister/ OP-FTIR VOC Analysis	16
Table 2-7.	SUMMA Canisters Deployed at the Williams Rulison and EnCana Benzel Facilities	18
Table 3-1.	Summary Table of the Mass Emission Flux Results (g/s) for the Configuration used at the Williams Rulison Facility on August 6, 2008	24
Table 3-2.	Summary Table of the Mass Emission Flux Results (g/s) for the Configuration used at the Williams Rulison Facility on August 7, 2008	25
Table 3-3.	Summary Table of the Mass Emission Flux Results (g/s) for the Configuration used at the Williams Rulison Facility on August 8, 2008	26
Table 3-4.	Summary Table of the Mass Emission Flux Results (g/s) for the Configuration used at the Williams Rulison Facility on August 9, 2008	27
Table 3-5.	Summary Table of the Mass Emission Flux Results(g/s) for the Configuration used at the EnCana Benzel Facility on August 12, 2008	30
Table 3-6.	Summary Table of the Mass Emission Flux Results (g/s) for the Configuration used at the EnCana Benzel Facility on August 13, 2008	31
Table 3-7.	Summary Table of the Mass Emission Flux Results (g/s) for the Configuration used at the EnCana Benzel Facility on August 14, 2008	32
Table 3-8.	Summary Table of the Mass Emission Flux Results (g/s) for the Configuration used at the EnCana Benzel Facility on August 15, 2008	33
Table 3-9.	Summary of OP-FTIR VOC Concentration Determinations (concentrations in ppb)	35
Table 3-10.	Summary of OP-FTIR VOC to AM Mass Concentration Ratio Calculations	37

Table of Contents

Measurement of Emissions
from Produced Water Ponds

October 2009 (Rev. 0.6)

Table 3-11.	Summary of the Average Mass Concentration Ratios of VOC to Alkane Mixture, for the Williams and EnCana sites	38
Table 3-12.	Estimated Emission Flux Values (g/s) of select VOCs from the Williams and EnCana Sites	38
Table 3-13.	Comparison of Canister and OP-FTIR Results	39
Table 3-14.	Summary Canister Summary from the Williams and EnCana Sites	41
Table 3-15.	Summary Water Analysis from the Williams Site	55
Table 3-16.	Summary Water Analysis from the EnCana Site	55
Table 4-1.	AM Emission Flux Results from William Rulison and EnCana Benzel Sites	57
Table 4-2.	Summary of Estimated VOC Emission Rates (in grams per second) from William Rulison and EnCana Benzel Sites	58
Table 5-1.	Instrumentation Calibration Frequency and Description	60
Table 5-2.	Measurement Quality Objectives for the Project	60
Table 5-3.	Results of Flux Values Calculated by the <i>VRPM Fit Explorer</i> Program With a Fixed Peak Plume Concentration Location and Varying Values of the σ_y Parameter	66
Table 5-4.	Results of Flux Values Calculated by the <i>VRPM Fit Explorer</i> Program with a Fixed σ_y Parameter and Varying Peak Plume Concentration Locations	67
Table A-1.	Relative Absorption Factor (AF) of Select Hydrocarbon Species in the 2804.2 cm^{-1} to 3001.2 cm^{-1} Spectral Range (values are normalized to n-Octane)	A-7
Table A-2.	Summary Data Table of VRPM Plane A123 for August 6, 2008 at the Williams Rulison Facility	A-14
Table A-3.	Summary Data Table of VRPM Plane A456 for August 6, 2008 at the Williams Rulison Facility	A-15
Table A-4.	Summary Data Table of VRPM Plane E123 for August 6, 2008 at the Williams Rulison Facility	A-16
Table A-5.	Summary Data Table of VRPM Plane E456 for August 6, 2008 at the Williams Rulison Facility	A-17
Table A-6.	Summary Data Table of VRPM Plane A123 for August 7, 2008 at the Williams Rulison Facility	A-18
Table A-7.	Summary Data Table of VRPM Plane A456 for August 7, 2008 at the Williams Rulison Facility	A-21
Table A-8.	Summary Data Table of VRPM Plane E123 for August 7, 2008 at the Williams Rulison Facility	A-24

Table of Contents

Measurement of Emissions
from Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-9.	Summary Data Table of VRPM Plane E456 for August 7, 2008 at the Williams Rulison Facility	A-27
Table A-10.	Summary Data Table of VRPM Plane A123 for August 8, 2008 at the Williams Rulison Facility	A-30
Table A-11.	Summary Data Table of VRPM Plane A456 for August 8, 2008 at the Williams Rulison Facility	A-32
Table A-12.	Summary Data Table of VRPM Plane E123 for August 8, 2008 at the Williams Rulison Facility	A-34
Table A-13.	Summary Data Table of VRPM Plane E456 for August 8, 2008 at the Williams Rulison Facility	A-36
Table A-14.	Summary Data Table of VRPM Plane A123 for August 9, 2008 at the Williams Rulison Facility	A-38
Table A-15.	Summary Data Table of VRPM Plane A456 for August 9, 2008 at the Williams Rulison Facility	A-40
Table A-16.	Summary Data Table of VRPM Plane E123 for August 9, 2008 at the Williams Rulison Facility	A-42
Table A-17.	Summary Data Table of VRPM Plane E456 for August 9, 2008 at the Williams Rulison Facility	A-44
Table A-18.	Summary Data Table of VRPM Plane A123 for August 12, 2008 at the EnCana Benzel Facility	A-47
Table A-19.	Summary Data Table of VRPM Plane A456 for August 12, 2008 at the EnCana Benzel Facility	A-49
Table A-20.	Summary Data Table of VRPM Plane E123 for August 12, 2008 at the EnCana Benzel Facility	A-51
Table A-21.	Summary Data Table of VRPM Plane E456 for August 12, 2008 at the EnCana Benzel Facility	A-54
Table A-22.	Summary Data Table of VRPM Plane A123 for August 13, 2008 at the EnCana Benzel Facility	A-57
Table A-23.	Summary Data Table of VRPM Plane A456 for August 13, 2008 at the EnCana Benzel Facility	A-61
Table A-24.	Summary Data Table of VRPM Plane E123 for August 13, 2008 at the EnCana Benzel Facility	A-66
Table A-25.	Summary Data Table of VRPM Plane E456 for August 13, 2008 at the EnCana Benzel Facility	A-69
Table A-26.	Summary Data Table of VRPM Plane A123 for August 14, 2008 at the EnCana Benzel Facility	A-72

Table of Contents

Measurement of Emissions
from Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-27. Summary Data Table of VRPM Plane A456 for August 14, 2008 at the EnCana Benzel Facility	A-76
Table A-28. Summary Data Table of VRPM Plane E123 for August 14, 2008 at the EnCana Benzel Facility	A-80
Table A-29. Summary Data Table of VRPM Plane E456 for August 14, 2008 at the EnCana Benzel Facility	A-83
Table A-30. Summary Data Table of VRPM Plane A123 for August 15, 2008 at the EnCana Benzel Facility	A-86
Table A-31. Summary Data Table of VRPM Plane A456 for August 15, 2008 at the EnCana Benzel Facility	A-88
Table A-32. Summary Data Table of VRPM Plane E123 for August 15, 2008 at the EnCana Benzel Facility	A-90
Table A-33. Summary Data Table of VRPM Plane E456 for August 15, 2008 at the EnCana Benzel Facility	A-92

Table of Contents

Measurement of Emissions
from Produced Water Ponds

October 2009 (Rev. 0.6)

List of Figures

Figure 2-1.	Williams Rulison Facility	6
Figure 2-2	Details of the Site Layout for Williams Rulison Facility	7
Figure 2-3.	EnCana Benzel Facility	8
Figure 2-4.	Four Corner Configuration	10
Figure 2-5.	Location of Water Sampling Points at the Williams Facility	19
Figure 2-6.	Location of Water Sampling Points at the EnCana Facility	20
Figure 3-1.	Time Series of Mass Emission Flux for August 6, 2008 at the Williams Rulison Facility	24
Figure 3-2.	Time Series of Mass Emission Flux for August 7, 2008 at the Williams Rulison Facility	25
Figure 3-3.	Time Series of Mass Emission Flux for August 8, 2008 at the Williams Rulison Facility	26
Figure 3-4.	Time Series of Mass Emission Flux for August 9, 2008 at the Williams Rulison Facility	27
Figure 3-5.	Time Series of Mass Emission Flux for August 12, 2008 at the EnCana Benzel Facility	30
Figure 3-6.	Time Series of Mass Emission Flux for August 13, 2008 at the EnCana Benzel Facility	31
Figure 3-7.	Time Series of Mass Emission Flux for August 14, 2008 at the EnCana Benzel Facility	32
Figure 3-8.	Time Series of Mass Emission Flux for August 15, 2008 at the EnCana Benzel Facility	33
Figure 3-9.	Summary of Downwind Canisters SNMOC Analysis for the Williams Facility	42
Figure 3-10.	Summary of Downwind Canisters SNMOC Analysis for the EnCana Facility	43
Figure 3-11.	Williams 8/7/08, Canister TNAPC11 and OP-FTIR Path E4.	45
Figure 3-12.	Williams 8/8/08, Canisters 648 and 926 Compared to OP-FTIR Path E4 and Canister 3639A Compared to OP-FTIR Path A1	46
Figure 3-13.	Williams 8/9/08, Canister ER047 Compared to OP-FTIR Path E4 and Canisters ER038 and ER001 Compared to OP-FTIR Path A1	47
Figure 3-14.	EnCana 8/12/08, Canister ER029 Compared to OP-FTIR Path E1	48

Table of Contents

Measurement of Emissions
from Produced Water Ponds

October 2009 (Rev. 0.6)

Figure 3-15. EnCana 8/13/08, Canister 3255 Compared to OP-FTIR Path E1 and Canisters ER043 and 444 Compared to OP-FTIR Path A4	49
Figure 3-16. EnCana 8/13/08, Canister TNAPC20 Compared to OP-FTIR Path E1 and Canisters 3254 and 167601 Compared to OP-FTIR Path A4	50
Figure 3-17. EnCana 8/14/08, Canister ER061 Compared to OP-FTIR Path E1 and Canisters ER064 and ER069 Compared to OP-FTIR Path A4	51
Figure 3-18. EnCana 8/14/08, Canister 15280 Compared to OP-FTIR Path E1 and Canisters 988 and 3248 Compared to OP-FTIR Path A4	53
Figure 3-19. EnCana 8/15/08, Canister ER021 Compared to OP-FTIR Path A1 and Canisters ER085 and ER114 Compared to OP-FTIR Path A4	54
Figure A-1. Comparison of the Absorption Bands of Several Species in the C-H Stretch Region	A-4
Figure A-2. Summa Canister SNMOC Analysis Showing Compound Distribution (Section 3.5)	A-8
Figure A-3. Estimation of Contribution to AM Band, SNMOC Result Multiplied by AF	A-9
Figure A-4. Normalized Concentration vs. Molecular Weight for the Distribution of Figure A-3	A-10

Table of Contents

Measurement of Emissions
from Produced Water Ponds

October 2009 (Rev. 0.6)

List of Acronyms

AM	Alkane Mixture
CCF	Concordance Correlation Factor
DQI	Data Quality Indicator(s)
ECPB	Emissions Characterization and Prevention Branch
EPA	Environmental Protection Agency
GC-MS	Gas Chromatography-Mass Spectroscopy
MDL	Minimum detection limit
MCR	Mass Concentration Ratio
N OUT	North Pond Outlet
OAQPS	EPA Office of Air Quality Planning and Standards
OP-FTIR	Open-Path Fourier Transform Infrared
ORD	Office of Research and Development
ORS	Optical Remote Sensing
OTM 10	EPA ORS Test Method OTM 10
PAC	Path averaged concentration
PI	Principal Investigator
PIC	Path integrated concentration
QA	Quality Assurance
QAPP	Quality Assurance Project Plan
QC	Quality Control
RSD	Relative Standard Deviation
S	South
S OUT	South Pond Outlet
SNMOC	Speciated non-methane organic compounds
SOP	Standard Operating Procedures
SP IN	Skim Pond Inlet
SP OUT	Skim Pond Outlet
SSE	Sum of Squared Errors
AM	Alkane Mixture
TAM	Time Averaging Method
TO	Toxic Organic
UOGEM1	Upstream Oil and Gas Emission Measurement study, Phase 1
VOA	Volatile Organics Analysis
VOC	Volatile Organic Compound
VRPM	Vertical Radial Plume Mapping

Table of Contents

Measurement of Emissions
from Produced Water Ponds

October 2009 (Rev. 0.6)

This page intentionally left blank.

Executive Summary

Significant uncertainty exists regarding air pollutant emissions from upstream oil and gas production operations. Oil and gas operations present unique and challenging emission testing issues due to the large variety and quantity of potential emission sources. To improve emission knowledge for this sector, a project team with representatives from United States Environmental Protection Agency's (EPA) Office of Air Quality Planning and Standards (OAQPS), EPA Office of Research and Development (ORD) and their contractors, EPA Region 8, and the states of Colorado and Wyoming was formed and is working to define and execute a multi-phased research effort. This report summarizes Phase I of the effort, which helps address an immediate need of EPA Region 8 and states to improve understanding of volatile organic compound (VOC) emissions from oil and gas produced water evaporation ponds. Phase I field measurements focused on a subset of VOCs that are commonly found in oil and gas production operations and are quantifiable using area source measurement method EPA OTM 10 (EPA, 2006) and related techniques. This subset includes mixture of alkanes, benzene, toluene, xylenes, methanol, and methane.

This report presents emission flux estimates from the holding evaporation ponds at the Williams Rulison and EnCana Benzel facilities in Western Colorado acquired August 6-9 and 12-15, 2008, respectively. The primary measurement approach was EPA OTM 10 using two open-path Fourier transform infrared (OP-FTIR) instruments deployed around the ponds to provide mass emission flux estimates for an alkane mixture (AM) by spectroscopic analysis of the infrared absorption features in the C-H stretch spectral region around 2900 cm^{-1} . The AM was chosen for analysis since it was robustly quantifiable by the utilized methodology whereas other species of interest were frequently below detection limits of the OP-FTIRs so could not be used for standard OTM 10 flux measurements. Estimates of emission flux for select VOCs, which were quantifiable by OP-FTIR using time averaging techniques, were also produced. These estimates utilized a VOC to AM mass concentration ratio calculation determined when the AM concentrations were relatively high.

Table E-1 presents a summary of the AM emission flux results from the two sites. The values in the table represent the average of all valid 20-minute AM flux estimates calculated over a four-day period at each site with standard deviation in parenthesis and number of values indicated. The uncertainty estimate for the individual flux measurements comprising this average is estimated at $\pm 40\%$. The uncertainty in the overall average is likely driven by the temporal variability in the source emissions.

Executive Summary

Measurement of Emissions
from Produced Water Ponds

October 2009 (Rev. 0.6)

Table E-1. Summary of AM Emission Flux Results from William Rulison and EnCana Benzel Sites

Site	Source	Average AM Flux [g/s]	Number of Values
Williams	Evaporation Pond	0.20 (0.33)	27
Williams	Skim Pond	0.90 (0.58)	15
EnCana	Evaporation Pond	0.07 (0.06)	65

Table E-2 presents a summary of emission flux estimates for select VOCs produced using a mass concentration ratio technique. For this estimate, the compound to AM mass concentration ratio and AM emission flux results for similar time periods were utilized to produce the emission rates estimate. The values of Table E-2 include underlying uncertainty in AM flux measurement average in addition to significant VOC to AM concentration ratio uncertainty so the values should be considered estimates.

Table E-2. Summary of Estimated select VOC Emission Rates from William Rulison and EnCana Benzel Sites

Site	Source Area	Benzene (g/s)	Toluene (g/s)	m-Xylene (g/s)	o-Xylene (g/s)	p-Xylene (g/s)	Methanol (g/s)	Methane (g/s)
Williams	Evaporation Pond	0.018	0.040	0.016	0.040	0.020	0.001	0.017
Williams	Skim Pond	0.078	0.181	0.072	0.182	0.088	0.006	0.074
EnCana	Evaporation Pond	0.029	0.023	0.017	0.014	0.014	0.002	0.007

To provide supporting information, the concentration of the AM and select VOCs were determined using one-hour SUMMA canister sampling deployed at positions around the ponds. The canisters were analyzed with EPA Method TO-15 and SNMOC analysis and were compared to OP-FTIR measurements for similar time periods. Additionally, water samples were taken during the campaign and these results are included as supporting information.

Note that the emission estimates presented in this report represent a snapshot in time consisting of day-time observations over consecutive four-day periods at each facility during the month of August. Diurnal and seasonal effects in addition to changing process variables were not evaluated as part of this study. Since these variables may have a significant effect on emissions, extrapolation of the results contained in this report involves significant uncertainty. As a specific example, methanol-water concentrations are known to vary seasonally so the emission data contained in this report is may not be typical.

1. Introduction

1.1 Background

EPA Region 8 and, in particular the State of Colorado, is home to numerous oil and gas production operations (also called upstream operations). In recent years, Colorado has seen ozone levels that exceed national ambient air quality standards with levels increasing at several sites. It is thought that emissions of volatile organic carbon (VOC) ozone precursor compounds from upstream oil and gas operations may contribute in part to these exceedance episodes. With the continued increase in oil and gas production operations coupled with new lowered ozone standards, the potential for exceedance episodes may increase. Emissions of VOCs including hazardous air pollutants (HAPS) is a general concern to the public and press prompting regular inquiries to the affected state agencies and Region 8. In addition to air quality issues, emissions from upstream oil and gas operations include a significant proportion of methane which is a potent greenhouse gas and could become a key concern if regulating agencies moves to greenhouse gas emissions quantification, reporting and control.

Significant uncertainty exists regarding air pollutant emissions from upstream oil and gas production operations which start with well completion and work-over activities, to well-site operations through to midstream production and waste handling. Models exist to estimate emissions from some of these emission sources such as: amine units, glycol dehydrators and oil/condensate storage tanks. These modeled emissions represent only a fraction of the emissions and may underestimate these emissions from oil and gas production activities. The Texas Commission on Environmental Quality is currently conducting a project to compare modeled emissions from condensate tanks to actual emission measurements. Development and application of tools to quantify both VOC and methane emissions would help the regulatory community, citizens, and industry better assess emission contributions from upstream oil and gas operations in Colorado, the other states in Region 8, and in Region 6 which also has the same concerns. Data collected in our field testing can be used to develop a more robust inventory of oil and gas operation emissions from which mitigation options can be quantified and compared. This can ultimately lead to more effective control of ozone precursors and greenhouse gases and protection of air quality.

Oil and gas fields provide very unique and challenging testing issues due to their large variety and quantity of emissions sources. For example, one 30 mile by 15 mile section of Garfield County in Colorado contains over 3,000 well sites and Weld County in Colorado contains over 20,000 well sites. Producing oil or gas well sites each require various combinations of supporting process equipment such as separators, dehydrators, generators,

natural gas powered pneumatic devices, injection wells, heaters, compressors/engines, storage tanks, land farms, and produced water ponds. In addition to all these potential emissions sources, there are also a variety of activities such as well drilling, well completion, well work-over, and loading/unloading of oil/produced water into trucks which have the potential to generate organic emissions. There is little or no data regarding the emissions from most of these sources and activities.

A project team with representatives from EPA OAQPS, EPA ORD and their contractors, EPA Region 8, and the states of Colorado and Wyoming are working to define and execute a multi-phased research effort to address this important issue. Phase I of the of the upstream oil and gas emissions measurement program (UOGEM1) helps address the immediate need of Region 8 and states to improve understanding of VOC emissions from oil and gas produced water evaporation ponds (produced water generally refers to water that this co-emitted with oil and gas as part of the production process). These emissions data will help stakeholders increase understanding regarding the accuracy of their emission inventories and further residual risk knowledge and potential environmental impact of this source category. This report may also provide a basis for future protocols for testing this source category.

1.2 Phase 1 Project and Report Description

Phase I of UOGEM1 involved a two-week testing project designed to improve understanding of VOC emissions from oil and gas produced water evaporation ponds. The field campaign was conducted at the Williams Rulison and EnCana Benzel facilities in Western Colorado from August 6-9 and 12-15, 2008 respectively. The measurement campaign focused on a subset of VOCs that are commonly found in oil and gas production operations and are quantifiable using EPA area source method OTM 10 and related techniques. This subset includes mixture of alkanes, benzene, toluene, xylenes, methanol, and methane.

This report presents emission flux estimates from the holding evaporation ponds at the Williams Rulison and EnCana Benzel facilities in Western Colorado acquired August 6-9 and 12-15, 2008, respectively. The primary measurement approach was OTM 10 using two open-path Fourier transform infrared (OP-FTIR) instruments deployed in a four corners configuration to provide mass emission flux estimates for an alkane mixture (AM) by spectroscopic analysis of the infrared absorption features in the C-H stretch spectral region around 2900 cm^{-1} . The AM, further described in Appendix A, was chosen for analysis since it was robustly quantifiable by the utilized methodology whereas other species of interest were frequently below detection limits of the OP-FTIRs so could not be used for standard OTM 10 flux measurements. Estimates of emission flux for select VOCs, which were quantifiable by

OP-FTIR using time averaging techniques, were also produced. These estimates utilized a VOC to AM mass concentration ratio calculation based on the AM flux data for similar time periods. These estimates were produced when AM concentrations were relatively high. To provide supporting information, the concentration of an estimated AM along with select speciated VOCs were determined using SUMMA canister sampling with EPA Method TO-15 and SNMOC analysis. These results were compared to the OP-FTIR measurements to help inform overall results. Water samples from the ponds were also acquired and analyzed to help support the overall study.

Section 2 of the report provides a description of the Williams Rulison and EnCana Benzel facilities, information of the measurement methods used, and the location of the measurement configurations used at each site. Section 3 presents the results of the OTM 10 AM flux surveys conducted at each site along with supporting canister and water sampling information. Section 4 presents a summary of the findings, and Section 5 discusses quality assurance/quality control of the measurements and uncertainty estimations.

Appendix A presents information on the AM calculation and the OTM 10 measurements collected during the campaign. Appendix B contains the results of the SUMMA canister analysis and Appendix C contains the results of the water analysis.

The Phase 1 project was conducted by ARCADIS U.S., Inc. (ARCADIS), Durham, NC, under EPA ORD contract No. EP-C-04-023, Work Assignment No. 4-49. ARCADIS executed the field campaign, analyzed the OP-FTIR and OTM 10 data, and produced data tables and descriptions in Section 3.2, 3.3 and 3.4 and AM concentration data tables in Appendix A. ARCADIS provided parts of Section 5, contributed to the descriptions in Section 2, and provided wind direction summaries included Section 3.5. The Summa canister laboratory analysis contained in Appendix B was performed by Eastern Research Group Inc., Morrisville, NC under subcontract to ARCADIS.

EPA Personnel were primary authors on the body and summary sections of the report, produced the canister and water data summary analyses and comparative descriptions and graphs of Section 3.5 and 3.6, the uncertainty discussion and simulations in Section 5, and the AM descriptions and graphs in Appendix A. The water analysis contained in Appendix C was performed by EPA Region 8.

This report has been reviewed by the Office of Research & Development, U.S. EPA, and approved for publication. Approval does not signify that the contents necessarily reflect the views and policies of the agency nor does mention of trade names or commercial products constitute endorsement or recommendation for use.

This page intentionally left blank.

2. Description of Test Sites and Measurement Methods

The following section describes the two test sites and the utilized measurement methods. Section 2.1 describes the Williams Rulison and EnCana Benzel facilities and shows the layout of each site. Section 2.2 describes the EPA OTM 10, Vertical Radial Plume Mapping (VRPM) method used to assess mass emission flux of the alkane mixture (AM) from the sites. Section 2.3 describes emission flux estimates for select VOCs that were quantifiable by OP-FTIR using extended time averaging techniques. Section 2.4 describes the supporting SUMMA canister concentration measurements made at each of the ponds. Section 2.5 describes supplemental water sampling activities conducted on site. Detailed information on OTM 10 averaging periods and data analysis and OP-FTIR spectral analysis is contained in Sections 3 and Appendix A.

2.1 The Williams Rulison and EnCana Benzel Test Sites

The two test sites chosen for this study were selected based on logistical and access factors. The first site, the Williams Rulison Facility, was tested from August 6-9, 2008 and is shown in Figures 2-1 and 2-2. The second site, the EnCana Benzel Facility, was tested from August 12-15, 2008 and is shown in Figure 2-3.

The Williams Rulison facility had a complex layout compared to the EnCana Benzel Facility, and Figure 2-2 identifies the details that surround the large evaporation apron and the two evaporation holding ponds. As explained by Williams personnel, water from the oil and gas production operations is delivered by truck or a small pipe line to Tank A where the first stage of oil-water separation occurs, then to Tank E for the second stage of separation). Oil from both stages is pumped to Tank B, oil sales. The water is passed through to the Tank G at then enters the skim pond. The water passes through the skim pond operation and then into the north evaporation pond (North Pond) where aeration is employed to assist aerobic bio-treatment of the water. Water exits the North Pond at its west side and enters the South Pond. At the east side of the South Pond, water is pumped back into the North Pond. Some water from the South Pond is also pumped to Tank C, the frac water loadout. This water is trucked back to the field to be used again in drilling operations. The large evaporation apron to the north of the North Pond is used to evaporate water through misting sprayers. This process occurs infrequently and was not performed during the test period. Since the misting operation was not used during the study, no estimate of emission from this potential source could be made. The evaporation apron had shallow pockets of standing water (likely to be rain water). Note the figures presented below are stock satellite images and are not representative of site conditions during the study. For example, there was very little standing water in the evaporation apron during the study.



Figure 2-1. Williams Rulison Facility

Location: Approximately 2 miles north of Rulison, CO (Lat: 39.508858; Long: -107.918335). The magnetic declination was calculated to be -15.8525°.

Site Process Description: Water is trucked into the facility. The receiving tanks are heated to induce separation. Then the water flows to heated polishing tanks before entering the oil-water separators. At the outlet of the oil-water separators, the water is injected with aerobic bacteria to reduce hydrocarbons. There is extensive separation prior to ponds.

Dimensions of Ponds: There are two ponds at the site. The exact dimensions of the ponds are not known. However, we estimated that the first pond has a surface area about of 3.1 acres, and the second pond has a surface area of about 2.7 acres.

Measurement of Emissions from Produced Water Ponds

October 2009 (Rev. 0.6)



- Legend:
- A) Produced H₂O (1st stage separation)
 - B) 12d sales
 - C) Frac H₂O loadout
 - D) Flow back H₂O
 - E) Oil/water separator
 - F) Sludge tank
 - G) Skin pond

Figure 2-2 Details of the Site Layout for Williams Rulison Facility



Figure 2-3. EnCana Benzel Facility

- Location: Approximately 10 miles south of Rifle, CO. (Lat: 39.500149; Long: -107.739334). The magnetic declination was calculated to be -15.6575°.
- Site Process Description: Water is piped into facility via a pipeline. There will be some separation prior to the facility. There is only one stage of separation using chemical demulsifying agents prior to the pond. Minimal separation prior to ponds.
- Dimensions of Pond: There is one pond at the site with dimensions of 350' x 150' and a surface area of 1.2 acres.

The daily incoming flow (volume) for the Williams facility for August 6, 7 and 8, 2008 was 4700, 6400, and 4900 barrels per day, respectively, into Building A as shown in Figure 2-2. On each day of testing, ARCADIS personnel also took a number of flow measurements from the meter located outside of Building A. The flow rates were highly variable, and ranged as follows: August 6, from a reverse flow reading at one point to 6.2 barrels/min; August 7, from 2.3 to 15.5 barrels/min; and August 8, from 1.7 to 14.9 barrels/min.

The second site, the EnCana Benzel Facility, was tested from August 12-15, 2008 and is shown in Figure 2-3. Water is piped into tanks on the northern side of the pond, which can be seen under the red line connecting the scissor jack and the EPA FTIR (ID E123). These tanks are where the one-stage separation using chemical demulsifying agents occurs prior to the water being pumped into the pond. The brown areas north of the pond and tanks are racks of used pipes, another likely source of hydrocarbons. A neighboring facility can be seen north of the pipe racks. No incoming flow information was available to be recorded during monitoring at the Benzel facility. EnCana later provided an estimate of ~285 barrels per day average throughput during the week of the study.

2.2 Description of EPA OTM 10 Measurements

The estimate of alkane mixture (AM) mass emission flux from facility sources was produced using EPA method OTM 10 with open-path Fourier transform infrared (OP-FTIR) spectroscopy deployed in a four corner configuration. The measurement approach includes two steps: (1) acquisition and analysis of path-integrated concentration (PIC) data of air pollutants along multiple plane-configured optical paths using OP-FTIR, and (2) the analytical approach which calculates the mass emission flux estimate for the upwind source. The approach utilizes the vertical radial plume mapping (VRPM) plane-integrating computer algorithm with the acquired multi-path PIC data and wind vector information as primary inputs.

The acquisition of PIC data was accomplished using a three-beam OTM 10 setup for each flux plane. Utilizing both the ARCADIS (A) and EPA (E) OP-FTIR instruments, a four corner configuration was set up around the pond sources (Figure 2-4). In this configuration, 4 flux planes provide continuous measurement coverage under changing wind directions. The flux planes are labeled with a letter (A or E) representing the OP-FTIR system along with the beam paths (123 or 456) to form unique identifiers. Alternating scans were made between the two VRPM planes of each OP-FTIR. The red lines in Figures 2-1 and 2-3 show the actual placement of this configuration at the William Rulison and EnCana Benzel facilities, respectively. At both facilities, the position of the VRPM planes were chosen to maximize the

capture of emissions from the ponds taking into account the suspected source locations and site constraints.




Figure 2-4. Four Corner Configuration

Tables 2-1 and 2-2 present details of the placement of the optical components for the four corner configurations at the Williams and EnCana Benzel facilities.

The acquired OP-FTIR data must be analyzed to produce a PIC value. For this project, OP-FTIR data reduction focused on the PIC values of the AM by spectroscopic analysis of the infrared absorption features in the C-H stretch spectral region around 2900 cm^{-1} . The AM is composed of a variety of hydrocarbons but the infrared signature for fuel base mixtures is usually dominated by C-4 to C-8 alkanes (butane, pentane, hexane, heptane, octane). The AM analysis was executed for a combined group of compounds since performing spectral analysis of each individual species was not possible due to the similarity in the shapes of their absorption bands. The spectral analysis of the AM is further described in Appendix A. The AM was chosen for analysis since it was robustly quantifiable whereas other species of interest were frequently below detection limits of the OP-FTIRs so could not be used for standard OTM 10 flux measurements. Estimates of emission flux for select VOCs, which were quantifiable by OP-FTIR using extended time averaging were also produced and is described in Section 2.3.

Table 2-1. Optical Configuration Details for the Williams Facility Setup

Mirror Number	OP-FTIR to Retroreflector Distance (m)	Approximate Retroreflector Height (m)	Optical Path Angle from North (deg)
A1	142.3	1	148.5
A2	142.0	4.8	148.8
A3	142.8	8.6	148.5
A4	185.3	1	32.4
A5	187.6	2.9	32.3
A6	187.2	8.1	33.3
E1	148.3	1	232.2
E2	150.2	4.4	232.5
E3	149.7	8.2	232.3
E4	219.1	1	328.2
E5	220.3	3.5	328.4
E6	220.6	8.7	328.5

Table 2-2. Optical Configuration Details for the EnCana Facility Setup

Mirror Number	OP-FTIR to Retroreflector Distance (m)	Approximate Retroreflector Height (m)	Optical Path Angle from North (deg)
A1	128.4	1	334.2
A2	129.3	3.7	333.9
A3	129.9	9.3	334.1
A4	109.7	1	54.4
A5	109.7	5.2	54.4
A6	110.1	9.5	54.9
E1	104.1	1	268.2
E2	104.1	3.9	268.2
E3	104.4	9.4	268.8
E4	74.0	1	154.2
E5	80.2	4.2	154.6
E6	81.2	8.2	154.9

The OTM 10 analytical procedure was used to produce the AM flux estimate by inputting the multi-beam AM PIC values along with wind information and configuration data into the VRPM algorithm. The VRPM method is generally discussed in EPA OTM 10 “*Optical remote sensing for emission characterization from non-point sources*” which describes direct measurement of pollutant mass emission flux from area sources using ground-based optical remote sensing (ORS). The VRPM computer algorithm uses a smooth basis function minimization routine of a bivariate Gaussian function to generate mass emission flux information from species concentration and wind data. For this measurement campaign, the VRPM configuration utilized a three-beam configuration which leads to a reduced form of the bivariate Gaussian in polar coordinates (r, θ). The standard deviation in the crosswind direction was set at one half the length of vertical plane (r_1) for this project.

$$G(A, \sigma_z, m_z) = \frac{A}{2\pi(4r_1)\sigma_z} \exp\left\{-\frac{1}{2}\left[\frac{(r \cdot \cos \theta - \frac{1}{2}r_1)^2}{(4r_1)^2} + \frac{(r \cdot \sin \theta - m_z)^2}{\sigma_z^2}\right]\right\} \quad (2-1)$$

Where:

- A = normalizing coefficient, adjusts for the peak value of the bivariate surface;
- m_z = peak location in Cartesian coordinates;
- σ_z = vertical standard deviation in Cartesian coordinates;
- r_1 = length of VRPM plane;

A , m_z , and σ_z are the unknown parameters to be retrieved by the fitting procedure. An error function (SSE) for minimization is defined as:

$$SSE(A, \sigma_z, m_z) = \sum_i \left(PAC_i - \int_0^{r_i} G(r_i, \theta_i, A, \sigma_z) dr / r_i \right)^2 \quad (2-2)$$

Where PAC_i is the measured path-averaged concentration (PAC) value for the i^{th} beam. The SSE function is minimized using the Simplex method to solve for the three unknown parameters. This process is for determining the vertical gradient in concentration. It allows an accurate integration of concentrations across the vertical plane as the long-beam ground level PAC provides a direct integration of concentration at the lowest level.

Once the parameters of the function are found for a specific run, the VRPM procedure calculates the concentration values for every square elementary unit in a vertical plane. Then, the VRPM procedure integrates the values, incorporating wind speed data at each height level to compute the flux. This enables the direct calculation of the flux in grams per second (g/s), using wind speed data in meters per second (m/s). Further information on the VRPM method for area source emission measurements in general can be found in Hashmonay and Yost 1999, Thoma et al. 2005, U.S. EPA 2006, U.S. EPA 2007 with specific details of this deployment in U.S. EPA 2008. An analysis of OTM 10 measurement uncertainty for this project is contained in Section 5.3.

Table 2-3 describes the instrument operation time periods for the OTM 10 measurements for this study. The instrument operational times represent those periods when instrumentation was operating within acceptable limits. Note that valid flux data time periods represent a subset of instrument operation time periods when data acceptance criteria were met. Valid flux data time periods are detailed in Appendix A. As it requires 1 to 2 hours to get the equipment set up and operational each day, the start time for operation was usually in the mid morning. The end time was dictated primarily by site access limitation (no night work) or by weather events (8/9). Additional information on equipment operational requirements and data quality indicators is contained in Section 5 and Appendix A.

Table 2-3. Instrument Operation Time Periods for the EPA OTM 10 Method

	Date	Start Time	End Time
Williams Rulison	8/6/2008	14:20	16:40
	8/7/2008	10:20	17:40
	8/8/2008	10:20	16:40
	8/9/2008	11:40	15:00
EnCana Benzel	8/12/2008	12:00	18:20
	8/13/2008	10:20	17:40
	8/14/2008	9:20	16:20
	8/15/2008	9:40	14:20

2.3 OP-FTIR VOC Analysis and Calculation of Estimated VOC Flux

As discussed in previous sections, the AM was chosen for flux analysis since it was present at high enough concentrations to be quantified at standard OTM 10 time resolution (30 second integration time) whereas other species of interest were frequently below the OP-

FTIR detection limits on one or more optical paths so could not be used for OTM 10 flux measurements. Using a time-averaging approach, many of these compounds could be quantified and estimates of emission flux for select VOCs were produced using a mass concentration ratio calculation based on the AM flux data for similar time periods.

Analysis of the OP-FTIR data was performed to determine concentrations of benzene, toluene, m-xylene, o-xylene, p-xylene, methanol, and methane. The select VOC analysis was done for time periods when relatively high alkane mixture (AM) emissions were detected. Table 2-4 presents a summary of the time periods when the analysis was performed. The table also indicates the measurement path from which the data was collected. Here the term VOC represents one or more of the target compounds listed above and is not inclusive of all VOCs. Note that methane did not require the time averaging method.

Table 2-4. Periods of OP-FTIR VOC Analysis

Measurement Path	Site	Compound Analyzed	Start Time (MDT)	End Time (MDT)
EPA-806_1353-M4	Williams	Methane	8/6/2008 16:00	8/6/2008 16:40
EPA-807_1356-M4	Williams	VOC	8/7/2008 14:01	8/7/2008 15:59
ARC-807_1102-M4	Williams	VOC/methane	8/7/2008 14:02	8/7/2008 14:58
EPA-807_1022-M4	Williams	Methane	8/7/2008 16:01	8/7/2008 17:40
EPA-808_1153-M4	Williams	VOC/methane	8/8/2008 13:27	8/8/2008 14:24
ARC-808_1004-M4	Williams	VOC	8/8/2008 16:00	8/8/2008 16:46
EPA-808_1153-M4	Williams	VOC/methane	8/8/2008 16:01	8/8/2008 16:50
ARC-808_1004-M1	Williams	VOC	8/8/2008 16:02	8/8/2008 16:49
ARC-812_1513-M4	EnCana	VOC/methane	8/12/2008 17:02	8/12/2008 18:16
ARC-812_1513-M1	EnCana	VOC/methane	8/12/2008 17:04	8/12/2008 18:27
ARC-813_0922-M4	EnCana	VOC/methane	8/13/2008 11:08	8/13/2008 12:05
ARC-813_0922-M4	EnCana	Methane	8/13/2008 13:20	8/13/2008 14:30
ARC-813_0922-M4	EnCana	VOC	8/13/2008 15:00	8/13/2008 15:26
EPA-813_1021-M1	EnCana	VOC	8/13/2008 15:25	8/13/2008 16:13
ARC-813_1536-M4	EnCana	VOC/methane	8/13/2008 15:52	8/13/2008 16:51
ARC-814-0908-M4	EnCana	VOC/methane	8/14/2008 10:22	8/14/2008 11:19
ARC-814-0908-M4	EnCana	Methane	8/14/2008 15:00	8/14/2008 16:10
ARC-814-0908-M4	EnCana	VOC/methane	8/14/2008 15:59	8/14/2008 16:56
ARC-815-0918-M4	EnCana	Methane	8/15/2008 13:00	8/15/2008 14:00

The VOC analysis was done using the time-averaging method (TAM), which is a post-measurement analysis technique for determining multi-hour concentration averages and detection limits. This method may facilitate comparison with time-integrated point-sample collection techniques (such as one-hour canister samples). The method can produce significantly lower instrument detection limits and can be applied to any ORS measurement technology that produces a set of response-signal (single-beam) spectra. As discussed, analysis of the OP-FTIR data for select VOC using a standard averaging period (30 seconds) resulted in minimum detection limits too high to robustly quantify the target VOC compounds.

The TAM consists of two steps. The first step is performed once for all target compounds that are analyzed in a single measurement set. This procedure involves determining, for each target compound, the individual measurements in the measurement set in which the spectra indicate background or zero levels of the target species. These measurements are averaged to produce a specific time-averaged background spectrum for each compound.

The second step involves performing a Classical Least Squares analysis on the single-beam spectrum that is the average of the entire measurement set covering the time-averaging period, and the background single beam spectrum selected in the first step of the procedure for the target compound. The analysis is repeated for each target compound using the respective co-added background determined in step one. The resulting concentration determination is the time-averaged result, and the detection limit is determined from the standard error of the regression fit.

Table 2-5 provides a comparison of estimated minimum detection limits (MDL) of OP-FTIR for select VOC compounds measured in this study. The first column presents typical MDL using a 1-minute averaging time, while the second column shows typical MDL using the TAM with 30-minute time resolution.

Table 2-5. Detection Limits for Optimal OP-FTIR Setup with Clean, Fully Populated Retroreflector Arrays

Species	MDLs, 200 meters 1 minute (ppb)	MDLs, 200 meters 30 minute Avg. (ppb)
Benzene	60	12
Toluene	80	16
m-Xylene	44	12
o-Xylene	40	12
p-Xylene	64	16
Methanol	12	3

The results of the VOC concentration analysis, which can be found in Section 3.4 of this document, were used with the measured average alkane mixture emissions fluxes from the Williams and EnCana sites to calculate an estimated emissions flux for each VOC. More information on this calculation, as well as the estimated VOC flux values, can be found in Section 3.4.

Additional concentration analysis of the OP-FTIR data for benzene, toluene, m-xylene, o-xylene, and p-xylene was performed for six time periods that SUMMA canisters were deployed near the OP-FTIR measurement path. This analysis was done to compare the concentration determinations from the two measurement methods. Table 2-6 presents a summary of the six SUMMA canister deployment periods used for this comparison. The results of this comparison are presented in Section 3.4 of this document. Section 3.5 contains a detailed comparison of the OP-FTIR AM and SUMMA canister AM data along with sampling location information and wind summaries.

Table 2-6. Periods of SUMMA Canister/ OP-FTIR VOC Analysis

SUMMA ID	Site	Date	Start Time (MDT)	End Time (MDT)
TNAPC11	Williams	8/7/2008	16:13	17:13
926,648	Williams	8/8/2008	13:25	14:25
ER047	Williams	8/9/2008	14:00	15:00
TNAPC20	EnCana	8/13/2008	15:52	16:52
ER069, ER064	EnCana	8/14/2008	10:32	11:32
988,3248	EnCana	8/14/2008	16:09	17:09

2.4 Description of SUMMA Canister Measurements

In addition to EPA OTM 10 flux and related open-path measurements, evacuated SUMMA canister samples were collected at both sites to provide supporting information on the AM and select VOC concentration levels in areas near the observing OTM 10 planes. Time-integrated (1 hour) SUMMA canister samples with EPA TO-15 and SNMOC analysis were utilized since this approach yields lower method detection limits (MDL) for most compounds compared to the in situ path-integrated measurements acquired with OP-FTIR using standard 30 second time integration, thus providing useful information on concentrations of trace VOCs. A manual sample collection system was used with canister placement at an approximate 1 m height in many cases near the location of the lowest beam paths of the respective VRPM planes (paths 1 or 4 shown in Figure 2-4). Three samples were collected

at a time: two canisters were co-located near the midpoint of the downwind VRPM plane, and one canister was deployed near the midpoint of the upwind VRPM plane. On some days, two sets of samples were collected, one in the morning and one in the afternoon. A total of 28 canister samples were collected between the two sites.

The exact locations along the optical path were decided at the time of deployment by field personnel, and an attempt was made to initiate sampling when the meteorological conditions were most conducive to representative plume capture (i.e., when the wind was blowing across the open path beam at or near 90°). The vertical placement of the sample inlet and inlet funnel was one meter above ground level, approximately equal to the height of the ground level OP-FTIR optical beams. In some cases the position of the canisters were separated by from the location of OP-FTIR planes. The exact placement of the canisters along with wind information for the sampling time period is contained in Section 3.5.

Air was drawn into the evacuated canister using a calibrated critical orifice that is between the inlet and canister. The critical orifices were chosen to allow only a specified amount of air to enter the can over a given time. To avoid losses of VOCs to condensed water in the canisters, the pressure of the air sample in the canister did not exceed atmospheric pressure. The samples were analyzed by TO-15 and SNMOC with data presented in Appendix B. Table 2-7 shows the date, sampling time, and identification (ID) for the canister measurements.

2.5 Description of Water Sampling

Water sampling was conducted at the Williams Rullison site during August 7 and 8, 2008. These samples were collected at four different sites around the water treatment facility: Skim Pond Inlet (SP IN), Skim Pond outlet to the North Pond (SP OUT), North Pond outlet to the South Pond (N OUT) and South Pond outlet to the North Pond (S OUT). Figure 2-5 shows the location of each sampling point. For each sample, a Williams employee took a large grab sample directly from each header pipe exit. From each grab sample, two VOA (Volatile Organics Analysis) sample containers were filled with a minimum amount of head space. The sample containers were 40 ml amber glass with a teflon/silicon septa. The samples were then immediately put on ice. The samples were shipped over-night to the EPA R8 lab in Denver for analysis of volatile organics by EPA SW-846 Method 8260 "Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (capillary column technique). The dates and times of the sampling along with a results summary are contained in Section 3.6.

Table 2-7. SUMMA Canisters Deployed at the Williams Rulison and EnCana Benzel Facilities

Site	Date Deployed	Start Time	End Time	Summa ID
Williams Rulison	8/7/2008	16:13	17:13	TNAPC-17 ¹ 243 ¹ , 973 ¹
	8/7/2008	16:13	17:13	TNAPC-11
	8/8/2008	13:25	14:25	3639A
	8/8/2008	13:25	14:25	926, 648
	8/9/2008	~14:00	15:00	ER001,ER038
	8/9/2008	~14:00	15:00	ER047
EnCana Benzel	8/12/2008	~11:00	~12:00	ER029
	8/12/2008	~11:00	~12:00	659, 167604
	8/13/2008	11:07	12:07	3255
	8/13/2008	11:07	12:07	ER043, 444
	8/13/2008	15:52	16:52	TNAPC20
	8/13/2008	15:52	16:52	167601, 3254
	8/14/2008	10:33	11:33	ER061
	8/14/2008	10:33	11:33	ER069, ER064
	8/14/2008	16:09	17:09	15280
	8/14/2008	16:09	17:09	988, 3248
	8/15/2008	11:09	12:09	ER021
	8/15/2008	11:09	12:09	ER085, ER114

¹Invalid due to zero final pressure in the canister



Figure 2-5. Location of Water Sampling Points at the Williams Facility

Water sampling was conducted at the Williams Rullison site during August 12 through August 14, 2008. These samples were collected at four different sites around the evaporation pond: grass mesa inlet to the pond (Grass), west side of pond (W), south side of pond (S), and east side of pond (E). Figure 2-6 shows the location of each sampling point. For W, S, and E locations, a peristaltic pump was used to pull sample from approximately 2 to 6 inches below the surface of the water. Two VOAs sample containers were filled directly from the peristaltic tubing exit for each point. For the Grass sample point, an EnCana employee took a large grab sample directly from each header pipe exit. From the grab sample, two VOA sample containers were filled with a minimum amount of head space. The samples were then immediately put on ice. The samples were shipped over-night to the EPA R8 lab in Denver for analysis of volatile organics by EPA SW-846 Method 8260 "Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (capillary column technique). The dates and times of the sampling along with a results summary are contained in Section 3.6.




Figure 2-6. Location of Water Sampling Points at the EnCana Facility

3. Results and Discussion

3.1 Results Summary Approach

For this study, the OTM 10 VRPM calculation produces a moving average AM flux value for each of the four vertical planes (Figure 2-4). Each flux value represents an average from a time interval of approximately 4 minutes. These primary flux values are summarized in Appendix A along with data quality indicators. To calculate the net flux for the source within the four vertical plane configurations, the measured fluxes for the two downwind vertical planes are added together and the fluxes of the two upwind vertical planes are subtracted as backgrounds. Since the individual flux planes for each OP-FTIR are measured sequentially and the upwind and downwind plane pairs are not time synchronized, it is necessary to average several successive primary flux values to ensure that the net flux calculation will be composed of temporally comparable results. This is accomplished by creating a 20-minute average time period for each flux plane which is used in the net flux calculation and summary tables contained in this section. For each average reported in the tables, the following information is provided: time the measurement was made (hour:minute), wind speed (m/s), wind direction with respect to north (degrees), and the AM flux value for each of the four VRPM planes (A123, A456, E123, or E456) in g/s. Additional low and high range net flux calculations and uncertainty estimates contained in the tables are described below. Note that missing values in the tables and graphs are a result of data which did not pass acceptance criteria, see Appendix A for details.

Minimum Net Flux

As a way to express a low-range net flux estimate, a minimum net flux calculation is given. This value is the result of adding all four of the VRPM flux values (2 upwind and 2 downwind). The upwind planes represent background conditions (ideally zero flux) and are therefore given a negative value in these calculations. The *Sum of All 4 Planes* result is entered here and represents the minimum net flux of the target area within the 4-corner configuration. In the time series graphs, the vertical bars represent the range of possible mass emission fluxes with the minimum net flux represented by the lower end of the vertical bar.

Since the upwind planes are assigned a negative value, the *Sum of All 4 Planes* may in some cases be negative if there is a strong interfering upwind source (external source). This is caused by incomplete capture of the upwind plume by the downwind planes due to plume trajectory and dilution as it moves across the cross the configuration. When this situation occurs, these are not good conditions for estimating the flux from the target source contained within the four corners configuration. When this situation occurs, the Minimum Net Flux for

target source is defined to be zero since a negative value (a sink) is not physically meaningful.

Maximum Net Flux

As a way to express a high-range net flux estimate, a maximum net flux calculation is given. This value is the sum of the two downwind VRPM flux values, and therefore represents the maximum net flux possible (assuming that none of the upwind mass is captured by the downwind vertical planes). In the time series graphs, the maximum net flux values are represented by the upper end of the vertical bars.

Estimated Net Flux

This is the mean of the *Maximum Net Flux* and the *Minimum Net Flux*. When the difference between the maximum and minimum net flux is large there is a large uncertainty associated with the estimated net flux.

Combined Uncertainty

A combined uncertainty estimate was produced for each 20-minute flux measurement. This uncertainty estimate was produced by propagating individual estimates of uncertainty for each measurement plane to a combination of all four planes using an assumption of $\pm 20\%$ uncertainty for each individual plane measurement. This assumption is based on tracer release OTM 10 performance data and is further described in Section 5.3. When a sum or difference of two or more independent random variables is calculated, the propagated combined absolute uncertainty is the square root of the sum of the squares of the individual absolute uncertainties.

External Flux

This represents the absolute values of the sum of the upwind plane fluxes. In cases when the minimum net flux is positive, the range of the vertical bars represents the external flux. Since the top of the vertical bar represents the flux of everything captured by the downwind VRPM configuration, and the bottom of the vertical bar represents this same flux less the background (external contributors), then the vertical bar itself represents the range of flux from external sources.

3.2 AM Flux Summary for the Williams Rulison Facility

The following tables and figures are time series graphs of the calculated mass emission fluxes for the AM during each day of sampling and at various contributing sources (evaporation versus skim pond). Tables 3-1 through 3-4 are summary tables of mass emission flux results (20-minute period averages) for the configurations used during each day of sampling at the Williams Rulison facility. These values were calculated as described in Sections 2.2 and 3.1. Figures 3-1 through 3-4 are time series graphs of calculated mass emission fluxes for the AM during each day of sampling. For each reported average in the tables, the following information is provided: time the measurement was made, wind speed, wind direction, and the flux value for each of the four VRPM planes (A123, A456, E123, or E456). Also shown are the calculated values for: minimum net flux, maximum net flux, estimated net flux, combined uncertainty and external flux.

Table 3-1 and Figure 3-1 show the first day of sampling at the Williams Rulison facility (August 6) when winds were generally steady from the SSW. All of the estimated net flux values had very small vertical bars (relatively low external flux, typically smaller than the combined uncertainty) associated with them and the combined uncertainty is slightly higher than the individual 20% assigned uncertainty. Therefore, this time period is valid for calculating the net flux from the main evaporation pond (North Pond). They ranged from about 0 g/s to 0.2 g/s, for an average of about 0.07 g/s over the 1.5 hours of valid data collection on all four VRPM planes.

Table 3-2 and Figure 3-2 show the second day of sampling (August 7). At 14:30, there is a large vertical bar when the wind shifted to a more easterly direction thus impacting the E456 VRPM plane to the west of the skim pond. These external emissions appear to be coming from the skim pond, and had an average flux of 1.1 g/s. The time period prior to 14:30 was an ideal (low combined uncertainty and external flux) time for monitoring net emissions from the North Pond, which had an average flux of 0.56 g/s.

Table 3-3 and Figure 3-3 show the third day of sampling at William Rulison (August 8). Before 11:00 am, the winds were from the SE and the flux from the skim pond was 0.24 g/s. The winds then shifted to the SW, presenting good conditions for monitoring the North Pond. The average net flux from the North Pond throughout the day was 0.10 g/s. At the end of the day, the wind shifted to the SE again for the final 20-minute averaging period, resulting in a flux of 1.8 g/s for the skim pond. Averaging the morning and afternoon fluxes for the skim pond resulted in a daily average flux of 1.1 g/s

Table 3-4 and Figure 3-4 show results from the final day of sampling at William Rulison (August 9). The prevailing winds had an easterly component during the beginning of the measurement period (up until 13:30). The winds were then from the south for the remainder of the period. The average flux for the skim pond, determined up to 13:30, was 0.56 g/s. The rest of the day showed very little influence from the skim pond and provided good conditions for monitoring the North Pond. The average flux value for the evaporation pond was 0.13 g/s.

Table 3-1. Summary Table of the Mass Emission Flux Results (g/s) for the Configuration used at the Williams Rulison Facility on August 6, 2008

Time	Wind speed	Wind Direction	A123	A456	E123	E456	Minimum Net Flux	Maximum Net Flux	Estimated Net Flux	Combined Uncertainty	External Flux
15:10	1.7	174.8	-0.010	0.030	-0.015	0.022	0.027	0.052	0.040	0.0195	0.025
15:30	1.9	179.3	-0.020	0.028	0.000	0.178	0.186	0.206	0.196	0.0598	0.020
15:50	2.4	179.1	-0.017	0.005	0.000	0.000	0.000	0.005	0.003	0.0061	0.017
16:10	2.0	202.6	0.000	0.000	-0.005	0.052	0.047	0.052	0.050	0.0131	0.005
16:30	2.0	231.1	0.000	0.000	0.000	0.083	0.083	0.083	0.083	0.0166	0.000




Figure 3-1. Time Series of Mass Emission Flux for August 6, 2008 at the Williams Rulison Facility

Table 3-2. Summary Table of the Mass Emission Flux Results (g/s) for the Configuration used at the Williams Rulison Facility on August 7, 2008

Time	Wind speed	Wind Direction	A123	A456	E123	E456	Minimum Net Flux	Maximum Net Flux	Estimated Net Flux	Combined Uncertainty	External Flux
11:30	1.1	113.2	0.000	0.155	-0.003	-0.123	0.029	0.155	0.092	0.0483	0.126
12:10	1.0	95.6	0.010	0.000	-0.010	-0.440	0.000	0.010	0.005	0.0880	0.450
12:30	1.3	191.3	0.000	0.015	-0.005	0.227	0.237	0.242	0.240	0.0458	0.005
12:50	1.1	196.5	0.000	0.035	0.000	0.503	0.538	0.538	0.538	0.101	0.000
13:10	1.1	187.9	0.000	0.080	0.000	1.480	1.560	1.560	1.56	0.296	0.000
14:10	1.4	157.1	0.003	1.035	0.000	-0.200	0.838	1.038	0.938	0.279	0.200
14:30	2.4	115.9	0.080	2.637	-0.010	-1.536	1.171	2.717	1.94	0.611	1.546
15:10	1.3	34.0	0.235	-0.015	0.350	-1.088	0.000	0.585	0.293	0.233	1.103
15:30	1.3	21.0	0.242	-0.005	0.226	-0.895	0.000	0.468	0.234	0.190	0.900
15:50	1.7	60.5	0.188	0.295	0.038	-1.104	0.000	0.521	0.261	0.231	1.104
16:30	2.6	66.0	0.568	0.375	0.010	-0.265	0.688	0.953	0.821	0.146	0.265
16:50	2.8	74.3	0.306	0.470	-0.013	-0.350	0.413	0.776	0.595	0.132	0.363
17:10	1.7	60.4	0.210	0.017	0.010	-1.898	0.000	0.237	0.119	0.382	1.898
17:30	1.3	87.6	0.140	0.650	-0.030	-1.410	0.000	0.790	0.395	0.312	1.440




Figure 3-2. Time Series of Mass Emission Flux for August 7, 2008 at the Williams Rulison Facility

Table 3-3. Summary Table of the Mass Emission Flux Results (g/s) for the Configuration used at the Williams Rulison Facility on August 8, 2008

Time	Wind speed	Wind Direction	A123	A456	E123	E456	Minimum Net Flux	Maximum Net Flux	Estimated Net Flux	Combined Uncertainty	External Flux
10:30	1.2	154.1	0.000	0.048	0.000	0.020	0.068	0.068	0.068	0.0104	0.000
10:50	1.1	103.2	0.020	0.092	0.000	-0.238	0.000	0.112	0.056	0.0512	0.238
11:10	1.4	170.0	0.000	0.000	-0.010	0.020	0.010	0.020	0.015	0.0045	0.010
11:30	1.7	204.9	-0.003	0.000	-0.010	0.047	0.034	0.047	0.041	0.0098	0.013
12:10	3.5	256.8	0.000	0.000	0.028	0.040	0.068	0.068	0.068	0.0099	0.000
12:30	4.3	251.5	0.000	0.000	0.005	0.078	0.083	0.083	0.083	0.0161	0.000
12:50	4.2	250.2	0.000	0.000	0.002	0.025	0.027	0.027	0.027	0.0051	0.000
13:10	4.5	245.7	0.000	0.000	0.000	0.136	0.136	0.136	0.136	0.0272	0.000
13:30	4.6	246.0	0.000	0.000	0.008	0.053	0.061	0.061	0.061	0.0108	0.000
13:50	3.8	245.9	0.000	0.000	0.010	0.108	0.118	0.118	0.118	0.0217	0.000
14:10	3.0	244.7	0.000	0.000	0.006	0.178	0.184	0.184	0.184	0.0356	0.000
14:30	2.7	226.8	0.000	0.000	-0.007	0.090	0.083	0.090	0.087	0.0181	0.007
15:10	1.9	211.1	0.000	0.000	-0.010	0.092	0.082	0.092	0.087	0.0185	0.010
15:30	2.8	228.6	0.000	0.000	-0.010	0.280	0.270	0.280	0.275	0.0560	0.010
16:30	3.5	136.5	0.237	1.757	0.000	-1.853	0.141	1.994	1.068	0.5129	1.853




Figure 3-3. Time Series of Mass Emission Flux for August 8, 2008 at the Williams Rulison Facility

Table 3-4. Summary Table of the Mass Emission Flux Results (g/s) for the Configuration used at the Williams Rulison Facility on August 9, 2008

Time	Wind speed	Wind Direction	A123	A456	E123	E456	Minimum Net Flux	Maximum Net Flux	Estimated Net Flux	Combined Uncertainty	External Flux
11:50	2.7	85.4	0.220	0.307	-0.012	-0.325	0.190	0.527	0.359	0.0997	0.337
12:10	2.6	92.8	0.088	0.383	0.000	-0.380	0.091	0.471	0.281	0.1093	0.380
12:30	2.5	91.2	0.045	0.158	-0.030	-0.797	0.000	0.203	0.102	0.1631	0.827
12:50	1.7	106.1	0.015	0.115	-0.025	-0.688	0.000	0.130	0.065	0.1397	0.713
13:10	1.2	93.9	0.010	0.093	-0.013	-0.525	0.000	0.103	0.052	0.1070	0.538
13:50	1.0	163.8	0.000	0.025	-0.100	0.040	0.000	0.065	0.033	0.0221	0.100
14:10	1.9	167.9	0.000	0.018	-0.038	0.094	0.074	0.112	0.093	0.0208	0.038
14:30	2.9	154.7	0.000	0.108	0.000	0.044	0.152	0.152	0.152	0.0233	0.000
14:50	3.0	144.9	0.000	0.273	0.000	-0.070	0.203	0.273	0.238	0.0564	0.070




Figure 3-4. Time Series of Mass Emission Flux for August 9, 2008 at the Williams Rulison Facility

One observation made during this field campaign was that lower emissions were measured for the skim pond in the morning, than in the afternoon. Also, there was a very good correlation (Pearson correlation of 0.87) between the external flux (primarily skim pond) and the combined uncertainty. This reaffirms that in time periods with large external flux interfering with the estimation of the net flux from the north pond, the uncertainty is large.

The 4-day average flux from the evaporation pond (North Pond) was 0.20 g/s (SD of ± 0.33). The flux value for the evaporation pond was found by averaging (27) 20-minute averaged flux values over 4 days. See Section 5.3 for additional discussion on OTM 10 measurement uncertainty. The average flux value from the evaporation pond is found using the "Estimated Net Flux" values from Table 3-1 through 3-4 during the following time periods, which were ideal for characterizing emissions from the evaporation pond based on prevailing wind direction during the time of the measurements:

- August 6: 15:10 to 16:30
- August 7: 11:30 to 14:10
- August 8: 11:10 to 15:30
- August 9: 13:50 to 14:50

The 3-day average flux from the skim pond (no external sources were detected by the VRPM configuration on Day 1 of sampling) was 0.90 g/s (SD of ± 0.572). The value for the skim pond was found by averaging (15) 20-minute averaged flux values over a 3 day period. The average flux value from the Skim Pond is found using the "External Flux" value shown in Tables 3-1 through 3-4 during periods described as being ideal for characterizing emissions from the pond.

- August 6: No Measurements
- August 7: 14:30 to 17:30
- August 8: 10:30, 10:50, 16:30
- August 9: 11:50 to 13:10

Note that no valid measurements were obtained from the South Evaporation pond. Emissions from this pond are expected to be very low and this is supported by the Water sampling measurements described in Section 3.6 and Appendix C which indicate non detects for volatile organic concentrations in the ponds. For subsequent summary tables, the North Pond is referred to as Evaporation Pond.

3.3 AM Flux Summary for the EnCana Benzel Facility

Tables 3-5 through 3-8 are summary tables of mass emission flux results (20-minute period averages) for the configurations used during each day of sampling at the EnCana Benzel facility. These values were calculated as described in Sections 2.2 and 3.1. Figures 3-5 through 3-8 are time series graphs of calculated mass emission fluxes for AMs (total alkanes) during each day of sampling. For each reported average in the tables, the following information is provided: time the measurement was made, wind speed, wind direction, and the flux value for each of the four VRPM planes (A123, A456, E123, or E456). Also shown are the calculated values for: minimum net flux, maximum net flux, estimated net flux, combined uncertainty and external flux.

Table 3-5 and Figure 3-5 show the first day of sampling at the EnCana Benzel facility (August 12). Winds were northerly and there were lower emissions in the early afternoon than were seen later in the day. The conditions were good for measuring the emissions from the evaporation pond, as the background (external) emissions were small. The average flux from the evaporation pond was 0.12 g/s.

Table 3-6 and Figure 3-6 show the second day of sampling (August 13). Winds were from the NW for the majority of the day, providing good conditions for monitoring the evaporation pond. The average flux for the day from the pond was 0.06 g/s. The largest external emissions (largest vertical bars) were seen between 14:30 and 15:50, when the winds were coming from the N, indicating a possible source contribution from that direction.

Table 3-5. Summary Table of the Mass Emission Flux Results(g/s) for the Configuration used at the EnCana Benzel Facility on August 12, 2008

Time	Wind speed	Wind Direction	A123	A456	E123	E456	Minimum Net Flux	Maximum Net Flux	Estimated Net Flux	Combined Uncertainty	External Flux
12:10	2.3	13.6	0.065	0.015	-0.020	-0.010	0.050	0.080	0.065	0.0141	0.030
12:30	2.4	5.4	0.034	0.060	-0.020	-0.015	0.059	0.094	0.077	0.0147	0.035
12:50	2.6	345.4	0.003	0.074	-0.025	-0.008	0.044	0.077	0.061	0.0158	0.033
13:10	1.8	290.3	0.000	0.033	-0.006	0.013	0.040	0.046	0.043	0.0133	0.006
13:30	2.1	302.2	0.000	0.000	-0.020	0.002	0.000	0.002	0.001	0.0040	0.020
13:50	4.3	318.5	0.000	0.000	-0.024	0.010	0.000	0.010	0.005	0.0055	0.024
14:10	3.8	297.1	0.000	0.000	-0.015	0.024	0.009	0.024	0.017	0.0057	0.015
15:30	1.9	335.8	0.017	0.070	-0.007	-0.003	0.077	0.087	0.082	0.0146	0.010
15:50	2.0	318.4	0.030	0.065	-0.015	-0.007	0.073	0.095	0.084	0.0147	0.022
16:10	1.7	11.8	0.007	0.042	-0.037	0.007	0.019	0.056	0.038	0.0114	0.037
16:30	3.4	352.9	0.096	0.085	-0.038	-0.005	0.138	0.181	0.160	0.0286	0.043
16:50	2.2	2.1	0.130	0.130	0.000	-0.010	0.250	0.260	0.255	0.0368	0.010
17:10	1.7	336.9	0.056	0.255	0.000	-0.012	0.299	0.311	0.305	0.0523	0.012
17:30	2.5	248.5	0.073	0.210	0.000	0.000	0.283	0.283	0.283	0.0445	0.000
17:50	3.0	233.9	0.158	0.068	0.000	0.000	0.226	0.226	0.226	0.0344	0.000
18:10	1.6	301.0	0.063	0.085	0.000	0.000	0.148	0.148	0.148	0.0212	0.000




Figure 3-5. Time Series of Mass Emission Flux for August 12, 2008 at the EnCana Benzel Facility

Table 3-6. Summary Table of the Mass Emission Flux Results (g/s) for the Configuration used at the EnCana Benzel Facility on August 13, 2008

Time	Wind speed	Wind Direction	A123	A456	E123	E456	Minimum Net Flux	Maximum Net Flux	Estimated Net Flux	Combined Uncertainty	External Flux
10:30	1.6	346.1	0.006	0.004	-0.017	-0.005	0.000	0.010	0.005	0.0081	0.022
10:50	1.6	328.3	0.005	0.038	-0.017	0.000	0.026	0.043	0.035	0.0079	0.017
11:10	1.6	314.1	0.000	0.043	-0.018	0.000	0.025	0.043	0.034	0.0063	0.018
11:30	1.7	325.1	0.000	0.040	-0.010	0.000	0.030	0.040	0.035	0.0055	0.010
11:50	1.4	335.3	0.000	0.055	-0.017	0.000	0.038	0.055	0.047	0.0115	0.017
12:30	1.3	288.5	0.020	0.020	-0.010	0.000	0.030	0.040	0.035	0.0060	0.010
12:50	1.7	303.1	0.015	0.036	-0.007	0.000	0.044	0.051	0.048	0.0081	0.007
13:10	1.3	304.9	-0.020	0.056	-0.010	0.000	0.026	0.056	0.041	0.0121	0.030
13:30	2.2	3.0	0.098	0.053	-0.014	-0.004	0.133	0.151	0.142	0.0225	0.018
13:50	2.7	8.0	0.117	0.024	-0.010	0.000	0.131	0.141	0.136	0.0241	0.010
14:10	1.4	349.6	0.080	0.020	-0.018	0.000	0.082	0.100	0.091	0.0169	0.018
14:30	2.5	19.5	0.033	0.066	-0.028	-0.008	0.063	0.099	0.081	0.0159	0.036
14:50	2.9	15.9	0.004	0.053	-0.068	-0.005	0.000	0.057	0.029	0.0173	0.073
15:10	4.0	8.1	0.007	0.035	-0.025	-0.008	0.009	0.042	0.026	0.0100	0.033
15:50	3.9	326.0	-0.010	0.014	-0.040	0.012	0.000	0.026	0.013	0.0108	0.050
16:10	4.0	304.3	0.001	0.117	-0.006	0.018	0.130	0.136	0.133	0.0239	0.006
16:30	2.5	289.5	-0.013	0.048	0.000	0.010	0.045	0.058	0.052	0.0101	0.013
17:30	1.7	250.9	0.000	0.000	0.000	0.010	0.010	0.010	0.010	0.0020	0.000




Figure 3-6. Time Series of Mass Emission Flux for August 13, 2008 at the EnCana Benzel Facility

Table 3-7. Summary Table of the Mass Emission Flux Results (g/s) for the Configuration used at the EnCana Benzel Facility on August 14, 2008

Time	Wind speed	Wind Direction	A123	A456	E123	E456	Minimum Net Flux	Maximum Net Flux	Estimated Net Flux	Combined Uncertainty	External Flux
9:30	1.1	15.3	0.010	0.020	0.000	-0.003	0.027	0.030	0.029	0.0054	0.003
9:50	1.5	56.4	0.032	0.020	0.000	0.000	0.052	0.052	0.052	0.0075	0.000
10:10	1.8	36.3	0.013	0.040	0.000	-0.008	0.045	0.053	0.049	0.0096	0.008
10:30	1.5	349.1	0.014	0.063	-0.002	-0.007	0.068	0.077	0.073	0.0131	0.009
10:50	1.2	329.6	0.005	0.066	0.000	0.000	0.071	0.071	0.071	0.0132	0.000
11:10	1.3	328.8	0.012	0.058	0.000	-0.003	0.067	0.070	0.069	0.0119	0.003
11:30	1.7	325.4	0.014	0.075	-0.005	0.000	0.084	0.089	0.087	0.0155	0.005
11:50	1.8	332.9	0.010	0.028	-0.004	0.000	0.034	0.038	0.036	0.0061	0.004
12:10	1.5	352.9	0.018	-0.010	-0.005	-0.002	0.001	0.018	0.010	0.0043	0.017
12:30	2.2	1.7	0.065	0.000	-0.018	-0.005	0.042	0.065	0.054	0.0136	0.023
13:10	1.5	181.0	0.083	-0.023	0.003	-0.003	0.060	0.086	0.073	0.0172	0.026
13:50	1.8	99.0	0.028	0.025	-0.010	-0.016	0.027	0.053	0.040	0.0084	0.026
14:10	2.5	43.6	0.030	-0.006	-0.020	-0.025	0.000	0.030	0.015	0.0089	0.051
14:50	3.2	234.2	0.003	0.030	0.000	0.007	0.040	0.040	0.040	0.0062	0.000
15:10	2.6	274.0	-0.008	0.050	0.000	0.006	0.048	0.056	0.052	0.0102	0.008
15:30	2.5	309.1	-0.006	0.076	0.000	0.000	0.070	0.076	0.073	0.0152	0.006
15:50	1.9	318.4	0.000	0.085	0.000	0.000	0.085	0.085	0.085	0.0170	0.000
16:10	3.9	305.9	0.000	0.057	0.000	0.003	0.060	0.060	0.060	0.0114	0.000




Figure 3-7. Time Series of Mass Emission Flux for August 14, 2008 at the EnCana Benzel Facility

Table 3-8. Summary Table of the Mass Emission Flux Results (g/s) for the Configuration used at the EnCana Benzel Facility on August 15, 2008

Time	Wind speed	Wind Direction	A123	A456	E123	E456	Minimum Net Flux	Maximum Net Flux	Estimated Net Flux	Combined Uncertainty	External Flux
9:50	1.9	19.0	0.057	0.000	0.000	0.000	0.057	0.057	0.057	0.0114	0.000
10:10	1.2	13.0	0.053	0.010	0.000	0.000	0.063	0.063	0.063	0.0108	0.000
10:30	1.9	27.5	0.055	0.016	0.000	-0.004	0.067	0.071	0.069	0.0121	0.004
10:50	1.5	32.5	0.056	0.004	0.000	0.000	0.060	0.060	0.060	0.0112	0.000
11:10	1.7	50.2	0.052	0.003	0.000	0.000	0.055	0.055	0.055	0.0106	0.000
11:30	2.1	30.1	0.073	0.018	0.000	0.000	0.091	0.091	0.091	0.0150	0.000
11:50	2.3	332.0	0.018	0.058	0.000	0.000	0.076	0.076	0.076	0.0121	0.000
12:10	2.2	350.0	0.007	0.056	-0.002	0.000	0.061	0.063	0.062	0.0115	0.002
12:30	2.2	351.3	0.004	0.028	-0.010	0.004	0.026	0.036	0.031	0.0069	0.010
12:50	3.1	327.6	0.000	0.036	-0.015	-0.002	0.019	0.036	0.028	0.0082	0.017
13:10	2.4	301.6	0.000	0.030	0.000	-0.002	0.028	0.030	0.029	0.0060	0.002
13:30	3.3	321.3	0.000	0.035	0.000	0.000	0.035	0.035	0.035	0.0070	0.000
13:50	3.8	301.7	0.000	0.016	0.000	0.000	0.016	0.016	0.016	0.0080	0.000




Figure 3-8. Time Series of Mass Emission Flux for August 15, 2008 at the EnCana Benzel Facility

Table 3-7 and Figure 3-7 show the third day of sampling at EnCana Benzel (August 14). Winds shifted to the east, then the south, where larger external interferences were seen. Most of the day provided good data for the evaporation pond, because even when the vertical bars were larger, they were small compared to the net flux. The average flux for the day from the pond was 0.05 g/s.

Table 3-8 and Figure 3-8 show the final day of sampling at EnCana Benzel (August 15). Although there was a wind shift from NE to NW, all winds had a northerly component and were good for estimating flux from the evaporation pond. The average flux for the day from the pond was 0.05 g/s

The 4-day average flux from the evaporation pond was 0.07 g/s (SD of ± 0.06). The flux value for the evaporation pond was found by averaging (65) 20-minute averaged flux values over the four days of measurements. The average flux value from the evaporation pond is found by averaging the "Estimated Net Flux" values in the above tables. See Section 5.3 for additional discussion on OTM 10 measurement uncertainty.

3.4 Results of OP-FTIR VOC Concentration Analysis and Estimated VOC Fluxes Using Ratio Method

As discussed in Section 2.3, analysis of the OP-FTIR data was performed using the time-averaging method (TAM) to determine the concentration of benzene, toluene, m-p-xylene, o-xylene, methanol for time periods when relatively high alkane mixture (AM) emissions were detected. This purpose of the analysis was to help estimate the select VOC emissions from the source areas. Methane was also quantified without using the TAM. Table 3-9 presents the average VOC concentration in ppb, for each analysis period. The table includes the corresponding AM concentration for each period, and the determined molecular weight of the AM, which is shown in parenthesis.

Table 3-9. Summary of OP-FTIR VOC Concentration Determinations (concentrations in ppb)

Site	Start Time	End Time	Benzene	Toluene	m-Xylene	o-Xylene	p-Xylene	Methanol	Methane	Alkane Mixture
Williams	8/6/2008 16:00	16:40	NA	NA	NA	NA	NA	NA	299	209 (114)
Williams	8/7/2008 14:01	15:59	42	250	220	ND	78	6.1	NA	2649 (114)
Williams	8/7/2008 14:02	14:58	200	230	ND	ND	ND	19	630	1086 (114)
Williams	8/7/2008 16:01	17:40	NA	NA	NA	NA	NA	NA	829	1103 (114)
Williams	8/8/2008 13:27	14:24	22	44	ND	35	21	4.5	10	85 (113)
Williams	8/8/2008 16:00	16:46	ND	160	ND	98	ND	16	NA	449 (110)
Williams	8/8/2008 16:01	16:50	70	170	130	69	49	18	21	1606 (107)
Williams	8/8/2008 16:02	16:49	ND	38	ND	36	ND	6.7	NA	210 (114)
EnCana	8/12/2008 17:02	18:16	ND	61	42	25	29	15	19	288 (106)
EnCana	8/12/2008 17:04	18:27	64	60	42	44	17	18	24	490 (111)
EnCana	8/13/2008 11:08	12:05	70	101	53	ND	ND	12	52	123 (114)
EnCana	8/13/2008 13:20	14:30	NA	NA	NA	NA	NA	NA	67	140 (111)
EnCana	8/13/2008 15:00	15:26	47	ND	ND	ND	ND	13	NA	90 (112)
EnCana	8/13/2008 15:25	16:13	82	ND	ND	31	ND	ND	NA	123 (113)
EnCana	8/13/2008 15:52	16:51	68	49	43	44	34	6.4	26	118 (113)
EnCana	8/14/2008 10:22	11:19	ND	41	ND	24	ND	8.7	110	101 (114)
EnCana	8/14/2008 15:00	16:10	NA	NA	NA	NA	NA	NA	105	134 (114)
EnCana	8/14/2008 15:59	16:56	70	ND	ND	ND	27	22	2.0	64 (114)
EnCana	8/15/2008 13:00	14:00	NA	NA	NA	NA	NA	NA	175	53 (112)

*NA denotes periods when VOC or methane concentrations were not analyzed

*ND denotes time periods that concentrations were not detected above minimum detection limits of OP-FTIR

The VOC concentrations presented above were then used with the corresponding AM concentration data from the same time period to produce a mass concentration ratio (MCR) for each VOC to AM, using the following formula:

$$MCR = \left[\frac{Conc, VOC_{FTIR}}{Conc, AM_{FTIR}} \right] \left[\frac{MW_{VOC}}{MW_{AM}} \right] \quad (3-1)$$

Where:

- MCR* = mass concentration ratio between the VOC and the alkane mixture for a particular time period
- Conc, VOC_{FTIR}* = the average VOC concentration for the date and time period selected, as measured by the OP-FTIR;
- Conc, AM_{FTIR}* = the average AM concentration for the date and time period selected, as measured by the OP-FTIR;
- MW_{VOC}* = the molecular weight of the VOC/SNMOC;
- MW_{AM}* = the molecular weight of the AMs, as determined from the OP-FTIR measurements

The results of these calculations are shown in Table 3-10.

The MCR results for the individual time periods in Table 3-10 were used to produce an average MCR for each compound for each of the two sites. Table 3-11 presents the average MCR with ± one standard deviation shown. The average excludes ND readings and the standard deviation should not be considered a robust indicator of uncertainty due to the low number of entries. It is evident that a considerable amount of variation exists in the calculated mass concentration ratios so there is a significant amount of uncertainty in the average value. The EnCana facility seems to possess a somewhat higher mass concentration ratio compared to the Williams facility.

Table 3-10. Summary of OP-FTIR VOC to AM Mass Concentration Ratio Calculations

Site	Start Time	End Time	Benzene	Toluene	m-Xylene	o-Xylene	p-Xylene	Methanol	Methane
Williams	8/6/2008 16:00	8/6/2008 16:40	NA	NA	NA	NA	NA	NA	0.201
Williams	8/7/2008 14:01	8/7/2008 15:59	0.011	0.076	0.078	ND	0.028	0.001	NA
Williams	8/7/2008 14:02	8/7/2008 14:58	0.126	0.171	ND	ND	ND	0.005	0.082
Williams	8/7/2008 16:01	8/7/2008 17:40	NA	NA	NA	NA	NA	NA	0.107
Williams	8/8/2008 13:27	8/8/2008 14:24	0.179	0.422	ND	0.390	0.234	0.015	0.017
Williams	8/8/2008 16:00	8/8/2008 16:46	ND	0.299	ND	0.213	ND	0.010	NA
Williams	8/8/2008 16:01	8/8/2008 16:50	0.032	0.091	0.081	0.043	0.031	0.003	0.002
Williams	8/8/2008 16:02	8/8/2008 16:49	ND	0.146	ND	0.161	ND	0.009	NA
EnCana	8/12/2008 17:02	8/12/2008 18:16	ND	0.184	0.147	0.088	0.102	0.016	0.010
EnCana	8/12/2008 17:04	8/12/2008 18:27	0.092	0.102	0.083	0.087	0.034	0.011	0.007
EnCana	8/13/2008 11:08	8/13/2008 12:05	0.390	0.664	0.405	ND	ND	0.027	0.060
EnCana	8/13/2008 13:20	8/13/2008 14:30	NA	NA	NA	NA	NA	NA	.0692
EnCana	8/13/2008 15:00	8/13/2008 15:26	0.364	ND	ND	ND	ND	0.0413	NA
EnCana	8/13/2008 15:25	8/13/2008 16:13	0.461	ND	ND	0.239	ND	ND	NA
EnCana	8/13/2008 15:52	8/13/2008 16:51	0.398	0.339	0.346	0.354	0.273	0.015	0.031
EnCana	8/14/2008 10:22	8/14/2008 11:19	ND	0.328	ND	0.223	ND	0.024	0.153
EnCana	8/14/2008 15:00	8/14/2008 16:10	NA	NA	NA	NA	NA	NA	0.110
EnCana	8/14/2008 15:59	8/14/2008 16:56	0.749	ND	ND	ND	0.397	0.097	0.004
EnCana	8/15/2008 13:00	8/15/2008 14:00	NA	NA	NA	NA	NA	NA	0.473

*NA denotes periods when concentrations were not analyzed for a particular compound

*ND denotes time periods that concentrations were not detected above minimum detection limits of OP-FTIR

Table 3-11. Summary of the Average Mass Concentration Ratios of VOC to Alkane Mixture, for the Williams and EnCana sites

Site	Benzene	Toluene	m-Xylene	o-Xylene	p-Xylene	Methanol	Methane
Williams	0.087±0.079	0.201±0.134	0.080±0.002	0.202±0.144	0.098±0.118	0.007±0.005	0.082±0.080
EnCana	0.409±0.211	0.323±0.215	0.245±0.154	0.198±0.113	0.201±0.165	0.033±0.030	0.102±0.148

The average mass concentration ratio for each VOC from the Williams site was then multiplied by the average AM flux value from the Williams Evaporation Pond (0.20 g/s) and Skim Pond (0.90 g/s) to produce an estimated flux for each VOC for these sources. The average mass concentration ratio for each VOC from the EnCana site was multiplied by the average AM flux value from the EnCana Evaporation Pond (0.07 g/s) to produce an estimated VOC flux from this source. A summary of the estimated VOC emissions flux values from each source area are presented below in Table 3-12. It is noted that the values of Table E-2 include underlying uncertainty in AM flux measurement average and additionally VOC to AM concentration ratio uncertainty so the values should be considered estimates.

Table 3-12. Estimated Emission Flux Values (g/s) of select VOCs from the Williams and EnCana Sites

Site	Source Area	Benzene (g/s)	Toluene (g/s)	m-Xylene (g/s)	o-Xylene (g/s)	p-Xylene (g/s)	Methanol (g/s)	Methane (g/s)
Williams	Evaporation Pond	0.018	0.040	0.016	0.040	0.020	0.001	0.017
Williams	Skim Pond	0.078	0.181	0.072	0.182	0.088	0.006	0.074
EnCana	Evaporation Pond	0.029	0.023	0.017	0.014	0.014	0.002	0.007

Table 3-12 shows that the largest emission flux values for these compounds were from the Williams Skim Pond, with lower emissions found from the evaporation ponds at both sites. As discussed in the next section, the presence of these VOCs are also recorded in the SUMMA canister sampling with values near the Williams skin pond showing elevated results.

The results of Table 3-12 reflect an analysis that was conducted during times conducive to AM flux estimation. During other time periods, the concentrations of the select VOCs could be much lower, and in many cases below the detection limit of the OP-FTIR TAM method. An attempt was made to compare the concentrations determined by the OP-FTIR TAM with SUMMA canister values for the exact time periods that the canisters were acquired. Table 3-13 presents six canister results from the Williams and EnCana facilities with OP-FTIR TAM analyses conducted during the canister sampling periods. The SUMMA canister results are labeled (S) with the TO-15 analysis listed first

and the SNMOC result in parenthesis. The OP-FTIR TAM result is labeled (F). The derivation of the SUMMA canister AM results is discussed in Section 3.5 and Appendix A.

Table 3-13. Comparison of Canister and OP-FTIR Results

	Canister TNAPC11 (Williams)	Canisters 926,648 (Williams)	Canister ER047 (Williams)	Canister TNAPC20 (Encana)	Canisters ER069, ER064 (Encana)	Canisters 988, 3248 (Encana)
Benzene (S)	203 (175)	88.8 (57.8)	8.1 (4.7)	1.3 (1.0)	2.3 (1.5)	2.5 (2.0)
Benzene (F)	17	23	36	(ND)	(ND)	66
Toluene (S)	1210 (993)	221 (200)	16.7 (11.4)	4.1 (3.5)	3.2 (2.9)	4.6 (4.3)
Toluene (F)	42	63	62	(ND)	42	ND
m-,o-,p-Xylene (S)	2711 ¹ (1916) ¹	177 (105)	15.7 (11.6)	5.1 (5.0)	1.9 (2.0)	2.6 (2.8)
m-,o-,p-Xylene (F)	91	53	79	31 ²	30 ²	40 ²
AM (S)	6654	546	164	58.2	19.4	33.5
AM (F)	536	82	509	27	86	54

¹ estimated value

² m-,p-Xylene below minimum detection limit of OP-FTIR TAM

(ND) below the minimum detection limits of OP-FTIR TAM

In general, it is difficult to compare the concentrations determined by the OP-FTIR TAM and SUMMA canister methods since the former integrates over an extended area, and the latter is a point sampling approach. In some cases, the canister may be located very close to the source (such as the Skim Pond at the Williams site), while the corresponding path-averaged concentration measurement from the OP-FTIR measures this area but additionally integrate clean air from both sites of the source. Conversely, at times when the concentrations measured with the OP-FTIR are larger than canister values, the canister location may not have been located within the plume but plume was captured by the spatially extended OP-FTIR measurement beam. In some cases, the canisters were not located in close enough proximity to the OP-FTIR beam to allow robust comparisons. In some cases similar concentrations are measured by the two methods but at slightly offset time periods due to changes in wind direction. For example, elevated values similar to TNAPC11 were measured by the OP-FTIR beam just before the canister was acquired (Table 3-10). These factors are further explored in Section 3.5 which compares OP-FTIR AM and SUMMA canister AM results in the context of sampling location and wind direction.

3.5 Results of Canister Measurements

As described in Section 2.4, SUMMA canister samples were collected during the field campaign to help inform the OTM 10 results. The one-hour canister samples were analyzed using U.S. EPA

Compendium Method TO-15, and speciated non-methane organic compounds (SNMOC) method. The results of the laboratory analyses are contained in Appendix B of this document.

Table 3-14 summarizes the SUMMA canisters data for several important compounds. The concentrations were determined by TO-15 except for the AM estimation which was derived from a 42 compound summation of the SNMOC results as described in Appendix A. The approximate position of the canister with respect to local source is indicated by the upwind/downwind column entry and the OP-FTIR optical path used for comparison is also shown. These comparisons are described and later in this section. Collocated canister entries represent average values of the analyses. The collocated canisters produced the same concentrations to within 10% with the exception of the ER085, ER114 pair which differed by approximately 40%.

It can be seen that the upwind canisters reflect generally lower values than the downwind canisters. The Williams canisters recorded higher concentrations than the EnCana canisters but this was primarily due to the location of the Williams canisters in very close proximity to the skim pond source and inlet to the North pond. These factors are further discussed later in this section.

Figures 3-9 and 3-10 summarize 42 of the most prevalent species measured by SNMOC analysis of the downwind canisters. Figure 3-9 (Williams facility) presents the average of four downwind canisters (TNAPC-11, 648, 926, ER047) with the average of three upwind canisters (3639A, ER038, ER001) subtracted. Figure 3-10 (EnCana facility) presents the average of six downwind canisters (3248, 988, 3254, 167601, 444, ER043) with the average of three upwind canisters (ER061, 3255, ER029) subtracted. Figure 3-10 is included for completeness but should not be emphasized since the upwind versus downwind canister signal levels at the EnCana facility were extremely low (single digit ppb) so the results are less certain especially with regard to the low mass compounds which can be affected disproportionately by background variation. An optimized subset of canisters was employed for the EnCana analysis in an attempt to increase signal levels. Overall, the Williams distribution (Figure 3-9) has a much higher degree of certainty due to the higher concentration levels and is likely similar to the actual distribution at the EnCana facility

In addition to providing speciation information, the SUMMA canister samples can be compared to the OP-FTIR measurements along selected paths to help inform the study. In the following figures, OP-FITR time series graphs of AM concentrations for ground-level beam paths are presented along with SUMMA canister AM estimates based on SNMOC analysis (described in Appendix A). The comparisons of OP-FITR and SUMMA canister are summarized in Table 3-14. The approximate location of the SUMMA canisters and OP-FTIR beam paths are noted in the associated images and the wind rose for the 1 hour SUMMA canister sampling period is also presented.

Table 3-14. Summary Canister Summary from the Williams and EnCana Sites

Site	Date	Sampling Mid-point (hr:min)	Summa ID	Upwind / Downwind	Benzene (ppbv)	Toluene (ppbv)	m-,o-,p- Xylene (ppbv)	Octane (ppbv)	AM Estimate (ppbv)	OP-FTIR Plane
Williams Rulison	8/7	16:43	TNAPC-11	d	203	1210	2711 ³	1160	6654	E4
	8/8	13:55	3639A	u	1.4	4.8	3.1	0.5	47.5	A1
	8/8	13:55	926, 648	d	88.8	221	177	72.6	546	E4
	8/9	14:30 ¹	ER001, ER038	u	0.6	1.1	0.7	0.4	27.5	A1
	8/9	14:30 ¹	ER047	d	8.1	16.7	15.7	11.6	164	E4
EnCana Benzel	8/12	11:30 ¹	ER029	u	0.5	1.1	1.2	0.6	15.6	E1
	8/12	11:30 ¹	659, 167604	d	2.3	3.7	2.3	0.9	28.5	--
	8/13	11:37	3255	u	0.3	0.7	0.7	0.4	21.4	E1
	8/13	11:37	ER043, 444	d	2.2	5.7	6.5	2.0	50.6	A4
	8/13	16:22	TNAPC20	u ²	1.3	4.1	5.1	2.0	58.2	E1
	8/13	16:22	167601, 3254	d	1.5	5.2	8.5	2.8	60.0	A4
	8/14	11:03	ER061	u	0.3	0.4	0.2	0.1	10.7	E1
	8/14	11:03	ER069, ER064	d	2.3	3.2	1.9	0.4	19.4	A4
	8/14	16:39	15280	u ²	1.1	2.0	1.2	0.4	26.0	E1
	8/14	16:39	988, 3248	d	2.5	4.6	2.6	0.8	33.5	A4
	8/15	11:39	ER021	u ²	4.3	7.3	2.7	0.6	85.1	A1
8/15	11:39	ER085, ER114	d	1.9	3.4	2.1	0.4	28.6	A4	

¹ approximate time

² upwind affected by source, see detailed description

³ estimated value

A1- ARCADIS OP-FTIR beam 1 (of A123)

A4 - ARCADIS OP-FTIR beam 4 (of A456)

E1 - EPA OP-FTIR beam 1 (of E123)

E4 - EPA OP-FTIR beam 4 (of E456)

All results above 50 ppb required dilution of SUMMA canister.




Figure 3-9. Summary of Downwind Canisters SNMOC Analysis for the Williams Facility




Figure 3-10. Summary of Downwind Canisters SNMOC Analysis for the EnCana Facility

Figure 3-11 shows canister TNAPC11 in close proximity to the skim pond and inlet of the skim pond into the North evaporation pond. The close proximity of the canister sample to large sources can yield highly variable results small changes in wind direction can greatly affect measured concentrations. Although E4 is significantly lower than TNAPC11 during the canister sampling period, E4 registered similar concentrations at neighboring time periods. Concentrations during this time period were amongst the highest recorded during the study.

In a similar fashion to Figure 3-11, Figure 3-12 shows elevated concentrations for 648, 926 compared to OP-FTIR path E4 for the sampling time period, believed to be due to the proximity of the canister to the pond inlet (local source). Under slightly different wind conditions after 15:00, the E4 path is elevated. In comparisons, the upwind canister 3639A is in good agreement with neighboring OP-FTIR plane (A1). It is noted some number of the A1 points are below MDL.

In Figure 3-13, wind is from the SE resulting in reduced sampling of the previously discussed strong sources for the canister which is slightly NW of this position. The wind direction in this case provided enhanced average concentrations measured by OP-FTIR path E4 with high temporal variability noted as the wind direction changes over short timer periods. The upwind canisters ER038 and ER001 are in good agreement with OP-FTIR path A4.

In Figure 3-14 presents the only available comparison from the EnCana facility on 8/12/08. This represents primarily an upwind comparison and shows good agreement between the canister and OP-FITR result.

Figure 3-15 presents the first of two comparisons from 8/13/08 and shows relatively good agreement in both upwind and downwind concentrations. As opposed to the previous Williams results, the temporal profile of the downwind OP-FTIR results is more stable indicating more developed plumes which aids in the comparison of canister to OP-FTIR.

Figure 3-16 presents the second comparison from 8/13/08. In this case the upwind and downwind canister show very similar results. This is explained by the fact that the TNAPC20 upwind canister is located too close to the pond edge and under these wind conditions, is being significantly impacted by emissions from the pond. The variability in wind conditions is also evident in the OP-FTIR data.

Figure 3-17 presents the first of two comparisons from 8/14/08. This is an informative case which shows good agreement for the upwind case however the downwind canisters ER064 and ER069 significantly lower than OP-FTIR A4 result. The inlet to the pond at the EnCana is located toward the North West portion of the Pond (Section 2.5) and is expected to be a high contributor to the overall source signature. Under the indicated wind directions and canister placements, this portion of the source is not effectively sampled by the canisters but is robustly captured by the OP-FTIR.






Figure 3-11. Williams 8/7/08, Canister TNAPC11 and OP-FTIR Path E4.




Figure 3-12. Williams 8/8/08, Canisters 648 and 926 Compared to OP-FTIR Path E4 and Canister 3639A Compared to OP-FTIR Path A1




Figure 3-13. Williams 8/9/08, Canister ER047 Compared to OP-FTIR Path E4 and Canisters ER038 and ER001 Compared to OP-FTIR Path A1





Figure 3-14. EnCana 8/12/08, Canister ER029 Compared to OP-FTIR Path E1





Figure 3-15. EnCana 8/13/08, Canister 3255 Compared to OP-FTIR Path E1 and Canisters ER043 and 444 Compared to OP-FTIR Path A4




Figure 3-16. EnCana 8/13/08, Canister TNAPC20 Compared to OP-FTIR Path E1 and Canisters 3254 and 167601 Compared to OP-FTIR Path A4




Figure 3-17. EnCana 8/14/08, Canister ER061 Compared to OP-FTIR Path E1 and Canisters ER064 and ER069 Compared to OP-FTIR Path A4

Figure 3-18 presents the second comparison from 8/14/08. Note the change in canister placements and wind conditions compared to Figure 3-17. Here the OP-FTIR A4 path registers similar concentrations to Figure 3-17 prior to canister sampling and reduced values comparable to the canister as winds obtain SW components. At this time signal begins to appear of the E1 path.

Figure 3-19 presents a comparison from 8/15/08. In this case the canister ER021 is in close proximity to the pond inlet and is clearly impacted by a local source so is not a true upwind canister. It is noted that E1 OP-FTIR beam path (not shown) was characteristically low for this time period. The ER021 canister is most easily compared to the A1 OP-FTIR path under this wind direction and relatively good agreement is evident. Agreement is relatively good for the A4 path and it is interesting to note how the concentration changes between the A4 and A1 paths as a consequence of wind direction variations over time.

3.6 Summary of Water Analysis Results

As discussed in Section 2.5, water samples were taken and analyzed to provide supporting information for the study. The results are presented in Tables 3-15 and 3-16 for the Williams and EnCana Facilities respectively. All samples were analyzed for volatile organics by EPA SW-846 Method 8260 "Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (capillary column technique)". Due to the high levels of VOCs in the Skim Pond Inlet and Outlet samples, some of the compounds exceeded the calibration range. Further information on the analysis can be found in Appendix C.

Table 3-15 shows a summary of the results for the three highest concentration compounds for the skim pond inlet and exit. All results presented in Table 3-15 exceeded the calibration range and are considered estimates. For samples taken from the north and south pond outlet headers, all compounds analyzed were under the detection limit (<2.5 µg/L).

Table 3-16 shows a summary of the results from the EnCana facility for the three highest concentration compounds for the evaporation pond inlet and subsurface samples. All results presented in Table 3-16 exceeded the calibration range and are considered estimates.

At both sites, a strong gradient in concentration from the inlet to outlet (or pond edges) is evident. The three highest compounds (benzene, toluene, and m-, p-xylenes) were also found in relatively high concentrations compared in the other analyses.




Figure 3-18. EnCana 8/14/08, Canister 15280 Compared to OP-FTIR Path E1 and Canisters 988 and 3248 Compared to OP-FTIR Path A4




Figure 3-19. EnCana 8/15/08, Canister ER021 Compared to OP-FTIR Path A1 and Canisters ER085 and ER114 Compared to OP-FTIR Path A4

Table 3-15. Summary Water Analysis from the Williams Site

Sample No	Date	Time (hr:min)	Benzene (µg/L)	Toluene (µg/L)	m,p-Xylene (µg/L)
Skim Pond Inlet					
SP IN-1	8/7/2008	13:34	19,000	50,000	40,400
SP IN-2	8/8/2008	11:02	16,200	29,400	16,300
Skim Pound Outlet					
SP OUT-1	8/7/2008	13:45	15,000	33,400	24,100
SP OUT-2	8/8/2008	11:04	7,470	16,200	8,850
SP OUT-2 Dup	8/8/2008	11:04	10,700	21,900	11,000
SP OUT-3	8/8/2008	11:35	11,300	23,600	11,900
SP OUT-4	8/8/2008	11:51	12,000	27,400	16,100

Table 3-16. Summary Water Analysis from the EnCana Site

Sample No	Date	Time (hr:min)	Benzene (µg/L)	Toluene (µg/L)	m,p-Xylene (µg/L)
Grass Mesa Inlet					
Grass-1	8/12/2008	16:30	13,700	36,400	22,500
Grass-2	8/13/2008	16:50	7,930	18,500	8,180
Grass-3	8/14/2008	10:45	12,500	30,900	18,300
West Side					
W-1	8/12/2008	14:45	642	1,370	756
W-2	8/13/2008	15:30	564	1,430	933
W-3	8/14/2008	11:15	694	1,710	1,000
W-3 Dup	8/14/2008	11:15	729	1,800	1,070
South Side					
S-1	8/12/2008	15:20	382	716	314
S-2	8/13/2008	15:15	804	1,920	1,100
East Side					
E-1	8/12/2008	15:40	605	1,320	689
E-2	8/13/2008	14:50	550	1,340	804

This page intentionally left blank.

4. Summary

A measurement campaign was conducted at the Williams Rulison and EnCana Benzel facilities in Western Colorado from August 6-9 and 12-15, 2008, respectively. The purpose of the study was to increase knowledge of VOC emissions from the produced water ponds at the facilities. The measurement approach used EPA method OTM 10 with two OP-FTIRs deployed in a four corners configuration to provide mass emission flux estimate of measurements for an alkane mixture. Table 4-1 presents a summary of the AM emission flux results from the two sites. The values in the table represent the average of all valid 20-minute AM flux estimates calculated over a four-day period at each site with standard deviation in parenthesis and number of values indicated. The uncertainty estimate for the individual flux measurements comprising this average is estimated at $\pm 40\%$ (section 5.3). The uncertainty in the overall average is likely driven by the temporal variability in the source emissions.

Table 4-1. AM Emission Flux Results from William Rulison and EnCana Benzel Sites

Site	Source	Average AM Flux [g/s]	Number of Values
Williams	Evaporation Pond	0.20 (0.33)	27
Williams	Skim Pond	0.90 (0.58)	15
EnCana	Evaporation Pond	0.07 (0.06)	65

The results show that the major AMs emissions source from the Williams facility was from the Skim Pond. The emissions from the Skim Pond were on average about 5 times the emissions from the Evaporation Pond. The results also show that the emissions from the Evaporation Ponds at the two sites were comparable (0.20 g/s and 0.07 g/s for the Williams and EnCana sites, respectively).

The OP-FTIR TAM data were used to estimate concentrations of select VOC at the sites. The VOC concentrations were ratioed to AM concentrations and measured fluxes from the same time period to produce an estimate of the VOC emissions from the sites. Table 4-2 presents the results of these calculations. The values of Table 4-2 include underlying uncertainty in AM flux measurement average in addition to significant VOC to AM concentration ratio uncertainty so the values should be considered estimates

In addition to the OP-FTIR measurements, VOC concentrations were determined using SUMMA canister samples and EPA Method TO-15 and SNMOC analysis. These values were compared to the OP-FTIR data to provide supporting information for the study. Water samples were also acquired and analyzed to help support the study. These data showed a strong concentration gradient between the inlet on outlet (or pond edges) for both facilities.

Table 4-2. Summary of Estimated VOC Emission Rates (in grams per second) from William Rulison and EnCana Benzel Sites

Site	Source Area	Benzene (g/s)	Toluene (g/s)	m-Xylene (g/s)	o-Xylene (g/s)	p-Xylene (g/s)	Methanol (g/s)	Methane (g/s)
Williams	Evaporation Pond	0.016	0.036	0.014	0.036	0.018	0.001	0.015
Williams	Skim Pond	0.078	0.181	0.072	0.182	0.088	0.006	0.074
EnCana	Evaporation Pond	0.029	0.023	0.017	0.014	0.014	0.002	0.007

The overall AM emission rate estimates for the produced water pond sources at the Williams facility was ~16 times higher than for the EnCana facility. The incoming flow estimates were ~5300 barrels per day for the Williams facility and ~ 300 barrels per day for the EnCana facility, a factor of ~18. Combining the emission estimates of benzene, toluene and m-,o-,p-xylene, the Williams facility was ~ 7.5 times higher than the EnCana, although these estimates contain additional uncertainty. Differences in emissions between the facilities could be due to many variables including: differences produced water input to the ponds, pond size and aeration differences, transportation and water treatment differences etc.

Note that the emission estimates presented in this report represent a snapshot in time consisting of day-time observations over consecutive four-day periods at each facility during the month of August. Diurnal and seasonal effects in addition to changing process variables such as (concentration of hydrocarbons in the waste water, use of spray operations, changes in separation and biotreatment, etc.) were not evaluated as part of this study. Since these variables may have a significant effect on emissions, extrapolation of the results contained in this report would include significant uncertainty. As a specific example, methanol water concentrations are known to vary seasonally so the emission data contained in this report is may not be typical.

5. Quality Assurance/Quality Control

This document reports the results from Phase I of a multi-phase research effort to identify and quantify select VOC and methane emissions from oil and gas field operations. These data are not intended for direct use in enforcement activities, litigation, or human studies. These data were collected in conformance with the quality requirements of NRMRL QA Category III.

The basic objective of this phase of the project was to improve knowledge of emission rates produced water evaporation ponds. The approach used EPA Method OTM -10 in conjunction with canister sampling. The following sections describe the procedures used to ensure that the data met the project data quality indicators (DQI) and was acceptable for use in meeting these study objectives.

5.1 Instrument Calibration

As stated in the *ECPB Optical Remote Sensing Facility Manual* (USEPA, 2004), all equipment is calibrated annually and or cal-checked as part of standard operating procedures. Certificates of calibration are kept on file. Maintenance records are kept for any equipment adjustments or repairs in bound project notebooks that include the data and description of maintenance performed. Instrument calibration procedures and frequency are listed in Table 5-1 and further described in the text.

5.2 Assessment of DQI Goals

The critical measurements associated with this project and the established data quality indicator (DQI) goals in terms of accuracy, precision, and completeness are listed in Table 5-2. More information on the procedures used to assess DQI goals can be found in Section 10 of the *ECPB Optical Remote Sensing Facility Manual* (USEPA, 2004).

Table 5-1. Instrumentation Calibration Frequency and Description

Instrument	Measurement	Calibration Date	Calibration Detail
IMACC, Inc. OP-FTIR	Analyte PIC	Pre-deployment and in-field checks	MOP-6802 and 6823 of the ECPB Optical Remote Sensing <i>Facility Manual</i>
AIL, Inc. OP-FTIR	Analyte PIC	Pre-deployment and in-field checks	MOP-6802 and 6823 of the ECPB Optical Remote Sensing <i>Facility Manual</i>
R.M. Young Meteorological Head	Wind Speed in miles/hour	July 21, 2008	APPCD Metrology Lab Cal. Records on file
R.M. Young Meteorological Head	Wind direction in degrees from North	July 21, 2008	APPCD Metrology Lab Cal. Records on file
Topcon Model GTS-211D Theodolite	Distance Measurement	June 17, 2008	Calibration of distance measurement. Actual distance=43.105 ft Measured distance= 42.5 ft
Topcon Model GTS-211D Theodolite	Angle Measurement	June 17, 2008	Calibration of angle measurement. Actual angle= 360° Measured angle= 358°58'48" Measured angle= 359°00'20" Measured angle= 359°01'08"

Table 5-2. Measurement Quality Objectives for the Project

Measurement Parameter	Analysis Method	Accuracy	Precision	Detection Limit	Completeness
Analyte PIC	OP-FTIR: Nitrous Oxide Concentrations	± 25%, 15%, 10% ^a	± 10%	See Table 4-2 of QAPP (EPA, 2008)	90%
Cannister Measurements	TO-15/ SNMOC	± 30 of audit	± 25	See Tables 4-3 and 4-4 of QAPP (EPA, 2008)	90%
Ambient Wind Speed	R.M. Young Met heads post-deployment calibration in EPA Metrology Lab	± 1 m/s	± 1 m/s	0.2 m/s	90%
Ambient Wind Direction	R.M. Young Met heads post-deployment calibration in EPA Metrology Lab	±10°	± 10°	5 deg	90%
Distance Measurement	Theodolite- Topcon	± 1m	±1 m	0.1 m	100%
Prevailing Wind Direction	R.M. Young Met heads	N/A	N/A	N/A	NA

- a. The accuracy acceptance criterion of ±2 5% is for pathlengths of less than 50m, ± 15% is for pathlengths between 50 and 100m, and ± 10% is for pathlengths greater than 100m.

5.2.1 DQI Check for Analyte PIC Measurement

The precision and accuracy of the concentration data may be checked by looking at the analyzed nitrous oxide concentrations. The known atmospheric background nitrous oxide concentration is around 315 ppbv (this is an average value, as the value exhibits a slight seasonal variation). The acceptable range of nitrous oxide concentrations is $315 \text{ ppb} \pm 25\%$ for pathlengths of less than 50m, $315 \text{ ppb} \pm 15\%$ for pathlengths between 50 and 100m, and $315 \text{ ppb} \pm 10\%$ is for pathlengths greater than 100m. Verifying this background concentration provides a good QC check of the data collected. Obviously, this method is not valid for data collected at a site that is a source of nitrous oxide.

The precision of the analyte PIC measurements was evaluated by calculating the relative standard deviation (RSD) from one data subset collected near the surface of the suspected source. A subset is defined as the data collected along one particular path length during one particular survey in one survey sub-area.

The accuracy of the analyte PIC measurements was evaluated by comparing the calculated nitrous oxide concentrations from one data subsets to the background value of 315 ppb. The number of calculated nitrous oxide concentrations that failed to meet the DQI accuracy criterion was recorded.

Overall, a total of two datasets were analyzed for each OP-FTIR instrument. Based on the DQI criterion set forth for precision of $\pm 10\%$, all of the data subsets from the ARCADIS OP-FTIR were found to be acceptable, for a completeness of 100%. The range of calculated relative standard deviations for the data subsets was 1.8 to 3.2 ppb, which represents 0.57 to 1.02% RSD. Based on the DQI criterion set forth for precision of $\pm 10\%$, all of the data subsets from the EPA OP-FTIR were found to be acceptable, for a completeness of 100%. The range of calculated relative standard deviations for the data subsets was 3.6 to 3.7 ppb, which represents 1.14 to 1.17% RSD.

Each data point (calculated nitrous oxide concentration) in the data subsets was analyzed to assess whether or not it met the DQI criterion for accuracy of $\pm 10\%$ ($315 \pm 32 \text{ ppb}$), as the path lengths used for measurements were greater than 100 meters. A total of 138 data points were analyzed from the ARCADIS OP-FTIR, and 138 of the points met the DQI criteria for accuracy for a completeness of 100%. A total of 136 data points were analyzed from the EPA OP-FTIR, and 89 of the points met the DQI criteria for accuracy for a completeness of 65%. It should be noted that all of the analyzed data points from the EPA OP-FTIR were within $\pm 14\%$ of the DQI criterion for accuracy of 315 ppb (range of analyzed nitrous oxide concentrations was 335 to 357 ppb).

5.2.2 DQI Checks for TO-15 Can Measurements

A field audit (Technical Systems Audit) was conducted by EPA quality staff from OAQPS at the start of the Williams Rulison sampling campaign. An audit report was not generated.

The QC data associated with the ERG TO-15 and SNMOC analyses of these samples were evaluated according measurement audit goals: accuracy \pm 30 percent; precision \pm 25 percent; and 90 percent completeness. The accuracy could not be assessed since laboratory control sample results were not included in the ERG laboratory reports. A number of field duplicate analyses were conducted by the laboratory, with a resulting precision of more than 98 percent. All samples were analyzed and reported, resulting in 100 percent completeness.

5.2.3 DQI Checks for Ambient Wind Speed and Wind Direction Measurements

The meteorological head DQIs are checked annually as part of the routine calibration procedure. The R.M. Young Meteorological heads used in the current study were calibrated by the EPA Metrology Lab on July 21, 2008. Due to field studies requiring the equipment, a post calibration assessment of the R.M. Yong Meteorological heads by the EPA Meteorology lab could not be performed. Both heads did successfully pass a post deployment certified calibration test performed by the manufactures (R.M. Young) conducted on May 13, 2009.

Additionally, a couple of reasonableness checks were performed in the field on the measured wind direction data. While data collection was occurring, the field team leader compares wind direction measured with the heads to the forecasted wind direction for that particular day. Another reasonableness check involved confirming a magnetic north reading by manually setting the vane to magnetic north using a hand held compass. The output wind direction during this manual test should be very close to 360°.

The Wind Sonic anemometer was used in place of the 10-meter R.M. Young Meteorological head when the wireless transmitter failed on the last day at the Williams Rulison facility. This instrument was intended only as an emergency back-up and was therefore not calibrated prior to the field campaign. There are no moving parts in this anemometer, nor is there an auto northing feature. There is a yellow dot on the Wind Sonic that must be pointed north. Prior to use, the theodolite compass was used to verify that the instrument was pointing to magnetic north.

5.2.4 DQI Checks for the Topcon Theodolite

A calibration check was performed before the field campaign on June 17, 2008. The calibration of distance measurement was done at the EPA facility using a tape measure. The actual distance was 43.105 feet, and the measured distance was 42.5 feet. The results indicate accuracy and precision

fall well within the DQI goals. The calibration of angle measurement was also performed. The actual angle was 360°, and the measured angles were 358°58'48", 359°00'20" and 359°01'08". The results indicate accuracy and precision fall well within the DQI goals.

Additionally, there are several internal checks in the theodolite software that prevent data collection from occurring if the instrument is not properly aligned on the object being measured, or if the instrument has not been balanced correctly. When this occurs, it is necessary to re-initialize the instrument to collect data.

5.2.5 QC Checks of OP-FTIR Instrument Performance

Several diagnostic checks were performed on the OP-FTIR instrumentation prior to deployment to the field, and during the duration of each field campaign. These checks involve assessing the electronic noise of the instrument, the strength of the instrument signal, and features in the collected data spectrum. The results of these tests are used to determine whether or not the instrument is functioning properly. More information on the diagnostic checks that are performed as part of a typical ORS field campaign can be found in MOP 6802 and 6823 of the *ECPB Optical Remote Sensing Facility Manual* (USEPA, 2004).

In addition to the QC checks performed on the OP-FTIR, the quality of the instrument signal (interferogram) was checked constantly during the field campaigns. This was done by ensuring that the intensity of the signal is at least 5 times the intensity of the stray light signal (the stray light signal is collected as background data prior to actual data collection, and measures internal stray light from the instrument itself). In addition to checking the strength of the signal, checks were done constantly in the field to ensure that the data were being collected and stored to the data collection computer. During the campaign, a member of the field team monitored the data collection computer to make sure these checks were completed.

Prior to instrument deployment, a series of QC checks were performed on the IMACC OP-FTIRs to assess the instrument performance. The single beam ratio, baseline stability, noise equivalent absorbance, ZPD stability, saturation, random baseline noise, and stray light diagnostic tests were performed at the EPA facility. The results of the tests indicated that the ARCADIS and EPA OP-FTIR instruments were operating within the acceptable criteria range.

5.2.6 Difficulties Encountered

During the two-week measurement campaign, the project encountered some problems with instrumentation and data telemetry. As mentioned in Section 3.2, the R.M. Young meteorological station was employed to collect wind data until mid-morning (10:30 a.m.) on August 9, 2008. At that time, the wireless transmitter failed in the 10-meter head and the emergency backup Wind Sonic

anemometer was put in place. A compass was used to establish magnetic north (there is no auto north feature on the Wind Sonic) and the software was modified for use in the field.

During this time, an R.M. Young meteorological station was employed to collect wind data until mid-morning (10:30 a.m) on August 9, 2008. At that time, the 10-meter head transmitter failed and a Wind Sonic anemometer was put in place and was used for the remainder of the sampling.

There were some seal integrity issues with both the EPA and ARCADIS OP-FTIR instruments. For the EPA OP-FTIR, the liquid nitrogen would run out much sooner than expected. The field protocol was modified to ensure that the liquid nitrogen was checked more frequently.

During the evening of August 10, 2008, unexpected and severe wind gusts (estimated at 70-80 mph) knocked over the OP-FTIR and orbital scanner. On the morning of August 11, 20 minutes of data was collected and analyzed to ensure that the instrument was working properly before being deployed to the EnCana Benzel site.

5.3 Estimate of Uncertainty for OTM 10 Emission Measurements

There are four primary sources of uncertainty for OTM 10 emissions estimates from the produced water pond sources for this project: (1) baseline flux measurement uncertainty for the combination of multiple measurement planes discussed in Section 3.1 (Combined Uncertainty); (2) uncertainty due to assignment of interfering sources; (3) additional uncertainty associated with 3-beam OTM 10 configuration; and (4) uncertainty due to the variability of source. These sources of uncertainty will be discussed in this section.

Combined Flux Uncertainty

As discussed in Section 3.1, a combined uncertainty estimate was produced for each 20-minute flux measurement. This uncertainty estimate was calculated by propagating individual estimates of uncertainty for each OTM 10 measurement plane to a combination of all four planes using a base assumption of $\pm 20\%$ uncertainty for each plane. The $\pm 20\%$ total uncertainty number is an estimate on previous tracer release studies of OTM 10 performance in a close-coupled area source measurement scenario. For this project, the average calculated combined uncertainty expressed as a percentage of the net flux value were typically in the 20% to 30% range however several values exhibited very high values of uncertainty. For example, Williams 8/7/09 12:10 shows a very low net flux (0.005 g/s) with a large combined uncertainty (0.0880 g/s) due to a high external flux from the interfering source (0.450 g/s). There is a similar value for EnCana 8/12/09 13:30 which shows a very low net flux (0.001 g/s) with a large combined uncertainty (0.004 g/s) due to a high external flux (0.02 g/s). Excluding these two outlier values, a meaningful metric of uncertainty can be produced by taking the average value of the combined uncertainty expressed as a percentage of the individual flux measurements value for each facility. For the Williams Evaporation Pond this value is

32.7% and for the EnCana facility this value is 26.8%. Note that the skim pond facility is expressed as the external source so this calculation cannot be done for this source however due its strength, it is less affected by interfering sources so a 25% to 30% combined uncertainty assumption would seem reasonable.

Uncertainty Due to Assignment of Interfering Sources

As discussed in the combined uncertainty section above and also in the text and graphs of Section 3, interfering sources can cause significant uncertainty with regard to emission flux estimates. This is especially true when the interfering source is strong in comparison to the source being evaluated. An example of this would be evaluation of the Williams North pond with potential interference from the skim pond. To first order, interfering sources are accounted for in the combined uncertainty estimation however there are cases where assignment of the interfering source can come into question due to uncertainties in wind direction. An example of this would be the 13:10 value from 8/7/09 which shows a high value for emissions from the North Pond (1.56 g/s) compared to the overall average (0.20 g/s) and was produced during a period when the direction was changing. In this particular case, this effect may have been exaggerated due to the close proximity of the skim pond source and the relatively strong source associated with the inlet to the North pond from the skim pond. It is difficult to estimate the overall uncertainty associated with this effect however it is partially reflected in the standard deviation of the results of the combined average.

Uncertainty Due to 3-beam OTM 10 Approach

As discussed in Section 2, the OTM 10 measurement configurations for this project consisted of three measurement paths which extended from the OP-FTIR instrument to the scissor lift. The 3-beam OTM 10 approach was chosen for this project since it was decided that it was more important to obtain a larger number of measurement cycles as opposed to fewer number of cycles with a five beam approach since the horizontal spatial location of the plume was not of primary importance. Due to the convergence of the optical beams at the instrument location, the use of a 3-beam measurement approach can introduce additional uncertainty in the flux if the emission zone is relatively small and located near the ends of the configuration. For this project the key suspected emission areas are thought to provide relatively well-developed plumes from spatially and were generally well-centered on the optical configuration (i.e. location of Williams skim pond), however a discussion of general uncertainty associated with the three beam approach is warranted.

To produce this uncertainty discussion, we used the *VRPM Fit Explorer* program (described by Abichou et al., 2009) to run a series of simulations to assess the variability in flux results from the OTM 10 method as a result of assuming different σ_y and peak plume concentration locations. In this simulation program, a downwind concentration field is generated from an area source using EPA ISC Gaussian dispersion model and then analyzed using OTM 10 algorithms and optical beam geometries.

In analyzing the PIC data using the 3-beam approach, the peak plume concentration was assumed to be centered along the crosswind axis of the OTM 10 configuration, and the σ_y parameter (horizontal dispersion coefficient) of the measured plume was assumed to be equal to $\frac{1}{2}$ the length of the OTM 10 configurations. It was necessary to make these assumptions because the 3-beam OTM 10 approach does not include two intermediate surface beam paths which are used to obtain information on the horizontal location and dispersion of the plume.

To investigate the effect of assuming fixed σ_y and lateral plume size parameters in the OTM 10 VRPM calculation, a simulation was performed which presented three different plume size scenarios using *VRPM Fit Explorer* program. For this simulation, the OTM 10 plane configuration parameters were set near the average values used in this study (plane length = 140 m, retroreflector heights 1m, 4m, 9m). The plume size parameter in the OTM 10 calculation was fixed at 70 m and the σ_y parameter was varied (7m, 70 m, and 700 m). The simulated plumes were centered on the configuration with the upwind location of the source set to 50 m and stability class set to three with winds normal to the plane. The results are shown in Table 5-3 for three different starting plume sizes with values compared to 1.0 for a perfect reconstruction of the simulated flux.

Table 5-3. Results of Flux Values Calculated by the *VRPM Fit Explorer* Program With a Fixed Peak Plume Concentration Location and Varying Values of the σ_y Parameter

σ_y Value	40 m × 40 m	70 m × 70 m	100 m × 100 m
$\sigma_y = 7$ m	0.97	0.92	0.86
$\sigma_y = 70$ m	1.03	0.99	0.93
$\sigma_y = 700$ m	1.04	1.00	0.94

The results of the simulation show that the OTM 10 calculation is relatively insensitive to the choice of the σ_y parameter and that the choice of setting this parameter to $\frac{1}{2}$ the value of the OTM 10 plane length is a reasonable assumption and likely will not lead to a large source of error.

As discussed previously, a potentially larger source of error when using the three-beam OTM 10 approach occurs in situations where the plume is relatively small in comparison to the OTM 10 plane and passes through the plane near its edges. At the position of the OP-FTIR, the three optical beam paths are close together forming the vertex of the OTM 10 triangle. At the position of the retroreflectors, the beams are separated by the largest amount. The flux estimate for plumes intersecting the OTM 10 plane near the OP-FTIR instrument will be overestimated. The flux estimate for plumes intersecting the OTM 10 plane near the scissor lift and retroreflectors will be underestimated.

Table 5-4 presents the results of a second simulation which investigates variation of the plume center location as it intersects the OTM 10 plane with the σ_y parameter assumed to be 70 m and other parameters the same as the previous simulation.

Table 5-4. Results of Flux Values Calculated by the VRPM Fit Explorer Program with a Fixed σ_y Parameter and Varying Peak Plume Concentration Locations

Peak Plume Concentration Location (m)	40 m × 40 m	70 m × 70 m	100 m × 100 m
30	2.01	N/A	N/A
50	1.44	1.318	N/A
70	1.03	0.99	0.93
90	0.77	0.76	N/A
110	0.60	N/A	N/A

N/A- Simulation results not included because plume would not be located within the confines of the OTM 10 configuration plane

The results of the simulation show that the 3-beam OTM 10 calculation is dependent upon the peak plume concentration location along the OTM 10 configuration plane. For the smallest plume size at a location close to the OP-FTIR instrument and convergence of the measurement paths (peak concentration location at 40 m), the OTM 10-derived flux values from the simulation was 200% higher than simulated values. The simulation shows underestimation of results as the 40 m x 40 m plume intersects the OTM plane closer to the scissor lift (up to 40 % underestimation). The OTM 10-derived flux values from the simulation agrees better with control values as the plume becomes larger and is more centered on the optical configuration.

When assessing the contribution to overall measurement uncertainty caused by using the 3-beam measurement approach, several factors must be considered. The general pond emission sources for this project are relatively large spatially with well-developed plumes (more like the 100 m by 100 m case). The Williams skim pond source would represent a smaller source however it was well-centered on the OTM 10 plane which decreases the likely hood of the near edge intersections (highly overestimated or underestimated 40 m by 40 m cases). Some of the inherent uncertainty discussed in this section is likely also evident (and accounted for) in the assumption of $\pm 20\%$ single plane OTM 10 accuracy based on tracer release performance results. It is also noted that over the course of a 20 minute average measurement cycle, the plume intersection point meanders somewhat due to wind direction variation leading to an averaging effect. With these factors taken into account, the added uncertainty for a single plane measurement for this project due to use of the 3-beam approach is estimated to be within $\pm 20\%$.

Based on this analysis and the preceding combined uncertainty analysis a reasonable estimate of the overall uncertainty in a single 20 minute OTM flux calculation for this project is estimated to be within $\pm 40\%$.

Uncertainty Due to the Variability of Source

As discussed in several sections of this report, significant variability in emissions from the assessed sources is evident and expressed as the relatively large standard deviation in emission flux results compared to the average value for the source. Some of this variability is due to uncertainty in the measurement approach but a significant amount of the variability is believed to be due to changes in emissions from the source due to changes in a number of emissions controlling variables such as make-up of the source, variable input load, meteorological conditions driving the emissions, and changes in process variables to name a few. This level of variability is evident in the standard deviation of the average results. A limitation of this data set is related to potential lack of sufficient measurement time to provide a robust estimate of average emissions.

5.4 EPA and ARCADIS Audits and Corrective Actions

Although a Technical Systems Audit (TSA) was not required for this QA Category III project, there was an attempt to perform one to help support the overall quality of the effort. Unfortunately, the trip planning and time constraints of the QA auditor was fixed near the planned project start-up at the Williams facility (August 4th – 6th 2008). Due to a transportation truck break-down enroute to the field location from the North Carolina EPA facility, the set up of the project was delayed precluding execution of a thorough audit however significant QA checks were made on August 6, 2008. The auditor did not find any issues that required corrective actions. An audit report was not generated.

6. References

Hashmonay, R.A., and M.G. Yost. (1999), Innovative approach for estimating fugitive gaseous fluxes using computed tomography and remote optical sensing techniques, *J. Air Waste Manage. Assoc.*, 49, 966-972.

Thoma, E. D., Shores, R. C., Thompson, E. L., Harris, D. B., Thorneloe, S. A., Varma, R., Hashmonay, R. A.; Modrak, M. T., Natschke, D. F., Gamble, H.A.. (2005) "Open path tunable diode laser absorption spectroscopy for acquisition of fugitive emission flux data." *J. Air and Waste Manage. Assoc.* 55, 658-668.

U.S. EPA (2004). "*ECPB Optical Remote Sensing Facility Manual*", U.S. EPA National Risk Management Research Laboratory, Air Pollution Prevention and Control Division, Emissions Characterization and Prevention Branch, Contract No. EP-C-04-023, Work Assignment 0-33, April 2004.

U.S. EPA (2006), EPA Test Method (OTM 10), "Optical Remote Sensing for Emission Characterization from Non-Point Sources." U.S. EPA Technology Transfer Network Emission Measurement Center, Web Site; <http://www.epa.gov/ttn/emc/prelim/otm10.pdf>.

U.S. EPA (2007) "Measurement of Total Site Mercury Emissions from a Chlor-alkali Plant Using Open-Path UV-DOAS" , EPA/R-07/077; U.S. Environmental Protection Agency, Office of Research and Development, Work Assignment No. 2-052, July, 2007a, available at <http://www.epa.gov/ord/NRMRL/pubs/600r07077/600r07077.pdf>.

U.S. EPA (2008). "*Measurement of Emissions from Produced Water Ponds: Upstream Oil and Gas Study #1*", Category III Quality Assurance Project Plan, Work Assignment No. 4-49, July 2008, Version 2.0.

This page intentionally left blank.

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Appendix A: OTM 10 Alkane Mixture Flux Values

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

This page intentionally left blank.

APPENDIX A: . OTM 10 Alkane Mixture Flux Values

This appendix contains single plane OTM 10 VRPM measurement data of alkane mixture (AM) emissions acquired in this project. These single plane values are combined to provide the total flux estimate discussed in Section 3. The acquisition description and data quality indicators leading to selection of valid Individual plane data points are described in the following text and tables. The appendix contains the following sections:

- A-1: Alkane Mixture (AM) Measurement by OP-FTIR
- A-2: OTM 10 Flux Measurement Sequence Description
- A-3: Acceptable Data Criteria and Emission Flux Correction Factors
- A-4: Individual Flux Plane Results

A-1 Alkane Mixture (AM) Measurement by OP-FTIR

To utilize the EPA Method OTM 10 measurement method, the airborne pollutants of interest must be present at sufficient concentrations to be robustly quantified by the open-path instruments. In many cases involving petroleum-base fuel mixtures, it is not possible to individually quantify specific compounds due to the convolved nature of their spectral absorption features or by the lack of sufficient concentrations to exceed minimum detection levels at standard OTM 10 time resolutions. For these cases, a special OP-FTIR analysis technique can be employed which focuses on the combined absorption of a mixture of hydrocarbons by quantifying the infrared absorbance of the in the C-H stretch infrared vibrational region around 2900 cm^{-1} . This procedure is called the alkane mixture (AM) calculation since these compounds predominantly contribute the infrared absorption profile for these sources.

The use of OTM 10 for estimation of emission fluxes requires the conversion of the volume path-integrated concentrations (VPIC) to mass path-integrated concentrations (MPICs). This conversion requires an estimate of the mean molecular weight measured gas mixture. The AM procedure described below provides a means for estimation of the average molecular weight by assuming that the mixture can be approximated by a combination of C-4, C-5, C-6, C-7, and C-8 alkanes. This assumption is further discussed later in this section.

It is first noted that the infrared absorption features many hydrocarbon species in the C-H stretch region are relatively similar. For example, Figure A-1 shows C-4 to C-8 (n-butane to n-octane) along with several other species present in fuel-base mixtures. For the n-butane to n-octane series, the similarity is greatest between the components with consecutive carbon numbers (e.g. butane and pentane) and the similarities decrease for components with greater difference in carbon numbers (e.g. C-4 and C-8, butane and octane). The similarity in band shapes of these and other hydrocarbons with significant C-H stretch signal makes it impossible to include all of the

components of the mixture in the classic least squares (CLS) regression fit of measured absorbance to calibrated reference absorbance spectra to determine the concentration of the individual compounds.




Figure A-1. Comparison of the Absorption Bands of Several Species in the C-H Stretch Region

For the AM analysis, the primary region of spectral analysis is 2804.2 to 3001.2 cm^{-1} . This region fully encumbers the main bands of the alkane mixture. To approximate the mixture, two representative analytes n-butane and n-octane (highlighted in Figure A-1) are chosen for analysis and the system is then approximated in terms of these bounding surrogates.

The mean molecular mass of the alkane mixture, \overline{M}_{mix} , is estimated as

$$\overline{M}_{mix} = \frac{M_{butane} \cdot v\hat{C}_{butane}^{Arbitrated} + M_{octane} \cdot v\hat{C}_{octane}^{Arbitrated}}{v\hat{C}_{mix}^{Arbitrated}} \quad (\text{A-1})$$

where $M_{butane} = 58.12$ g/mole (molecular mass of butane),

$M_{octane} = 114.23$ g/mole (molecular mass of octane),

$v\hat{C}_{butane}^{Arbitrated}$ and $v\hat{C}_{octane}^{Arbitrated}$ are the butane and octane determinations from the analysis of the arbitration-chosen region. As explained in the in Appendix E of the QAPP, arbitration refers to the process of determining concentrations when multiple spectral regions were utilized to perform the analysis. Due to the low AM signal levels encountered for this project, only the 2804.2 to 3001.2 cm^{-1} spectral region was required for analysis.

The mass path-integrated concentration of the alkane mixture, ${}^m\hat{C}_{mix}$, is given as

$${}^m\hat{C}_{mix} = \frac{L(T, P) \cdot \overline{M}_{mix}}{A} \cdot v\hat{C}_{mix}^{Arbitrated}$$

Where $L(T)$ is Loschmidt's Number at temperature, T and pressure P ,

$$L(T) = 2.4793 \times 10^{25} \cdot \frac{296K}{T} \cdot \frac{P}{1 \cdot atm} \text{ molecules/m}^3,$$

and A is Avogadro's number, 6.0220×10^{23} molecules/mole. The numerical solution is

$${}^m\hat{C}_{mix} [g / m^3] = 4.1171 \times 10^{-5} \cdot \overline{M}_{mix} \left(\frac{296K}{T} \right) \left(\frac{P}{1 \cdot atm} \right) v\hat{C}_{mix}^{Arbitrated} [ppm] \quad (\text{A-2})$$

The procedure for converting the volume PICs of alkane vapor mixtures from petroleum-base fuels to mass PIC is summarized by Equations A-1 and A-2. Additional information on this analysis and associated QA procedures can be found in Appendix E of the Quality Assurance Project Plan (QAPP) (EPA, 2008), *Procedure to Convert OP-FTIR Volume Concentration Determinations of Alkane Mixture that Originate from Petroleum-Based Fuels to Mass Concentrations*.

The central assumption of the AM procedure is that the complex mix of hydrocarbons emitted from the source can be approximated by the previously described two-component estimation which utilizes n-butane and n-octane as bounding surrogates. The assumption excludes alkanes with carbon numbers less than 4 (methane, ethane and propane) as these are not expected to be significant components of the airborne mixture (for this project) because these species are gases at standard atmospheric conditions would likely have separated from the liquid prior to the waste water treatment step. Alkanes with higher carbon numbers than C-8 (nonane, decane, etc.) have low vapor pressures and therefore are likely to be less prevalent in the airborne mixture. Other branched chain alkanes, and alkenes can have significant spectral contribution to the analysis band but are generally present at lower concentrations in the airborne mixture. Aromatic compounds are present at significant levels in the airborne mixture for this project but have less spectral contribution to the 2804.2 to 3001.2 cm^{-1} analysis region.

These assumptions may be more or less valid depending on the exact nature of the source under evaluation but information can be informed by supplemental sampling such as SUMMA canister analysis (presented below) and through FTIR spectral analysis. Information regarding this assumption is present in the first level of OP-FTIR spectral analysis which, through the CLS fitting, provides an estimate of the quality of spectral match of the hydrocarbon mix to the utilized bounding reference spectra in addition to information in the fingerprint region. For petroleum-base fuel mixes there are typically a large number of hydrocarbons which possess similar broad infrared absorption features in the 2804.2 to 3001.2 cm^{-1} analysis region but in most cases, these species are present at lower levels and serve to provide an enhanced baseline to the main constituents such as octane. Aromatic compounds such as BTEX in particular have little infrared adsorption features in the primary analysis region and be individually quantified in other spectral regions if present at high enough concentrations.

A table summarizing the relative spectral contributions of a number of species prevalent in the SNMOC SUMMA canister analysis for this project is contained in Table A-1. This relative absorption factor was determined by integrating the area under the absorption curve from 2804.2 cm^{-1} to 3001.2 cm^{-1} using quality assured reference spectra or through estimation if spectra were unavailable. The table was normalized to n-octane.

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-1. Relative Absorption Factor (AF) of Select Hydrocarbon Species in the 2804.2 cm⁻¹ to 3001.2 cm⁻¹ Spectral Range (values are normalized to n-Octane)

Species	AF	Species	AF
Methane	0.032	2,4-Dimethylpentane ²	0.715
Ethane	0.244	2,3-Dimethylpentane ²	0.715
Propane	0.425	Methylcyclohexane ³	0.766
n-Butane	0.553	2-Methylheptane ²	0.971
n-Pentane	0.680	3-Methylheptane ²	0.971
n-Hexane	0.779	2,2,4-Trimethylpentane	0.924
n-Heptane	0.888	2,2,3-Trimethylpentane ¹	0.924
n-Octane	1.000	2,3,4-Trimethylpentane ¹	0.924
n-Nonane ²	1.093	1-Heptene	0.596
n-Decane ²	1.195	1-Nonene ²	0.613
Isobutane	0.536	Benzene	0.004
Isopentane	0.637	Toluene	0.093
Cyclopentane ²	0.715	m-Xylene	0.192
2-Methylpentane	0.753	o-Xylene	0.204
3-Methylpentane	0.737	p-Xylene	0.212
2,2-Dimethylbutane	0.729	Ethylbenzene	0.230
2,3-Dimethylbutane ¹	0.729	1,3,5-Trimethylbenzene	0.296
Cyclohexane	0.853	1,2,3-Trimethylbenzene ¹	0.296
Methylcyclopentane ³	0.766	1,2,4-Trimethylbenzene ¹	0.296
2-Methylhexane ²	0.868	o-Ethyltoluene	0.323
3-Methylhexane ²	0.868	m-Ethyltoluene ¹	0.323

¹ estimate based on AF value of close isomer² estimate based on uncalibrated spectra (NIST Database)³ estimate not based on spectra (significant uncertainty)

Calculated values from DOE/PNNL Infrared Spectral Library R9, 2005

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

As described in Section 3.5, the summa canister SNMOC analysis provides an approximate distribution of hydrocarbons with the Williams analysis being the most robust due to good signal levels. Figure A-2 and A-3 estimate the contribution of the various species to the AM analysis region by presenting the SNMOC analysis (Figure A-2) and the same distribution multiplied by the AF value for each compound from Table A-1. It can be seen in Figure A-3 that the contribution to the AM band from benzene, toluene, and m-, o-, p-xylenes are limited even though they are preset at high levels in the airborne mixture. Note that there is significant uncertainty in estimate regarding methylcyclohexane due to lack of reference spectra.




Figure A-2. Summa Canister SNMOC Analysis Showing Compound Distribution (Section 3.5)




Figure A-3. Estimation of Contribution to AM Band, SNMOC Result Multiplied by AF

For purpose of comparison with OP-FTIR AM data, a summation of the 42 compounds modified by the AF factor was produced for each canister and this constitutes the SNMOC AM estimation utilized in Section 3.5 of the report. The molecular weight estimates from the OP-FTIR processing were very close to the octane values. For the time periods of downwind canister sampling, the average MWs by OP-FTIR AM method was 111 amu and 113 amu for the Williams and EnCana facilities respectively. The average MW using the distribution of A-2 was 103 amu and taking into account the AF as in Figure A-3, the average MW was 108 amu. Figure A-4 illustrates the latter by plotting the normalized concentration vs. molecular weight.




Figure A-4. Normalized Concentration vs. Molecular Weight for the Distribution of Figure A-3

A-2 OTM 10 Measurement Sequence Description

The 3-beam OTM 10 setup used for this project is described in Section 2 of this report. The OP-FTIR system acquires data on a single measurement path using a 30 second integration time starting with the lowest path (path 1) and then sequentially moving to the middle path (path 2) and highest path (path 3) completing the flux plan. The OP-FITR then rotates 90° to produce the measurement on the adjacent plan (paths 4,5,6) before returning to the 1,2,3 plane and repeating. There are two OP-FTIRs utilized each producing two of the four measured planes. The OP-FITRs are labeled (E) for EPA unit and (A) for the ARCADIS unit leading two a unique identifier for each of the four paths (E123, E456, A123, A456)

As a standard OTM procedure to reduce analytical noise, each flux calculation presented consists of an average of five consecutive flux plane measurements for an individual measurement plane.

To create this five-cycle value, individual beam PIC data for each path is averaged and processed as a single VRPM calculation using the average wind data for the measurement time period. A default value of five cycles is used however some data points contain a lower number of averages due to consecutive point data availability.

The OP-FTIR data and meteorological data had a measurement averaging time of 30 seconds. A single plane measurement requires approximately two minutes to complete. This includes a 30 second integration time for OP-FTIR (and meteorological data) each of the three measurement paths and time for the scanner to reposition the OP-FTIR to a new path. Since each OP-FTIR measured two separate three-beam flux planes in an interwoven fashion (e.g., A123 then A456, then A123 etc.), an approximate 20 minute time period is required to complete a five-cycle individual plane measurement. The data is displayed as a moving average. In this procedure, a subsequent five-cycle average contains four of the five values from the preceding average, excluding the earliest cycle and replacing it with the most recent cycle.

The fundamental units of emission flux produced by the EPA OTM 10, VRPM method are grams per second. In order to calculate the total alkane mixture (AM) flux values for a given plane, the FluxCalc VRPM software calculated the average AM molecular weight of the three beams as an input variable.

A-3 Acceptable Data Criteria and Emission Flux Correction Factors

The total AM mass emission flux was calculated when (1) the criteria for valid target compound detection and OP-FTIR Data Quality Indicators (DQIs) were met; and (2) the vertical capture criteria were met. When these criteria were met, all total flux calculations are reported. In some instances, failure to meet these criteria does not necessarily indicate an inaccurate flux calculation. When such exceptions are made, the flux calculations are reported and are flagged accordingly. Only data which met all of the following criteria were deemed acceptable and included in the data presented:

1. Prevailing wind speed ≥ 1 m/s but ≤ 8 m/s. Sections 3.2. and 3.3 present the summary tables of calculated flux values for each VRPM plane during each day of sampling at the Williams Rulison and EnCana Benzel facilities, respectively. Flux values for data collected during periods where the prevailing wind speed was ≤ 1 m/s or ≥ 8 m/s were not calculated and are shaded as follows in those tables:

Medium orange.

2. Assessment of valid target compound detection

Prior to inputting the concentration data into the flux calculation software, the average concentration along each beam path was compared to the instrument minimum detection limit (MDL). For this project, the general definition of the term “minimum detection limit (MDL)” for OP-FTIR data is based around the uncertainty in the quantification of the measured species as determined by standard classical least squares (CLS) spectral analysis procedures. The standard error (σ) in the regression fit of the measured spectrum to the calibrated reference spectrum forms a basis for the defined MDL. Some multiple of σ is used as a threshold for quantification depending on the type of analysis used in this project. For example, for single-path time averaging method (TAM) estimation of trace VOC concentrations, we define an MDL threshold of 6σ . This means that the determined concentration must exceed six times the standard error in the CLS to be counted. For AM concentrations associated with the five cycle rolling average AM flux determination, the average measured concentration for all three optical paths must exceed eight times the average standard error for the paths in order for the flux plane ensemble concentration to be judged valid allowing an AM flux calculation to be executed.

If this measured concentration was not above the MDL (meaning that the ratio of the average concentration to the MDL of the OP-FTIR instrument was < 1), the flux was not calculated and are shaded as follows in those tables:

Dark orange.

In the vast majority of cases, the reason for “below MDL” determinations is due to lack of sufficient AM concentration, usually occurring on the upwind background measurement planes (no source signal present). In these instances there is negligible AM flux through the planes and values of zero flux have been assigned to these entries to aid in calculation of the four plane estimate. The moving average flux values presented in Tables 3-1 through 3-8 of the report include periods of zero flux values in the averaging. The values in these tables were used to calculate the average AM flux value from each source presented in Table 4-1. Additional calculations were performed to evaluate the average AM flux value from each source after removing the zero flux values from the calculations. The results showed that the average AM flux value from each source did not change significantly when zero flux values were not included in the calculations.

3. Vertical capture criteria

There are two instances in which vertical integration of the concentration was limited to the height of the scissor jack (i.e., no extrapolation occurred above the scissor jack). If the average concentration on the top beam (beams # 3 or # 6, depending on the VRPM plane) was higher than the average concentration of the middle beam (beams # 2 or # 5) – indicating that the plume was not being captured by the plane – the concentrations along those two top beams were switched to allow the software to calculate the flux. These flux values are in **green font** in the summary tables of calculated flux values in Sections 3.2 and 3.3.

The second case where integration of the concentration was limited to the height of the scissor jack occurred when all three beam concentrations were very similar. This indicated that the plume was homogeneous and very diluted vertically. These flux values in the tables in Sections 3.2 and 3.3 are in **red font**.

For the remaining data, the vertical gradient was extrapolated to a height where the extrapolated concentration was zero (as described in EPA OTM 10).

4. The $CCF \geq 0.80$.

The Concordance Correlation Factor (CCF) is used in the VRPM method to represent the level of fit for the reconstruction in the path-integrated domain (predicted versus measured PAC). However, a poor CCF value ($CCF < 0.80$) at the end of the fitting procedure does not necessarily indicate an inaccurate flux calculation. Therefore, hydrocarbon flux values were reported when their corresponding CCF value of the reconstruction was greater than 0.80 and are shaded as follows in the summary tables of calculated flux values in Sections 3.2. and 3.3:

Light orange.

A-4: Individual Flux Plane Results

This section presents individual plane AM flux estimates for the test campaigns conducted at the Williams Rulison facility (Tables A-2 through A-17) and the EnCana Benzel facility (Tables from August 12-15). Each table presents the time (hr:min:sec), AM flux value (g/sec), wind direction (w.r.t. N), rotated wind direction (w.r.t VRPM plane), wind speed (m/s), and Concordance Correlation Factor (CCF). As described in Section A-3, AM flux values were calculated for data which met a series of quality control criteria pertaining to valid target compound detection and vertical plume capture, and instrument DQIs. That section also described the flags that were added to flux values that did not meet the optimal data criteria, but that could still prove useful in understanding the source and magnitude of hydrocarbon emissions being generated from these sites.

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-2. Summary Data Table of VRPM Plane A123 for August 6, 2008 at the Williams Rulison Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
15:15:02	-0.01	156.2	97.2	2.0	0.97
15:20:48	-0.01	150.6	91.6	2.0	0.84
15:25:35	-0.01	150.0	91.0	1.9	0.91
15:30:23	-0.01	155.1	96.1	1.9	0.59
15:35:06	-0.03	170.6	111.6	1.8	0.86
15:39:47	-0.04	173.6	114.6	2.3	0.41
15:44:31	-0.04	176.3	117.3	2.4	0.40
15:49:18	-0.02	170.1	111.1	2.4	0.00
15:54:02	-0.01	167.5	108.5	2.4	0.44
15:58:50		162.9	103.9	2.3	0.00
16:03:32		169.4	110.4	2.1	0.00
16:08:11		177.1	118.1	2.0	0.00
16:12:52		203.5	144.5	1.7	0.00
16:17:30		224.7	165.7	1.6	0.00
16:22:11		224.8	165.8	1.8	0.00
16:26:52		214.9	155.9	1.6	0.00
16:31:30		223.2	164.2	1.4	0.00

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-3. Summary Data Table of VRPM Plane A456 for August 6, 2008 at the Williams Rulison Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
15:18:25	0.03	152.5	29.5	2.0	1.00
15:23:09	0.03	147.9	24.9	1.9	0.85
15:27:57	0.04	152.4	29.4	1.9	0.81
15:32:42	0.02	164.4	41.4	1.6	0.99
15:37:26	0.02	173.9	50.9	2.1	0.63
15:42:09		176.8	53.8	2.4	0.00
15:46:54	0.02	172.3	49.3	2.3	0.05
15:51:40		170.2	47.2	2.5	0.00
15:56:26		164.1	41.1	2.4	0.00
16:01:10		166.0	43.0	2.2	0.00
16:05:51		172.2	49.2	1.9	0.00
16:10:32		187.6	64.6	1.8	0.00
16:15:11		215.8	92.8	1.6	0.00
16:19:54		224.3	101.3	1.7	0.00
16:24:33		221.5	98.5	1.6	0.00
16:29:13		216.4	93.4	1.4	0.00
16:33:47		201.6	78.6	1.2	0.00

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-4. Summary Data Table of VRPM Plane E123 for August 6, 2008 at the Williams Rulison Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
14:37:26		198.2	236.2	2.5	0.00
14:41:54		183.4	221.4	2.7	0.00
14:46:23		183.4	221.4	2.7	0.00
14:50:53	-0.01	185.4	223.4	2.4	1.00
14:55:21	-0.01	199.0	237.0	2.0	1.00
14:59:49	-0.02	173.5	211.5	1.6	1.00
15:04:18	-0.02	170.3	208.3	1.8	1.00
15:08:51	-0.02	166.9	204.9	1.6	1.00
15:13:23	-0.02	158.9	196.9	2.0	0.97
15:17:51		152.7	190.7	2.1	0.00
15:22:22		148.6	186.6	1.9	0.00
15:26:54		150.0	188.0	1.9	0.00
15:31:24		163.9	201.9	1.7	0.00
15:35:56		172.7	210.7	1.9	0.00
15:40:26		173.6	211.6	2.3	0.00
15:44:53		176.3	214.3	2.5	0.00
15:49:21		169.7	207.7	2.4	0.00
15:53:48		165.6	203.6	2.5	0.00
15:58:15		162.8	200.8	2.3	0.00
16:02:43		166.2	204.2	2.1	0.00
16:07:09	-0.01	176.9	214.9	2.0	0.97
16:11:36	-0.01	188.9	226.9	1.7	0.87
16:16:02	0.00	221.1	259.1	1.5	0.93
16:20:31	0.00	225.7	263.7	1.7	0.94
16:24:59	0.00	221.5	259.5	1.6	0.62
16:29:28	0.00	216.4	254.4	1.4	0.02

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-5. Summary Data Table of VRPM Plane E456 for August 6, 2008 at the Williams Rulison Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
14:39:41	0.18	189.0	311.0	2.5	0.99
14:44:10	0.13	183.4	305.4	2.7	0.98
14:48:38	0.09	177.5	299.5	2.7	0.99
14:53:08	0.07	192.0	314.0	2.2	0.97
14:57:35	0.10	178.9	300.9	1.6	0.73
15:02:04	0.09	172.0	294.0	1.7	0.83
15:06:36		168.2	290.2	1.7	0.00
15:11:06		160.1	282.1	2.0	0.00
15:15:38		153.9	275.9	2.1	0.00
15:20:08		151.8	273.8	2.0	0.00
15:24:37	0.21	148.3	270.3	1.8	0.13
15:29:09	0.32	153.9	275.9	1.9	0.08
15:33:42	0.36	164.5	286.5	1.7	0.02
15:38:12		176.7	298.7	2.2	0.00
15:42:39		177.0	299.0	2.4	0.00
15:47:08		171.3	293.3	2.3	0.00
15:51:34		168.9	290.9	2.5	0.00
15:56:02		165.0	287.0	2.4	0.00
16:00:30		164.7	286.7	2.3	0.00
16:04:58	0.06	170.2	292.2	2.0	0.92
16:09:24	0.05	181.8	303.8	1.8	0.97
16:13:51	0.07	209.7	331.7	1.9	0.95
16:18:18	0.08	225.8	347.8	1.7	0.61
16:22:46	0.13	223.8	345.8	1.7	0.81
16:27:15	0.07	215.1	337.1	1.5	0.84
16:31:44	0.05	223.6	345.6	1.4	0.95

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-6. Summary Data Table of VRPM Plane A123 for August 7, 2008 at the Williams Rulison Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
11:13:19	0.00	91.9	32.9	0.4	0.00
11:18:12	0.00	100.1	41.1	0.7	0.00
11:23:01	0.00	100.6	41.6	0.6	0.00
11:27:54	0.00	98.5	39.5	0.9	0.00
11:32:45		107.3	48.3	1.1	0.00
11:37:37		101.0	42.0	1.2	0.00
11:42:29		99.5	40.5	1.2	0.00
11:47:26	0.01	90.9	31.9	1.1	0.75
11:52:26		92.9	33.9	1.2	0.00
11:57:23	0.01	91.7	32.7	1.3	-0.01
12:02:15	0.01	82.4	23.4	0.8	-0.01
12:07:14	0.00	83.0	24.0	0.6	0.00
12:12:13	0.00	111.9	52.9	0.6	0.00
12:17:03	0.00	150.4	91.4	0.5	0.00
12:21:55	0.00	163.7	104.7	0.7	0.88
12:26:47	0.00	159.6	100.6	1.1	0.90
12:31:44	0.00	167.9	108.9	1.2	0.98
12:36:37		184.3	125.3	1.0	0.00
12:41:22		181.6	122.6	1.0	0.00
12:46:18		180.5	121.5	1.0	0.00
12:51:14		192.4	133.4	1.0	0.00
12:56:07		168.8	109.8	1.0	0.00
13:01:01		159.6	100.6	1.1	0.00
13:05:58		163.9	104.9	0.9	0.00
13:10:55	0.00	152.0	93.0	0.8	0.00
13:15:53	0.00	154.1	95.1	0.8	0.00
13:20:50		161.4	102.4	0.9	0.00
13:25:48		166.0	107.0	1.0	0.00
13:30:46		179.1	120.1	1.1	0.00

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
13:35:44		170.2	111.2	1.4	0.00
13:40:45		184.0	125.0	1.4	0.00
13:45:47		196.5	137.5	1.5	0.00
13:50:48		192.6	133.6	1.3	0.00
13:55:49		197.7	138.7	1.0	0.00
14:00:53		194.5	135.5	1.1	0.00
14:05:56		177.0	118.0	1.1	0.00
14:11:01		135.8	76.8	1.2	0.00
14:16:10	0.01	126.7	67.7	2.0	0.43
14:21:20	0.02	114.1	55.1	2.5	0.76
14:26:26	0.03	105.1	46.1	2.7	0.72
14:31:27	0.08	102.4	43.4	2.7	0.51
14:36:29	0.19	83.3	24.3	1.6	0.99
14:41:35	0.17	64.0	5.0	1.3	1.00
14:46:33	0.13	0.8	301.8	1.7	1.00
14:51:31	0.13	0.8	301.8	1.7	1.00
14:56:29	0.10	353.6	294.6	2.0	0.99
15:01:29	0.06	345.0	286.0	1.6	0.06
15:06:22	0.13	18.9	319.9	0.9	0.00
15:11:19	0.33	18.3	319.3	1.1	0.00
15:16:21	0.42	19.5	320.5	1.1	-0.01
15:21:19	0.45	21.3	322.3	1.2	0.01
15:26:17	0.31	7.6	308.6	1.2	0.00
15:31:14	0.14	351.3	292.3	1.2	0.95
15:36:12	0.07	348.5	289.5	1.2	0.93
15:41:12	0.05	347.7	288.7	1.2	0.51
15:46:06	0.11	25.1	326.1	1.1	0.19
15:51:02	0.28	54.3	355.3	1.5	0.11
15:55:57	0.31	67.8	8.8	2.0	-0.01
16:00:52	0.47	68.4	9.4	2.2	-0.01

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
16:05:47	0.57	65.9	6.9	2.2	0.98
16:10:42	0.65	46.8	347.8	1.9	0.74
16:15:36	0.61	29.7	330.7	1.8	0.92
16:20:31	0.66	27.5	328.5	1.9	0.93
16:25:26	0.56	39.7	340.7	2.1	0.94
16:30:20	0.60	52.4	353.4	2.2	0.99
16:35:16	0.45	65.2	6.2	2.5	0.97
16:40:13	0.35	63.9	4.9	2.5	1.00
16:45:06	0.22	64.2	5.2	2.5	1.00
16:50:02	0.21	61.7	2.7	2.3	0.93
16:54:57	0.37	61.5	2.5	2.3	0.92
16:59:55	0.38	55.3	356.3	2.1	0.78
17:04:50	0.26	54.0	355.0	1.7	1.00
17:09:43	0.19	42.4	343.4	1.4	0.53
17:14:38	0.18	30.1	331.1	1.0	0.00
17:19:34	0.00	25.5	326.5	0.8	0.00
17:24:33	0.00	39.9	340.9	0.8	0.00
17:29:28	0.14	68.1	9.1	1.1	0.00

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-7. Summary Data Table of VRPM Plane A456 for August 7, 2008 at the Williams Rulison Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
11:15:44	0.00	105.2	342.2	0.5	0.00
11:20:35	0.00	99.6	336.6	0.8	0.00
11:25:26	0.00	99.9	336.9	0.7	0.00
11:30:19	0.12	105.3	342.3	1.1	0.54
11:35:09	0.19	102.8	339.8	1.1	0.03
11:40:03	0.18	100.9	337.9	1.2	0.04
11:44:57	0.21	92.8	329.8	1.3	0.05
11:49:58	0.11	89.1	326.1	1.0	0.40
11:54:56	0.22	92.8	329.8	1.4	0.04
11:59:48	0.08	88.6	325.6	1.1	0.99
12:04:41	0.00	75.0	312.0	0.7	0.00
12:09:39	0.00	87.4	324.4	0.6	0.00
12:14:41	0.00	134.8	11.8	0.4	0.00
12:19:28	0.00	157.9	34.9	0.6	0.00
12:24:21		162.5	39.5	0.9	0.00
12:29:16	0.03	157.6	34.6	1.2	0.28
12:34:08	0.02	179.6	56.6	1.0	0.26
12:38:56	0.01	195.0	72.0	0.8	0.26
12:43:51	0.02	178.2	55.2	0.9	0.69
12:48:43	0.02	186.0	63.0	1.0	0.67
12:53:39	0.01	182.4	59.4	0.9	0.99
12:58:32	0.09	161.9	38.9	1.1	0.42
13:03:27	0.08	161.1	38.1	1.0	0.42
13:08:27	0.07	157.4	34.4	0.9	0.18
13:13:26	0.00	149.3	26.3	0.7	0.00
13:18:24	0.00	154.6	31.6	0.8	0.00
13:23:21		165.8	42.8	1.0	0.00
13:28:15		171.8	48.8	1.1	0.00
13:33:12		173.7	50.7	1.2	0.00

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
13:38:14		176.8	53.8	1.4	0.00
13:43:14		191.9	68.9	1.4	0.00
13:48:20		197.0	74.0	1.5	0.00
13:53:21		193.5	70.5	1.1	0.00
13:58:22		194.4	71.4	1.1	0.00
14:03:25		190.2	67.2	1.1	0.00
14:08:26	0.29	148.6	25.6	1.1	0.61
14:13:35	1.06	127.5	4.5	1.6	0.50
14:18:44	2.79	120.7	357.7	2.5	0.67
14:23:51	3.08	107.0	344.0	2.6	0.63
14:28:54	4.00	103.4	340.4	2.7	0.82
14:33:54	2.44	97.0	334.0	2.2	0.94
14:39:00	1.03	76.1	313.1	1.5	0.99
14:44:01	0.19	45.9	282.9	1.2	0.92
14:49:00	-0.21	0.8	237.8	1.7	0.96
14:54:00	-0.02	0.8	237.8	1.7	0.86
14:58:56		345.3	222.3	2.1	0.00
15:03:56	-0.05	356.7	233.7	1.3	0.03
15:08:50	-0.01	16.8	253.8	1.1	0.04
15:13:50	0.00	20.1	257.1	1.1	0.04
15:18:51	0.00	19.4	256.4	1.2	0.04
15:23:47	-0.02	13.1	250.1	1.2	0.03
15:28:43		357.2	234.2	1.2	0.00
15:33:41		345.0	222.0	1.2	0.00
15:38:39		349.9	226.9	1.2	0.00
15:43:38	-0.05	1.5	238.5	1.1	0.02
15:48:33	0.08	37.9	274.9	1.2	0.04
15:53:30	0.53	65.2	302.2	1.8	0.93
15:58:23	0.62	69.1	306.1	2.1	1.00
16:03:19	0.73	71.5	308.5	2.4	1.00

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
16:08:13	0.19	57.8	294.8	2.0	0.96
16:13:08	0.01	36.8	273.8	1.8	1.00
16:18:03	0.00	26.7	263.7	1.9	0.60
16:22:58	0.03	31.9	268.9	1.9	0.10
16:27:52	0.15	45.5	282.5	2.1	0.02
16:32:48	0.43	59.4	296.4	2.4	0.03
16:37:45	0.89	65.2	302.2	2.5	0.30
16:42:38	0.68	64.9	301.9	2.5	0.07
16:47:34	0.57	63.6	300.6	2.2	0.11
16:52:27	0.42	58.4	295.4	2.3	0.73
16:57:24	0.21	55.9	292.9	2.2	0.93
17:02:21	0.07	55.9	292.9	2.0	0.89
17:07:14	0.01	50.6	287.6	1.5	0.86
17:12:10	0.01	36.8	273.8	1.2	0.69
17:17:04	-0.02	16.7	253.7	1.0	0.20
17:22:03	0.00	33.6	270.6	0.8	0.00
17:27:01	0.20	46.6	283.6	0.9	0.96
17:31:56	1.10	83.4	320.4	1.5	0.98

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-8. Summary Data Table of VRPM Plane E123 for August 7, 2008 at the Williams Rulison Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
10:32:12	-0.03	79.9	117.9	1.7	0.94
10:36:37	-0.02	70.4	108.4	1.4	0.74
10:41:02	-0.01	68.1	106.1	0.9	0.85
10:45:26	0.00	94.4	132.4	0.6	0.00
10:49:51	0.00	46.1	84.1	0.3	0.00
10:54:19	0.00	24.3	62.3	0.6	0.00
10:58:45	0.00	34.1	72.1	0.5	0.00
11:03:12	0.00	56.1	94.1	0.5	0.00
11:07:37	0.00	45.4	83.4	0.6	0.00
11:12:04	0.00	74.7	112.7	0.3	0.00
11:16:31	0.00	101.7	139.7	0.5	0.00
11:20:58	0.00	96.9	134.9	0.8	0.00
11:25:27	0.00	103.8	141.8	0.7	0.00
11:29:54	-0.01	106.3	144.3	1.2	1.00
11:34:20		103.2	141.2	1.0	0.00
11:38:48		101.7	139.7	1.1	0.00
11:43:19		98.4	136.4	1.3	0.00
11:47:47		89.6	127.6	1.0	0.00
11:52:15		90.1	128.1	1.2	0.00
11:56:42		92.6	130.6	1.3	0.00
12:01:14	-0.01	88.2	126.2	1.0	0.99
12:05:40	0.00	82.4	120.4	0.7	0.00
12:10:09	0.00	84.9	122.9	0.6	0.00
12:14:35	0.00	127.9	165.9	0.4	0.00
12:19:02	0.00	156.9	194.9	0.6	0.00
12:23:30	-0.02	164.0	202.0	0.9	0.74
12:27:56		160.5	198.5	1.2	0.00
12:32:22		163.6	201.6	1.1	0.00
12:36:51		187.1	225.1	0.9	0.00

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
12:41:17		188.7	226.7	0.7	0.00
12:45:46		180.1	218.1	1.0	0.00
12:50:12		191.5	229.5	1.1	0.00
12:54:43		172.7	210.7	1.0	0.00
12:59:10		159.8	197.8	1.1	0.00
13:03:38		161.6	199.6	1.0	0.00
13:08:08		154.0	192.0	0.9	0.00
13:12:37	0.00	147.1	185.1	0.8	0.00
13:17:08	0.00	156.2	194.2	0.7	0.00
14:07:51		153.3	191.3	1.0	0.00
14:13:18		135.0	173.0	1.6	0.00
14:17:48		123.7	161.7	2.5	0.00
14:22:17		110.9	148.9	3.0	0.00
14:26:48		103.3	141.3	2.8	0.00
14:31:17		103.3	141.3	2.6	0.00
14:35:47	-0.04	92.4	130.4	1.9	0.02
14:40:16	-0.20	72.5	110.5	1.4	0.02
14:44:48	0.47	4.8	42.8	1.6	0.05
14:49:20	0.88	0.8	38.8	1.7	0.13
14:53:53	1.13	357.9	35.9	1.8	0.10
14:58:24	2.16	345.4	23.4	2.4	0.07
15:02:56	0.88	347.8	25.8	1.4	0.41
15:07:27	0.22	18.9	56.9	0.9	0.06
15:12:12	0.18	17.9	55.9	1.2	0.04
15:16:32	0.12	19.6	57.6	1.1	0.03
15:21:05	0.06	22.1	60.1	1.2	0.66
15:25:36	0.16	10.8	48.8	1.2	1.00
15:30:06	0.26	354.6	32.6	1.1	0.92
15:34:36	0.30	341.4	19.4	1.2	0.86
15:39:11	0.35	346.8	24.8	1.2	0.97

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
15:43:42	0.28	355.3	33.3	1.1	1.00
15:48:11	0.05	36.7	74.7	1.3	0.99
15:52:41	-0.07	63.2	101.2	1.7	0.99
15:57:10	-0.11	70.5	108.5	2.1	0.19
16:01:42	-0.12	72.7	110.7	2.5	0.97
16:06:13	-0.06	64.8	102.8	2.1	0.24
16:10:42	0.00	44.6	82.6	1.9	0.94
16:15:12	0.09	28.0	66.0	1.9	0.99
16:19:45	0.09	25.3	63.3	1.9	0.99
16:24:15	0.06	31.7	69.7	2.0	1.00
16:28:48	0.01	47.9	85.9	2.2	1.00
16:33:12	-0.02	61.0	99.0	2.4	1.00
16:37:43	-0.01	67.0	105.0	2.6	0.58
16:42:13	-0.01	64.7	102.7	2.5	0.87
16:46:44	-0.02	62.9	100.9	2.3	0.06
16:51:09	-0.01	58.9	96.9	2.3	0.02
16:55:38	-0.01	59.9	97.9	2.2	0.02
17:00:09	-0.01	56.4	94.4	2.1	0.75
17:04:41	-0.03	55.2	93.2	1.8	0.25
17:09:11	0.02	42.4	80.4	1.4	1.00
17:13:42	0.06	31.6	69.6	1.1	0.99
17:18:13	0.00	14.6	52.6	0.8	0.00
17:22:47	0.00	36.6	74.6	0.8	0.00
17:27:16	-0.01	51.7	89.7	1.0	0.89
17:31:45	-0.05	83.5	121.5	1.4	0.98

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-9. Summary Data Table of VRPM Plane E456 for August 7, 2008 at the Williams Rulison Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
10:34:25	-0.11	78.3	200.3	1.6	0.84
10:38:50	-0.50	69.1	191.1	1.2	0.56
10:43:15	-0.32	69.5	191.5	0.9	0.02
10:47:38	0.00	129.7	251.7	0.4	0.00
10:52:06	0.00	25.2	147.2	0.6	0.00
10:56:31	0.00	33.2	155.2	0.5	0.00
11:00:59	0.00	49.1	171.1	0.4	0.00
11:05:25	0.00	49.2	171.2	0.5	0.00
11:09:52	0.00	45.3	167.3	0.5	0.00
11:14:17	0.00	100.1	222.1	0.4	0.00
11:18:46	0.00	98.7	220.7	0.8	0.00
11:23:14	0.00	101.0	223.0	0.6	0.00
11:27:41	0.00	99.8	221.8	0.9	0.00
11:32:08	-0.18	107.1	229.1	1.2	0.89
11:36:36	-0.19	100.0	222.0	1.1	0.89
11:41:04	-0.19	99.1	221.1	1.2	0.96
11:45:33	-0.27	90.7	212.7	1.3	0.96
11:50:03	-0.20	89.7	211.7	1.0	0.88
11:54:29	-0.28	92.9	214.9	1.3	0.97
11:59:00	-0.47	88.2	210.2	1.1	1.00
12:03:28	-0.44	78.9	200.9	0.8	0.97
12:07:55	0.00	78.6	200.6	0.6	0.00
12:12:23	0.00	108.0	230.0	0.5	0.00
12:16:49	0.00	153.3	275.3	0.5	0.00
12:21:18	0.00	163.6	285.6	0.7	0.00
12:25:42	0.04	160.8	282.8	1.0	0.99
12:30:11	0.29	161.2	283.2	1.3	0.08
12:34:40	0.27	178.6	300.6	1.0	0.14
12:39:05	0.31	196.3	318.3	0.8	0.10

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
12:43:33	0.34	180.7	302.7	0.9	0.88
12:48:48	0.40	186.2	308.2	1.0	1.00
12:52:27	0.16	188.8	310.8	1.0	0.97
12:56:56	1.11	167.6	289.6	1.0	0.24
13:01:23	1.51	161.6	283.6	1.2	0.41
13:05:55	1.45	163.1	285.1	0.9	0.32
13:10:24	0.00	145.1	267.1	0.9	0.00
13:14:53	0.00	158.9	280.9	0.7	0.00
14:11:05	-0.07	136.9	258.9	1.1	0.99
14:15:33	-0.33	126.7	248.7	2.1	1.00
14:20:02	-0.66	116.3	238.3	2.6	1.00
14:24:34	-1.62	104.4	226.4	2.9	0.99
14:29:04	-2.02	102.4	224.4	2.7	1.00
14:33:34	-1.77	100.0	222.0	2.4	1.00
14:38:03	-1.61	80.2	202.2	1.5	1.00
14:42:34	-1.92	62.8	184.8	1.3	1.00
14:47:05	-1.48	0.8	122.8	1.7	0.99
14:51:38	-1.43	0.8	122.8	1.7	0.98
14:56:09	-1.65	351.3	113.3	2.1	0.98
15:00:41	-1.00	337.8	99.8	2.2	1.00
15:05:12	-1.25	18.0	140.0	0.9	1.00
15:09:45	-1.14	16.8	138.8	1.1	1.00
15:14:14	-1.11	20.1	142.1	1.1	1.00
15:18:50	-0.94	19.2	141.2	1.2	0.99
15:23:22	-0.80	16.8	138.8	1.3	1.00
15:27:52	-0.62	4.3	126.3	1.2	1.00
15:32:22	-1.02	347.6	109.6	1.2	0.99
15:36:56	-1.14	345.9	107.9	1.2	0.87
15:41:27	-1.32	343.7	105.7	1.2	0.55
15:46:01	-1.38	20.8	142.8	1.2	0.69

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
15:50:27	-1.72	53.9	175.9	1.5	0.95
15:54:57	-0.58	68.5	190.5	2.0	1.00
15:59:27	-0.52	71.8	193.8	2.3	1.00
16:04:01	-0.23	71.4	193.4	2.3	1.00
16:08:29	-0.23	55.5	177.5	2.0	1.00
16:13:01	-0.24	37.8	159.8	1.8	1.00
16:17:30	-0.24	23.2	145.2	1.9	1.00
16:22:01	-0.20	29.8	151.8	1.9	1.00
16:26:33	-0.20	41.1	163.1	2.1	1.00
16:31:01	-0.34	55.0	177.0	2.2	0.90
16:35:28	-0.32	66.4	188.4	2.6	0.85
16:40:01	-0.30	66.2	188.2	2.6	0.94
16:44:30	-0.30	65.4	187.4	2.5	0.93
16:48:55	-0.35	61.8	183.8	2.2	0.97
16:53:24	-0.32	57.0	179.0	2.3	1.00
16:57:54	-0.48	57.9	179.9	2.2	0.99
17:02:26	-0.95	57.1	179.1	2.1	0.95
17:06:57	-2.18	52.5	174.5	1.6	0.03
17:11:29	-2.54	37.1	159.1	1.2	0.01
17:16:01	-1.92	14.6	136.6	1.0	0.01
17:20:30	0.00	26.4	148.4	0.7	0.00
17:25:03	0.00	39.8	161.8	0.8	0.00
17:29:31	-1.65	74.3	196.3	1.1	0.96
17:34:02	-1.17	89.5	211.5	1.8	1.00

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-10. Summary Data Table of VRPM Plane A123 for August 8, 2008 at the Williams Rulison Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
10:17:11	0.01	123.8	64.8	1.2	0.96
10:23:21	0.00	137.3	78.3	1.4	-0.01
10:28:32		146.4	87.4	1.4	0.00
10:33:39		150.1	91.1	1.2	0.00
10:38:48	0.00	131.0	72.0	1.1	0.32
10:43:56	0.01	104.7	45.7	1.1	0.04
10:49:05	0.02	91.4	32.4	1.1	0.00
10:54:12	0.02	81.4	22.4	1.1	0.00
10:59:20	0.03	78.2	19.2	1.0	0.41
11:04:28	0.00	93.0	34.0	0.7	0.00
11:09:37	0.00	118.8	59.8	0.8	0.00
11:14:46	0.00	139.6	80.6	1.4	0.89
11:19:54	0.00	150.3	91.3	1.5	0.97
11:25:03	-0.01	163.9	104.9	1.6	0.44
11:30:12		190.3	131.3	1.5	0.00
11:35:24		203.6	144.6	1.9	0.00
11:40:32		226.2	167.2	2.1	0.00
11:45:38		240.6	181.6	2.6	0.00
11:50:48		241.6	182.6	2.5	0.00
11:55:59		242.8	183.8	2.6	0.00
12:01:08		249.0	190.0	2.4	0.00
12:06:16		246.7	187.7	2.6	0.00
12:11:24		247.0	188.0	2.9	0.00
12:16:30		248.3	189.3	3.1	0.00
12:21:39		247.3	188.3	3.4	0.00
12:26:48		244.3	185.3	3.6	0.00
12:31:55		245.4	186.4	3.6	0.00
12:37:04		243.5	184.5	3.4	0.00
12:42:11		233.4	174.4	3.2	0.00
12:47:09		236.5	177.5	3.1	0.00
12:52:18		233.3	174.3	3.4	0.00
12:57:28		235.2	176.2	3.3	0.00
13:02:38		232.4	173.4	3.2	0.00

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
13:07:37		229.2	170.2	3.4	0.00
13:12:46		227.3	168.3	3.3	0.00
13:17:54		225.1	166.1	3.1	0.00
13:23:03		232.1	173.1	3.5	0.00
13:28:14		232.1	173.1	3.5	0.00
13:33:24		232.7	173.7	3.3	0.00
13:38:35		231.6	172.6	3.3	0.00
13:43:44		234.1	175.1	3.3	0.00
13:48:54		234.1	175.1	3.2	0.00
13:54:03		236.2	177.2	3.2	0.00
13:59:16		236.2	177.2	3.0	0.00
14:04:26		237.4	178.4	3.1	0.00
14:09:36		226.4	167.4	2.2	0.00
14:14:45		223.0	164.0	1.7	0.00
14:19:56		232.5	173.5	1.9	0.00
14:25:05		206.8	147.8	1.8	0.00
14:30:16		201.2	142.2	1.8	0.00
14:35:27		188.0	129.0	1.9	0.00
14:40:37		154.0	95.0	2.4	0.00
14:45:46		143.6	84.6	2.7	0.00
14:50:57		149.1	90.1	2.0	0.00
14:56:06		153.8	94.8	1.9	0.00
15:01:14		161.9	102.9	1.9	0.00
15:06:25		174.2	115.2	1.6	0.00
15:11:36		180.4	121.4	1.4	0.00
15:16:48		196.8	137.8	1.5	0.00
15:21:56		214.9	155.9	1.3	0.00
15:27:06		208.7	149.7	1.5	0.00
15:32:17		150.1	91.1	2.2	0.00
16:18:48	0.00	126.4	67.4	3.2	0.88
16:23:54	0.04	107.8	48.8	3.7	0.63
16:29:03	0.13	107.8	48.8	3.7	0.99
16:34:14	0.54	107.8	48.8	3.7	-0.01

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-11. Summary Data Table of VRPM Plane A456 for August 8, 2008 at the Williams Rulison Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
10:20:44	0.05	134.6	11.6	1.3	0.82
10:25:54	0.05	143.7	20.7	1.3	0.77
10:31:04	0.05	149.2	26.2	1.4	0.48
10:36:12	0.04	147.2	24.2	1.1	0.79
10:41:20	0.06	111.3	348.3	1.1	0.13
10:46:29	0.09	98.1	335.1	1.2	0.08
10:51:38	0.10	81.4	318.4	1.1	0.05
10:56:44	0.12	87.1	324.1	1.2	0.05
11:01:52	0.00	75.3	312.3	0.9	0.00
11:07:01	0.00	108.3	345.3	0.8	0.00
11:12:11	0.00	120.1	357.1	0.9	0.00
11:17:19		146.7	23.7	1.5	0.00
11:22:27		150.2	27.2	1.7	0.00
11:27:36		176.4	53.4	1.6	0.00
11:32:45		194.1	71.1	1.7	0.00
11:37:55		217.1	94.1	2.0	0.00
11:43:05		232.3	109.3	2.4	0.00
11:48:12		242.2	119.2	2.6	0.00
11:53:21		239.9	116.9	2.4	0.00
11:58:32		243.9	120.9	2.6	0.00
12:03:42		247.8	124.8	2.5	0.00
12:08:48		248.0	125.0	2.5	0.00
12:13:55		250.2	127.2	3.0	0.00
12:19:04		249.9	126.9	3.2	0.00
12:24:12		245.2	122.2	3.6	0.00
12:29:21		245.5	122.5	3.5	0.00
12:34:28		245.3	122.3	3.5	0.00
12:39:36		237.3	114.3	3.2	0.00
12:44:35		234.2	111.2	3.1	0.00
12:49:42		236.7	113.7	3.1	0.00
12:54:51		233.5	110.5	3.3	0.00
13:00:01		230.4	107.4	3.3	0.00
13:05:09		231.7	108.7	3.3	0.00

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
13:10:11		227.4	104.4	3.3	0.00
13:15:19		228.2	105.2	3.2	0.00
13:20:27		220.0	97.0	3.2	0.00
13:25:37		232.4	109.4	3.7	0.00
13:30:47		233.5	110.5	3.4	0.00
13:35:58		232.6	109.6	3.4	0.00
13:41:08		232.5	109.5	3.4	0.00
13:46:17		231.7	108.7	3.2	0.00
13:51:27		236.9	113.9	3.3	0.00
13:56:38		235.4	112.4	3.1	0.00
14:01:49		237.7	114.7	3.0	0.00
14:06:59		236.1	113.1	2.9	0.00
14:12:10		225.7	102.7	2.0	0.00
14:17:18		225.5	102.5	1.8	0.00
14:22:30		226.3	103.3	1.8	0.00
14:27:39		206.4	83.4	1.7	0.00
14:32:50		198.9	75.9	2.0	0.00
14:38:00		169.4	46.4	2.0	0.00
14:43:10		146.0	23.0	2.6	0.00
14:48:19		150.9	27.9	2.1	0.00
14:53:30		148.9	25.9	2.0	0.00
14:58:39		157.3	34.3	2.0	0.00
15:03:50		170.0	47.0	1.6	0.00
15:08:58		191.4	68.4	1.4	0.00
15:14:10		187.1	64.1	1.5	0.00
15:19:20		198.3	75.3	1.5	0.00
15:24:29		215.2	92.2	1.3	0.00
15:29:40		196.1	73.1	1.4	0.00
16:21:20	0.36	126.4	3.4	3.2	1.00
16:26:27	1.32	107.8	344.8	3.7	0.91
16:31:37	3.59	107.8	344.8	3.7	0.13

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-12. Summary Data Table of VRPM Plane E123 for August 8, 2008 at the Williams Rulison Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
10:35:02		154.6	192.6	1.0	0.00
10:39:29		128.4	166.4	1.1	0.00
10:43:55		106.1	144.1	1.2	0.00
10:48:21		91.3	129.3	1.1	0.00
10:52:45		81.5	119.5	1.2	0.00
10:57:10		73.0	111.0	1.3	0.00
11:01:37	0.00	73.9	111.9	0.8	0.00
11:06:02	0.00	99.9	137.9	0.7	0.00
11:10:28	0.00	126.1	164.1	0.9	0.00
11:14:55	-0.01	137.0	175.0	1.4	1.00
11:19:22	-0.01	143.9	181.9	1.6	1.00
11:23:48	-0.01	153.3	191.3	1.7	0.99
11:28:14	-0.01	179.7	217.7	1.5	0.98
12:04:50	0.03	248.8	286.8	2.6	0.84
12:10:11	0.03	248.2	286.2	2.6	0.83
12:14:39	0.03	247.2	285.2	3.0	0.92
12:19:04	0.02	247.0	285.0	3.2	0.74
12:23:24	0.02	247.9	285.9	3.5	0.04
12:27:50		245.5	283.5	3.7	0.00
12:32:13		245.1	283.1	3.6	0.00
12:36:36		243.5	281.5	3.4	0.00
12:41:03		233.3	271.3	3.1	0.00
12:45:28		231.6	269.6	2.8	0.00
12:49:53	0.01	234.9	272.9	3.2	0.99
12:54:14	0.00	230.5	268.5	3.5	0.94
12:58:36	0.00	234.2	272.2	3.5	1.00
13:03:02	0.00	233.0	271.0	3.2	1.00
13:07:27	0.00	228.7	266.7	3.2	1.00
13:11:49	0.00	225.5	263.5	3.3	1.00
13:16:14	0.00	227.4	265.4	3.3	1.00
13:20:38		219.9	257.9	3.3	0.00
13:25:05	0.01	235.4	273.4	3.6	0.04
13:29:30	0.01	233.7	271.7	3.3	0.10

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
13:33:59	0.01	231.3	269.3	3.3	0.12
13:38:23	0.01	233.0	271.0	3.5	0.91
13:42:48	0.01	234.3	272.3	3.3	0.98
13:47:13	0.01	232.7	270.7	3.1	1.00
13:51:36	0.01	238.1	276.1	3.2	1.00
13:56:02	0.01	233.8	271.8	3.1	1.00
14:00:28	0.01	237.5	275.5	3.0	0.99
14:04:51	0.02	240.2	278.2	3.3	0.99
14:09:11	0.00	229.1	267.1	2.6	1.00
14:13:37	0.00	213.6	251.6	1.4	1.00
14:18:04	0.00	228.0	266.0	1.5	0.95
14:22:28	0.00	227.5	265.5	1.9	0.96
14:26:48	-0.01	206.9	244.9	1.8	0.02
14:31:14	-0.01	209.9	247.9	2.1	0.02
14:40:00		165.5	203.5	2.1	0.00
14:44:30		150.5	188.5	2.4	0.00
14:48:51		149.3	187.3	2.2	0.00
14:53:15		151.8	189.8	2.0	0.00
14:57:42		152.9	190.9	2.0	0.00
15:06:33	-0.01	180.8	218.8	1.6	1.00
15:10:58	-0.01	187.6	225.6	1.4	0.48
15:15:24	-0.01	196.8	234.8	1.5	0.46
15:19:49	-0.01	216.0	254.0	1.4	0.41
15:24:15	-0.01	210.6	248.6	1.4	0.41
15:28:39	-0.01	191.0	229.0	1.4	0.18
16:21:30		126.4	164.4	3.2	0.00
16:25:54		107.8	145.8	3.7	0.00
16:30:20		107.8	145.8	3.7	0.00

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-13. Summary Data Table of VRPM Plane E456 for August 8, 2008 at the Williams Rulison Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
10:37:16	0.02	145.1	267.1	1.0	0.96
10:41:42	-0.10	111.1	233.1	1.2	0.96
10:46:09	-0.16	100.5	222.5	1.2	0.98
10:50:34	-0.21	86.5	208.5	1.1	0.98
10:54:59	-0.38	79.8	201.8	1.3	0.98
10:59:25	-0.34	73.6	195.6	1.1	0.97
11:03:50	0.00	81.1	203.1	0.7	0.00
11:08:17	0.00	120.4	242.4	0.8	0.00
11:12:44	-0.02	134.1	256.1	1.0	0.70
11:17:08	0.02	144.9	266.9	1.5	0.92
11:21:40	0.03	149.4	271.4	1.6	1.00
11:26:02	0.05	163.7	285.7	1.6	0.97
11:30:28	0.06	186.5	308.5	1.6	1.00
12:08:02	0.03	250.7	12.7	2.5	0.87
12:12:27	0.04	250.0	12.0	2.8	0.84
12:16:52	0.05	249.4	11.4	3.1	0.60
12:21:15	0.07	248.2	10.2	3.4	0.83
12:25:37	0.10	244.9	6.9	3.7	0.94
12:30:03	0.09	244.5	6.5	3.7	0.85
12:34:26	0.08	246.3	8.3	3.6	0.91
12:38:52	0.05	243.6	5.6	3.3	1.00
12:43:15	0.02	232.3	354.3	2.9	0.99
12:47:43	0.02	235.0	357.0	3.0	0.98
12:52:04	0.03	234.4	356.4	3.2	0.96
12:56:26	0.03	233.5	355.5	3.4	0.86
13:00:51	0.13	239.0	1.0	3.5	0.35
13:05:16	0.14	233.0	355.0	3.3	1.00
13:09:39	0.14	225.1	347.1	3.3	1.00
13:14:04	0.12	227.1	349.1	3.1	0.97

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
13:18:26	0.15	222.5	344.5	3.4	0.99
13:22:54	0.06	228.7	350.7	3.6	0.93
13:27:19	0.04	233.1	355.1	3.4	0.83
13:31:45	0.05	233.1	355.1	3.4	0.95
13:36:14	0.06	233.4	355.4	3.4	0.97
13:40:36	0.06	237.3	359.3	3.6	0.99
13:45:03	0.06	224.3	346.3	3.0	0.97
13:49:27	0.10	236.1	358.1	3.1	0.89
13:53:53	0.12	237.5	359.5	3.4	0.93
13:58:15	0.20	234.9	356.9	2.9	0.97
14:02:41	0.21	237.6	359.6	3.1	0.98
14:07:03	0.22	234.4	356.4	2.9	0.82
14:11:27	0.14	220.6	342.6	1.8	0.67
14:15:52	0.14	221.7	343.7	1.5	0.79
14:20:18	0.11	230.0	352.0	1.8	0.87
14:24:38	0.09	219.5	341.5	1.8	0.95
14:29:01	0.07	209.5	331.5	1.9	0.98
15:04:21	0.10	167.2	289.2	1.8	0.81
15:08:47	0.09	179.0	301.0	1.5	0.66
15:13:09	0.09	187.1	309.1	1.6	0.94
15:17:38	0.09	198.3	320.3	1.5	0.90
15:22:03	0.22	215.2	337.2	1.3	0.90
15:26:27	0.20	211.7	333.7	1.2	0.98
15:30:52	0.42	182.4	304.4	1.5	0.98
16:19:18	-0.43	124.8	246.8	2.9	0.80
16:23:44	-0.74	126.4	248.4	3.2	0.97
16:28:09	-2.41	107.8	229.8	3.7	1.00
16:32:34	-2.41	107.8	229.8	3.7	0.98

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-14. Summary Data Table of VRPM Plane A123 for August 9, 2008 at the Williams Rulison Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
11:45:33	0.27	65.9	6.9	2.3	1.00
11:50:33	0.23	69.8	10.8	2.0	0.98
11:55:23	0.16	79.4	20.4	2.0	0.89
12:00:21	0.14	84.4	25.4	2.1	1.00
12:05:21	0.09	93.2	34.2	2.1	0.79
12:10:20	0.06	97.1	38.1	2.2	1.00
12:15:19	0.06	89.4	30.4	2.0	0.93
12:20:17	0.07	81.3	22.3	1.8	0.91
12:25:15	0.04	85.8	26.8	1.5	0.93
12:30:15	0.03	71.8	12.8	1.0	0.96
12:35:15	0.04	79.9	20.9	1.1	0.99
12:40:15	0.02	94.2	35.2	1.0	0.98
12:45:14	0.01	108.8	49.8	0.9	0.99
12:50:12	0.01	119.0	60.0	1.3	0.97
12:55:11	0.02	106.9	47.9	1.3	0.97
13:00:11	0.01	103.0	44.0	1.4	0.99
13:05:13	0.01	95.5	36.5	1.3	0.99
13:10:14	0.01	79.0	20.0	1.0	0.99
13:15:08	0.00	108.3	49.3	0.8	0.00
13:20:08	0.01	135.1	76.1	1.0	0.96
13:25:12	0.00	153.1	94.1	0.5	0.00
13:30:11	0.00	188.7	129.7	0.6	0.00
13:35:12	0.00	174.2	115.2	0.4	0.00
13:40:07	0.00	229.5	170.5	0.4	0.00
13:45:06	0.00	197.4	138.4	0.4	0.00
13:50:09	0.00	160.3	101.3	1.1	0.00
13:55:10	0.00	171.9	112.9	0.9	0.00
14:00:10	0.00	180.8	121.8	1.4	1.00
14:05:12	0.00	156.1	97.1	1.7	0.00

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
14:10:13	0.00	172.9	113.9	1.9	0.99
14:15:14		169.6	110.6	2.2	0.00
14:20:15		158.9	99.9	2.8	0.00
14:25:16		159.9	100.9	2.9	0.00
14:30:18		155.4	96.4	2.9	0.00
14:35:17		149.0	90.0	3.0	0.00
14:40:19	0.00	146.7	87.7	3.1	0.98
14:45:14	0.00	144.3	85.3	3.0	1.00
14:50:13	0.00	143.5	84.5	2.8	1.00

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-15. Summary Data Table of VRPM Plane A456 for August 9, 2008 at the Williams Rulison Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
11:48:03	0.25	65.8	302.8	2.1	0.69
11:52:54	0.23	73.7	310.7	2.0	0.60
11:57:52	0.44	81.0	318.0	2.0	0.25
12:02:52	0.38	89.5	326.5	2.2	0.10
12:07:49	0.42	95.9	332.9	2.3	0.03
12:12:50	0.42	95.3	332.3	2.1	0.06
12:17:48	0.31	82.7	319.7	1.9	0.06
12:22:46	0.34	85.3	322.3	1.7	0.39
12:27:46	0.19	79.3	316.3	1.4	0.36
12:32:44	0.06	73.5	310.5	0.9	0.71
12:37:43	0.04	89.4	326.4	1.0	0.95
12:42:43	0.04	93.5	330.5	0.8	0.96
12:47:43	0.08	116.8	353.8	1.2	0.73
12:52:42	0.16	114.6	351.6	1.4	0.58
12:57:41	0.18	104.2	341.2	1.3	0.67
13:02:42	0.13	99.3	336.3	1.3	0.97
13:07:44	0.11	86.7	323.7	1.2	0.82
13:12:43	0.00	81.7	318.7	0.9	0.00
13:17:36	0.04	122.8	359.8	1.0	0.70
13:22:38	0.00	144.8	21.8	0.8	0.00
13:27:41	0.00	168.0	45.0	0.5	0.00
13:32:42	0.00	180.4	57.4	0.6	0.00
13:37:37	0.00	110.2	347.2	0.2	0.00
13:42:38	0.00	254.3	131.3	0.3	0.00
13:47:37	0.00	167.4	44.4	0.8	0.00
13:52:40	0.03	155.6	32.6	1.0	0.02
13:57:41	0.02	175.6	52.6	1.0	0.02
14:02:42	0.02	162.2	39.2	1.5	0.39
14:07:42	0.03	167.0	44.0	1.7	0.56

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
14:12:43		175.9	52.9	2.0	0.00
14:17:44	0.02	161.2	38.2	2.5	0.96
14:22:44	0.03	158.5	35.5	2.8	0.99
14:27:46	0.07	161.9	38.9	3.0	0.65
14:32:48	0.05	151.1	28.1	2.8	0.94
14:37:48	0.28	147.0	24.0	3.1	0.97
14:42:50	0.25	146.5	23.5	3.0	0.75
14:47:44	0.30	143.1	20.1	2.9	0.07
14:52:42	0.27	148.5	25.5	3.2	0.35

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-16. Summary Data Table of VRPM Plane E123 for August 9, 2008 at the Williams Rulison Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
10:14:24	-0.03	85.1	123.1	2.9	0.82
10:19:53	-0.04	85.2	123.2	2.9	0.67
10:24:20	-0.03	84.2	122.2	2.7	0.19
10:28:49	-0.03	84.3	122.3	2.5	0.05
10:33:16	-0.03	86.4	124.4	2.4	0.05
10:37:44	-0.03	86.7	124.7	2.3	0.03
10:42:11		93.1	131.1	2.3	0.00
10:46:41		96.2	134.2	2.2	0.00
10:51:10		99.9	137.9	2.1	0.00
10:55:36		96.2	134.2	2.0	0.00
11:00:05		95.3	133.3	1.9	0.00
11:04:32	-0.02	90.3	128.3	1.7	0.90
11:09:02	-0.01	82.6	120.6	1.8	0.72
11:13:32		86.3	124.3	1.6	0.00
11:18:01		89.6	127.6	1.7	0.00
11:22:29		94.4	132.4	1.7	0.00
11:26:58		90.4	128.4	1.8	0.00
11:31:27		85.7	123.7	2.1	0.00
11:35:56	-0.01	79.9	117.9	2.1	0.36
11:40:24	-0.02	68.7	106.7	2.2	0.32
11:44:52	-0.02	67.9	105.9	2.3	0.19
11:49:19	-0.02	66.6	104.6	2.1	0.46
11:53:47		76.5	114.5	2.1	0.00
11:58:14		83.4	121.4	2.0	0.00
12:02:43		87.2	125.2	2.2	0.00
12:07:10		100.1	138.1	2.3	0.00
12:11:39		96.8	134.8	2.3	0.00
12:16:07		88.8	126.8	2.0	0.00
12:20:38		80.4	118.4	1.7	0.00

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
12:25:09		79.6	117.6	1.6	0.00
12:29:38	-0.05	79.4	117.4	1.1	0.78
12:34:06	-0.04	77.6	115.6	1.0	0.87
12:38:33	-0.06	96.7	134.7	1.1	0.87
12:43:01	-0.04	88.2	126.2	0.7	0.88
12:47:31	-0.05	112.6	150.6	1.0	0.89
12:52:01	-0.01	121.6	159.6	1.5	0.99
12:56:25		108.5	146.5	1.3	0.00
13:00:54		104.0	142.0	1.4	0.00
13:05:21	-0.04	93.6	131.6	1.3	0.98
13:09:46		67.8	105.8	1.2	0.00
13:40:36	0.00	269.7	307.7	0.3	0.00
13:44:58	0.00	209.4	247.4	0.4	0.00
13:49:23	-0.12	153.7	191.7	1.1	1.00
13:53:44	-0.11	157.9	195.9	1.0	0.42
13:58:06	-0.07	186.0	224.0	1.2	0.77
14:02:32	-0.10	166.9	204.9	1.4	0.79
14:06:57	-0.02	158.9	196.9	1.7	0.95
14:11:20	-0.02	173.7	211.7	2.0	0.96
14:15:42	-0.01	169.6	207.6	2.2	1.00
14:20:08		158.4	196.4	2.6	0.00
14:24:33		161.2	199.2	2.8	0.00
14:28:55		157.0	195.0	3.2	0.00
14:33:18		149.5	187.5	3.0	0.00
14:37:41		147.3	185.3	3.0	0.00
14:42:07		145.2	183.2	2.9	0.00
14:46:27		141.6	179.6	2.9	0.00
14:50:51		144.4	182.4	2.9	0.00

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-17. Summary Data Table of VRPM Plane E456 for August 9, 2008 at the Williams Rulison Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
10:17:39	-0.24	87.0	209.0	2.9	1.00
10:22:07	-0.26	82.7	204.7	2.8	1.00
10:26:35	-0.21	83.6	205.6	2.6	1.00
10:31:04	-0.16	84.9	206.9	2.4	1.00
10:35:30	-0.22	88.6	210.6	2.4	0.99
10:40:01	-0.21	88.2	210.2	2.2	0.99
10:44:27	-0.22	93.2	215.2	2.3	0.99
10:48:56	-0.24	97.3	219.3	2.1	1.00
10:53:24	-0.26	99.0	221.0	2.1	0.99
10:57:52	-0.18	97.4	219.4	1.9	0.97
11:02:18	-0.19	94.8	216.8	1.7	0.97
11:06:50	-0.18	88.3	210.3	1.8	0.97
11:11:19	-0.24	82.9	204.9	1.6	0.99
11:15:47	-0.24	89.5	211.5	1.7	0.93
11:20:16	-0.35	97.1	219.1	1.7	0.97
11:24:45	-0.40	95.8	217.8	1.8	0.98
11:29:13	-0.45	88.7	210.7	1.9	0.98
11:33:43	-0.46	78.2	200.2	2.0	1.00
11:38:11	-0.46	76.1	198.1	2.1	1.00
11:42:39	-0.38	69.8	191.8	2.3	0.99
11:47:07	-0.33	66.8	188.8	2.1	0.99
11:51:34	-0.30	67.2	189.2	2.0	1.00
11:56:02	-0.29	75.9	197.9	2.0	1.00
12:00:30	-0.22	86.6	208.6	2.2	0.98
12:04:59	-0.29	95.1	217.1	2.1	0.98
12:09:27	-0.51	98.2	220.2	2.4	1.00
12:13:55	-0.37	93.7	215.7	2.0	0.96
12:18:24	-0.51	79.3	201.3	1.8	0.96
12:22:54	-0.80	81.6	203.6	1.7	1.00

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
12:27:25	-0.71	81.8	203.8	1.4	1.00
12:31:53	-0.79	70.9	192.9	1.0	0.99
12:36:19	-0.89	85.5	207.5	1.0	0.94
12:40:49	-0.79	95.5	217.5	1.0	0.98
12:45:19	-0.74	95.2	217.2	0.7	0.94
12:49:45	-0.71	119.8	241.8	1.3	0.90
12:54:12	-0.56	114.5	236.5	1.4	0.69
12:58:41	-0.64	104.6	226.6	1.3	0.64
13:03:09	-0.59	101.1	223.1	1.5	0.96
13:07:32	-0.46	77.2	199.2	1.2	0.95
13:42:50	0.00	234.8	356.8	0.4	0.00
13:47:12	0.00	170.6	292.6	0.9	0.00
13:51:34	0.02	152.2	274.2	1.0	0.91
13:55:57	0.06	166.7	288.7	1.0	1.00
14:00:21	0.10	175.8	297.8	1.2	0.99
14:04:47	0.07	160.6	282.6	1.8	1.00
14:09:11	0.11	171.7	293.7	1.9	1.00
14:13:33	0.10	174.4	296.4	2.0	0.98
14:17:55	0.09	162.4	284.4	2.6	0.99
14:22:21	0.06	158.9	280.9	2.8	1.00
14:26:42	0.10	162.4	284.4	3.1	1.00
14:31:09	0.05	152.8	274.8	3.1	1.00
14:35:30	0.01	148.8	270.8	3.0	0.99
14:39:56	0.00	147.9	269.9	3.0	0.98
14:44:17	-0.06	144.8	266.8	2.9	0.98
14:48:41	-0.13	141.9	263.9	3.0	0.94
14:53:04	-0.02	147.2	269.2	3.3	0.94

Calculated Flux Values for the EnCana Benzel Facility

Tables A-18 through A-33 present the summary tables of calculated flux values for each VRPM plane during each day of sampling at the EnCana Benzel facility. These values were calculated as described in Sections 2.3 and 3.1. Each table presents the time, flux value, wind direction, rotated wind direction, wind speed, and CCF (used to represent the level of fit for the reconstruction in the path-integrated domain, i.e., predicted versus measured path-averaged concentration). As described in Section 3.1.1, flux values were calculated for data which met a series of quality control criteria pertaining to horizontal and vertical plume capture and instrument DQIs. That section also described the flags that were added to flux values that did not meet the optimal data criteria, but that could still prove useful in understanding the source and magnitude of hydrocarbon emissions being generated from these sites. The input files used to calculate the AM (total alkanes) concentration values can be found in Appendix A.

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-18. Summary Data Table of VRPM Plane A123 for August 12, 2008 at the EnCana Benzel Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
12:11:21	0.07	49.8	345.8	1.8	0.93
12:16:44	0.06	51.8	347.8	2.0	0.94
12:21:10	0.06	49.1	345.1	1.9	0.78
12:25:31	0.05	39.5	335.5	2.0	0.14
12:29:52	0.04	36.8	332.8	2.0	1.00
12:34:15	0.01	19.7	315.7	2.1	0.99
12:38:38	0.01	14.0	310.0	2.3	1.00
12:42:57	0.01	11.2	307.2	2.4	0.98
12:47:21		5.8	301.8	2.2	0.00
12:51:43		337.0	273.0	2.3	0.00
12:56:06		336.8	272.8	2.1	0.00
13:00:28		339.6	275.6	2.1	0.00
13:04:52		333.0	269.0	2.1	0.00
13:09:15		303.1	239.1	2.0	0.00
13:13:41		289.0	225.0	2.1	0.00
13:18:05		316.9	252.9	2.1	0.00
13:22:29		328.1	264.1	2.7	0.00
13:26:54		327.6	263.6	2.9	0.00
13:31:36		346.2	282.2	3.8	0.00
13:36:11		354.1	290.1	3.8	0.00
13:40:54		356.7	292.7	3.1	0.00
13:45:23		344.2	280.2	2.6	0.00
13:50:04		337.0	273.0	2.4	0.00
13:54:43		322.6	258.6	2.0	0.00
14:00:00		311.6	247.6	1.7	0.00
15:23:59	0.01	1.4	297.4	1.5	0.95
15:29:21	0.01	349.7	285.7	1.8	0.96
15:33:42	0.03	5.1	301.1	2.5	0.59
15:46:48	0.03	78.6	14.6	0.5	1.00
15:51:10	0.04	26.4	322.4	2.1	0.13
15:55:32	0.02	26.0	322.0	1.4	0.77
15:59:52	0.07	17.4	313.4	1.8	0.72
16:04:17	0.06	333.7	269.7	1.1	0.95

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
16:08:38	-0.01	283.6	219.6	1.3	0.57
16:12:59	-0.01	282.8	218.8	1.6	0.64
16:17:19	-0.01	288.8	224.8	1.5	0.58
16:21:41	0.00	309.2	245.2	1.4	0.64
16:26:00	0.07	352.2	288.2	2.0	0.99
16:30:20	0.14	13.4	309.4	2.4	0.99
16:34:40	0.12	17.6	313.6	2.4	1.00
16:39:01	0.15	20.0	316.0	2.6	0.98
16:43:22	0.13	24.8	320.8	2.1	0.99
16:47:41	0.11	28.2	324.2	1.9	0.92
16:52:01	0.11	22.6	318.6	1.8	0.03
16:56:21	0.17	15.3	311.3	1.5	0.02
17:00:43	0.11	11.3	307.3	1.3	0.02
17:05:06	0.06	350.4	286.4	1.5	0.02
17:09:29	0.03	342.4	278.4	1.7	0.01
17:13:50	0.05	346.5	282.5	2.0	0.03
17:18:11	0.03	350.9	286.9	2.1	0.47
17:22:35	0.02	5.7	301.7	2.1	0.56
17:26:59	0.06	10.9	306.9	2.6	0.84
17:31:23	0.13	14.1	310.1	2.7	0.96
17:35:43	0.08	16.2	312.2	2.7	0.94
17:40:06	0.20	17.1	313.1	2.8	0.99
17:44:29	0.21	18.0	314.0	2.8	0.99
17:48:52	0.17	21.6	317.6	2.6	0.99
17:53:13	0.11	22.9	318.9	2.4	0.95
17:57:35	0.10	11.5	307.5	2.5	0.97
18:01:56	0.08	6.5	302.5	2.1	0.99
18:06:19	0.04	358.8	294.8	1.4	0.98
18:10:40	0.07	9.8	305.8	1.4	0.98

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-19. Summary Data Table of VRPM Plane A456 for August 12, 2008 at the EnCana Benzel Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
12:14:31	0.01	50.9	85.9	2.1	1.00
12:18:57	0.02	50.0	85.0	1.9	1.00
12:23:20	0.03	47.4	82.4	1.9	0.94
12:27:41	0.06	39.2	74.2	2.1	0.79
12:32:03	0.07	25.5	60.5	2.0	0.88
12:36:25	0.08	15.3	50.3	2.3	0.96
12:40:49	0.07	13.2	48.2	2.3	1.00
12:45:10	0.06	5.8	40.8	2.3	1.00
12:49:31	0.08	348.6	23.6	2.5	1.00
12:53:55	0.08	335.5	10.5	2.1	1.00
12:58:17	0.08	339.8	14.8	2.1	1.00
13:02:41	0.07	339.1	14.1	2.1	1.00
13:07:04	0.06	300.0	335.0	2.1	1.00
13:11:29		285.1	320.1	2.1	0.00
13:15:52		302.1	337.1	2.0	0.00
13:20:17		320.4	355.4	2.6	0.00
13:24:41		328.8	3.8	3.0	0.00
13:29:23		332.0	7.0	3.0	0.00
13:33:54		351.0	26.0	3.9	0.00
13:38:42		354.1	29.1	3.7	0.00
13:43:12		351.7	26.7	2.9	0.00
13:47:36		338.8	13.8	2.5	0.00
13:52:27		327.3	2.3	2.2	0.00
13:57:44		316.1	351.1	1.9	0.00
14:02:17		308.1	343.1	1.6	0.00
15:27:10	0.06	349.9	24.9	1.8	0.94
15:31:31	0.07	10.5	45.5	2.4	0.99
15:35:52	0.08	5.1	40.1	2.5	0.94
15:49:01	0.07	30.6	65.6	1.4	0.94
15:53:21	0.06	26.0	61.0	1.7	0.94
15:57:42	0.04	15.9	50.9	1.7	1.00
16:02:03	0.04	359.2	34.2	1.4	1.00
16:06:28	0.03	302.8	337.8	1.1	1.00

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
16:10:49	0.04	277.4	312.4	1.6	0.99
16:15:09	0.04	292.5	327.5	1.6	0.99
16:19:30	0.06	291.2	326.2	1.5	1.00
16:23:49	0.08	333.2	8.2	1.6	1.00
16:28:10	0.11	2.5	37.5	2.3	0.99
16:32:29	0.08	15.7	50.7	2.4	0.99
16:36:49	0.07	18.3	53.3	2.6	1.00
16:41:12	0.06	20.5	55.5	2.4	1.00
16:45:30	0.07	27.6	62.6	2.0	0.85
16:49:50	0.10	21.2	56.2	1.9	1.00
16:54:11	0.17	21.5	56.5	1.8	0.40
16:58:32	0.25	13.0	48.0	1.4	0.92
17:02:53	0.16	359.3	34.3	1.4	0.88
17:07:16	0.22	347.6	22.6	1.6	0.99
17:11:39	0.33	344.0	19.0	1.9	1.00
17:16:00	0.31	350.1	25.1	2.1	1.00
17:20:22	0.31	354.3	29.3	2.1	0.94
17:24:46	0.32	10.1	45.1	2.3	0.99
17:29:11	0.23	15.7	50.7	2.8	0.98
17:33:32	0.13	11.8	46.8	2.6	0.98
17:37:54	0.06	18.6	53.6	2.7	1.00
17:42:16	0.08	15.9	50.9	2.9	1.00
17:46:40	0.06	21.7	56.7	2.7	1.00
17:51:02	0.04	21.9	56.9	2.4	0.89
17:55:24	0.07	16.7	51.7	2.4	0.97
17:59:45	0.09	8.5	43.5	2.3	1.00
18:04:07	0.10	4.5	39.5	1.7	1.00
18:08:29	0.07	2.1	37.1	1.2	1.00

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-20. Summary Data Table of VRPM Plane E123 for August 12, 2008 at the EnCana Benzel Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
11:16:41	-0.02	50.4	232.4	1.6	0.14
11:22:10	-0.02	47.9	229.9	1.8	0.04
11:26:39	-0.02	44.7	226.7	1.9	0.80
11:31:12	-0.02	43.4	225.4	2.1	0.12
11:35:51	-0.02	24.0	206.0	2.0	0.85
11:40:19	-0.02	12.7	194.7	2.2	0.36
11:44:46	-0.03	13.4	195.4	2.9	0.24
11:49:23	-0.02	14.4	196.4	2.8	0.03
11:54:02	-0.02	25.5	207.5	2.1	0.00
11:58:28	-0.02	25.2	207.2	2.1	0.00
12:02:53	-0.02	29.7	211.7	2.1	0.00
12:07:22	-0.02	35.9	217.9	2.0	0.00
12:11:48	-0.02	47.0	229.0	1.8	0.05
12:16:14	-0.02	51.0	233.0	2.0	0.08
12:20:39	-0.02	49.1	231.1	1.9	0.45
12:25:05	-0.02	41.3	223.3	2.0	0.60
12:29:29	-0.02	36.6	218.6	2.0	0.98
12:33:54	-0.02	19.7	201.7	2.1	1.00
12:38:20	-0.02	14.0	196.0	2.3	1.00
12:42:47	-0.03	11.4	193.4	2.4	0.94
12:47:12	-0.02	5.8	187.8	2.2	0.92
12:51:36	-0.02	339.9	161.9	2.3	0.99
12:55:59	-0.03	336.8	158.8	2.1	0.82
13:00:29	-0.02	339.6	161.6	2.1	0.91
13:04:57	-0.02	333.0	155.0	2.1	1.00
13:09:17	0.00	304.1	126.1	2.1	0.95
13:13:45	0.01	292.6	114.6	2.1	0.77
13:18:09	0.00	316.9	138.9	2.1	0.90
13:22:36	-0.01	328.5	150.5	2.8	1.00
13:27:01	-0.01	327.6	149.6	2.9	0.94
13:31:24	-0.03	344.7	166.7	3.7	0.95
13:35:48	-0.03	353.8	175.8	3.8	1.00
13:40:12	-0.03	356.2	178.2	3.4	0.98

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
13:44:37	-0.03	348.0	170.0	2.9	0.99
13:49:03	-0.03	338.1	160.1	2.5	0.58
13:53:26	-0.02	322.8	144.8	2.1	0.00
13:57:52	-0.01	309.6	131.6	1.9	0.06
14:02:18	-0.01	304.7	126.7	1.6	0.98
14:06:46	-0.02	315.0	137.0	1.5	0.77
14:11:09	-0.02	325.6	147.6	1.9	0.68
14:15:37	-0.01	335.1	157.1	2.2	0.82
14:20:03	-0.04	336.8	158.8	2.7	0.25
14:24:28	-0.06	342.4	164.4	2.9	0.17
14:28:56	-0.11	350.5	172.5	2.1	0.44
14:33:22	-0.09	68.2	250.2	0.9	0.43
14:37:50	-0.07	117.2	299.2	0.8	0.31
14:42:16	-0.05	23.0	205.0	1.4	0.84
14:46:41	-0.07	25.8	207.8	2.3	0.97
14:51:10	-0.02	25.1	207.1	2.0	0.99
14:55:37	-0.02	22.2	204.2	2.4	0.98
15:00:03	-0.02	18.8	200.8	2.5	0.99
15:04:28	-0.02	22.8	204.8	2.2	1.00
15:08:54	-0.01	10.6	192.6	2.6	0.83
15:13:20	-0.02	357.4	179.4	2.1	0.44
15:17:45	-0.01	0.2	182.2	2.0	0.55
15:22:15	-0.01	1.4	183.4	1.5	0.65
15:26:42	-0.01	350.7	172.7	1.7	0.69
15:31:12		359.2	181.2	1.9	0.00
15:35:39	-0.01	5.1	187.1	2.5	0.97
15:49:05	-0.02	26.0	208.0	1.6	0.99
15:53:32	-0.01	27.0	209.0	1.7	0.96
15:57:54	-0.01	16.1	198.1	1.8	0.99
16:02:20	-0.02	353.8	175.8	1.4	0.10
16:06:47	-0.04	299.6	121.6	1.1	0.16
16:11:13	-0.03	277.6	99.6	1.6	0.06
16:15:39	-0.06	293.7	115.7	1.6	0.11
16:20:02	-0.07	293.2	115.2	1.5	0.08
16:24:28	-0.09	340.1	162.1	1.7	0.21

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
16:28:55	-0.03	5.5	187.5	2.3	0.00
16:33:21		16.7	198.7	2.4	0.00
16:37:48		19.7	201.7	2.6	0.00
16:42:14		21.5	203.5	2.3	0.00
16:46:41		26.4	208.4	1.9	0.00
16:51:09		21.8	203.8	1.9	0.00
16:55:35		17.6	199.6	1.7	0.00
17:00:01		14.8	196.8	1.3	0.00
17:04:27		352.9	174.9	1.5	0.00
17:08:54		344.5	166.5	1.6	0.00
17:13:20		346.4	168.4	2.0	0.00
17:17:46		351.3	173.3	2.1	0.00
17:22:13		1.8	183.8	2.1	0.00
17:26:39		10.4	192.4	2.5	0.00
17:31:05		14.5	196.5	2.8	0.00
17:35:31		16.1	198.1	2.6	0.00
17:39:59		17.4	199.4	2.8	0.00
17:44:25		17.7	199.7	2.8	0.00
17:48:51		21.3	203.3	2.6	0.00
17:53:20		22.8	204.8	2.4	0.00
17:57:47		11.4	193.4	2.5	0.00
18:02:13		6.4	188.4	2.0	0.00
18:06:39		358.9	180.9	1.4	0.00

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-21. Summary Data Table of VRPM Plane E456 for August 12, 2008 at the EnCana Benzel Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
11:19:57		48.6	163.6	1.7	0.00
11:24:24		44.0	159.0	1.9	0.00
11:28:59		45.9	160.9	2.1	0.00
11:33:37		39.6	154.6	2.2	0.00
11:38:06	-0.01	17.3	132.3	2.0	0.85
11:42:30	-0.02	13.4	128.4	2.9	0.91
11:47:08	-0.02	10.8	125.8	2.8	0.37
11:51:48	-0.02	19.7	134.7	2.6	0.29
11:56:13	-0.02	25.6	140.6	2.1	0.57
12:00:39	-0.01	27.8	142.8	2.1	0.88
12:05:07	-0.01	33.3	148.3	2.0	1.00
12:09:35	-0.01	42.3	157.3	1.9	0.93
12:14:00	-0.01	50.9	165.9	2.1	0.75
12:18:25	-0.01	47.9	162.9	1.9	0.94
12:22:51	-0.01	46.1	161.1	1.9	0.72
12:27:16	-0.02	35.5	150.5	2.1	0.72
12:31:40	-0.02	31.0	146.0	2.0	0.70
12:36:07	-0.01	18.0	133.0	2.2	0.89
12:40:32	-0.01	13.9	128.9	2.3	0.95
12:45:45	-0.01	4.1	119.1	2.3	0.92
12:49:23	-0.01	350.7	105.7	2.4	0.96
12:53:49	0.00	335.5	90.5	2.1	0.96
12:58:12	-0.01	339.8	94.8	2.1	1.00
13:02:44	-0.01	339.1	94.1	2.1	1.00
13:07:08	0.01	290.6	45.6	2.1	0.46
13:11:30	0.03	285.1	40.1	2.1	1.00
13:15:52	0.02	302.1	57.1	2.0	0.98
13:20:20	0.02	320.4	75.4	2.6	1.00
13:24:47	0.01	328.8	83.8	3.0	0.92
13:29:08	0.00	331.9	86.9	3.0	0.89
13:33:34	-0.01	350.9	105.9	3.9	0.94
13:37:59	-0.01	353.8	108.8	4.0	0.96
13:42:24	-0.01	355.9	110.9	3.1	0.99

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
13:46:50	0.00	344.1	99.1	2.5	0.86
13:51:15	0.02	334.1	89.1	2.3	0.79
13:55:40	0.03	319.2	74.2	2.0	0.74
14:00:05	0.04	312.9	67.9	1.7	0.93
14:04:30	0.04	307.9	62.9	1.4	0.98
14:08:56	0.02	319.9	74.9	1.6	0.98
14:13:23	0.01	335.4	90.4	2.0	0.97
14:17:49	0.01	342.5	97.5	2.2	0.65
14:22:15	0.00	343.1	98.1	3.1	0.95
14:26:42	0.00	342.3	97.3	2.5	0.97
14:31:09	-0.01	13.0	128.0	1.3	0.97
14:35:35	-0.01	100.8	215.8	0.7	0.94
14:40:03	-0.01	105.1	220.1	0.8	0.91
14:44:28	-0.02	19.8	134.8	2.0	0.95
14:48:56	-0.01	25.6	140.6	2.0	0.91
14:53:22	0.00	23.2	138.2	2.1	0.77
14:57:50	-0.01	21.9	136.9	2.5	0.95
15:02:15	-0.01	22.2	137.2	2.5	0.93
15:06:41	0.00	12.7	127.7	2.0	0.82
15:11:07	0.00	0.9	115.9	2.4	0.77
15:15:33	0.00	0.1	115.1	2.1	0.82
15:20:02	0.00	3.8	118.8	1.8	0.69
15:24:28	0.00	1.4	116.4	1.5	0.61
15:28:59	0.00	349.7	104.7	1.8	0.46
15:33:24	-0.01	23.2	138.2	2.3	0.72
15:46:46	0.00	78.6	193.6	0.5	0.85
15:51:18	-0.01	26.0	141.0	2.1	0.91
15:55:45	-0.01	22.9	137.9	1.3	0.87
16:00:06	-0.01	15.0	130.0	1.8	0.85
16:04:32	0.00	326.3	81.3	1.1	0.85
16:08:59	0.01	282.0	37.0	1.3	0.91
16:13:25	0.01	284.5	39.5	1.7	0.85
16:17:48	0.01	291.2	46.2	1.5	0.72
16:22:14	0.00	314.5	69.5	1.4	0.74
16:26:40	-0.01	356.0	111.0	2.0	0.68

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
16:31:07	-0.01	14.5	129.5	2.5	0.92
16:35:34		17.8	132.8	2.5	0.00
16:40:01	-0.01	19.2	134.2	2.6	0.89
16:44:26	-0.01	26.5	141.5	2.0	0.85
16:48:55	-0.01	24.4	139.4	1.9	0.86
16:53:21	-0.01	23.1	138.1	1.8	0.86
16:57:47	-0.01	12.4	127.4	1.5	0.89
17:02:13	-0.01	3.0	118.0	1.4	0.17
17:06:41	-0.02	347.9	102.9	1.5	0.51
17:11:07	-0.02	343.6	98.6	1.8	0.57
17:15:33	-0.02	349.1	104.1	2.1	0.58
17:19:59	0.01	352.5	107.5	2.1	0.45
17:24:25	0.00	9.8	124.8	2.3	0.93
17:28:51		14.5	129.5	2.7	0.00
17:33:18		12.2	127.2	2.6	0.00
17:37:45		18.5	133.5	2.7	0.00
17:42:12		16.0	131.0	2.9	0.00
17:46:37		21.6	136.6	2.7	0.00
17:51:03		21.6	136.6	2.4	0.00
17:55:32		17.1	132.1	2.4	0.00
17:59:58		8.5	123.5	2.2	0.00
18:04:25		4.0	119.0	1.6	0.00

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-22. Summary Data Table of VRPM Plane A123 for August 13, 2008 at the EnCana Benzel Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
09:33:15	0.01	14.0	310.0	1.3	0.16
09:38:38	0.00	17.7	313.7	1.2	0.32
09:42:59	0.02	23.8	319.8	1.2	0.29
09:47:22	0.03	18.4	314.4	1.3	0.28
09:51:46	0.03	19.2	315.2	1.3	0.25
09:56:08	0.04	19.3	315.3	1.4	0.51
10:00:32	0.03	19.6	315.6	1.5	0.48
10:04:54	0.01	13.5	309.5	1.4	0.70
10:09:16	0.01	14.2	310.2	1.4	0.97
10:13:37	0.01	10.2	306.2	1.2	0.91
10:18:18	0.01	2.1	298.1	0.9	0.99
10:22:22	0.01	356.5	292.5	0.9	1.00
10:26:46		341.3	277.3	0.9	0.00
10:31:09	0.00	336.6	272.6	0.8	0.03
10:35:30	0.01	354.6	290.6	1.0	0.01
10:39:53	0.01	350.1	286.1	1.1	0.01
10:44:17	0.01	356.9	292.9	1.0	0.02
10:48:41	0.01	357.7	293.7	1.2	0.01
10:53:06	0.00	346.4	282.4	1.2	0.03
10:57:29		343.8	279.8	1.2	0.00
11:01:53	0.00	347.6	283.6	1.3	0.11
11:06:15	0.00	346.2	282.2	1.3	0.02
11:10:41	0.00	345.3	281.3	1.1	0.03
11:15:06	0.00	356.7	292.7	1.3	0.64
11:19:31	0.00	358.9	294.9	1.2	0.59
11:23:52	0.00	344.3	280.3	0.9	0.73
11:28:15	0.00	340.4	276.4	0.9	0.75
11:32:41	0.00	338.9	274.9	0.9	0.00
11:37:05	0.00	332.1	268.1	1.0	0.91
11:41:29		334.6	270.6	1.2	0.00
11:45:50		343.4	279.4	1.4	0.00
11:50:13		345.8	281.8	1.5	0.00
11:54:38		331.7	267.7	1.0	0.00

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
11:58:58		334.8	270.8	0.9	0.00
12:03:20	0.00	330.2	266.2	0.4	0.00
12:07:42	0.00	132.0	68.0	0.2	0.00
12:12:05	0.00	73.8	9.8	0.4	0.00
12:16:24	0.00	93.5	29.5	0.5	0.00
12:20:48	0.00	68.7	4.7	0.5	0.00
12:25:09	0.00	23.4	319.4	0.7	0.00
12:29:33	0.00	32.8	328.8	0.8	1.00
12:33:56	0.03	33.2	329.2	1.3	0.97
12:38:21	0.03	29.0	325.0	1.5	0.97
12:42:42	0.02	19.9	315.9	1.4	0.86
12:47:07	0.02	14.5	310.5	1.5	0.90
12:51:31	0.01	26.8	322.8	0.9	0.93
12:55:55	0.01	31.6	327.6	1.0	0.93
13:00:17	0.00	14.2	310.2	0.9	0.88
13:04:39	-0.01	345.6	281.6	0.9	0.99
13:09:02	-0.01	334.7	270.7	0.9	0.74
13:13:23	-0.04	320.9	256.9	1.1	0.96
13:17:47	-0.04	345.1	281.1	1.1	0.84
13:22:09	0.04	29.3	325.3	1.6	0.97
13:26:30	0.11	45.8	341.8	1.9	0.99
13:30:53	0.12	47.3	343.3	2.4	0.95
13:35:15	0.11	46.0	342.0	2.4	0.98
13:39:37	0.11	45.8	341.8	2.0	0.99
13:43:59	0.14	37.3	333.3	1.8	0.98
13:48:20	0.13	35.4	331.4	2.0	1.00
13:52:42	0.11	40.2	336.2	1.7	0.99
13:57:03	0.09	54.7	350.7	1.8	1.00
14:01:27	0.10	56.4	352.4	2.3	1.00
14:05:50	0.07	49.2	345.2	2.5	0.98
14:10:14	0.07	41.3	337.3	2.9	0.98
14:14:38	0.07	31.4	327.4	3.1	0.95
14:19:01	0.08	21.4	317.4	3.2	0.97
14:23:23	0.08	12.2	308.2	3.3	0.96
14:27:46	0.03	359.4	295.4	3.1	0.70

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
14:32:09	0.01	358.1	294.1	3.0	0.01
14:36:31	0.01	355.1	291.1	2.5	0.10
14:40:52	0.01	326.6	262.6	1.9	0.13
14:45:15	0.00	310.9	246.9	2.1	0.12
14:49:38	0.00	296.4	232.4	2.1	0.09
14:54:01	0.01	279.1	215.1	2.2	0.30
14:58:22		293.3	229.3	2.5	0.00
15:02:46		306.1	242.1	1.5	0.00
15:07:09	0.01	320.0	256.0	1.1	0.79
15:11:31	0.01	354.4	290.4	1.3	0.93
15:15:52	0.01	351.8	287.8	1.5	0.88
15:42:56	-0.02	182.0	118.0	1.0	0.89
15:46:19	-0.02	173.3	109.3	2.6	0.89
15:48:41	-0.02	176.7	112.7	2.4	0.90
15:51:04	-0.01	167.9	103.9	2.5	0.93
15:53:26	-0.01	156.1	92.1	2.0	0.97
15:55:48	0.00	122.9	58.9	1.1	0.98
15:58:11	0.01	77.5	13.5	0.9	0.98
16:00:33	0.01	61.6	357.6	1.0	0.98
16:02:53	0.00	10.9	306.9	1.2	0.98
16:05:15	0.00	342.0	278.0	1.9	0.93
16:07:37		341.5	277.5	3.2	0.00
16:09:59		335.4	271.4	4.1	0.00
16:12:20		324.1	260.1	3.7	0.00
16:14:42		326.8	262.8	3.5	0.00
16:17:03		323.4	259.4	3.4	0.00
16:19:24		318.2	254.2	2.7	0.00
16:21:46	-0.02	336.3	272.3	1.8	0.01
16:24:06	-0.02	353.8	289.8	1.4	0.17
16:26:26	-0.02	18.7	314.7	1.1	0.91
16:28:49	-0.04	49.1	345.1	1.1	0.93
16:31:09	-0.02	26.7	322.7	1.1	0.99
16:33:29	0.00	13.4	309.4	0.7	1.00
16:35:51	0.01	8.8	304.8	0.7	0.95
16:38:12	0.01	333.0	269.0	0.7	0.47

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
16:40:32		308.2	244.2	0.5	0.00
16:42:53		292.6	228.6	0.6	0.00
16:45:15		290.1	226.1	1.1	0.00
16:47:35		286.9	222.9	1.5	0.00
16:49:58		295.7	231.7	1.7	0.00
16:52:18		307.6	243.6	2.2	0.00
16:54:39		314.8	250.8	2.3	0.00
16:57:01		334.4	270.4	2.5	0.00
16:59:24	0.00	348.5	284.5	2.8	0.32
17:01:44	0.01	358.6	294.6	2.6	0.32
17:04:05	0.01	5.1	301.1	2.4	0.24
17:06:30	0.00	359.4	295.4	1.9	0.36
17:08:52	0.00	320.0	256.0	1.6	0.41
17:11:13		294.8	230.8	2.0	0.00
17:13:36		280.6	216.6	2.3	0.00
17:16:00		264.6	200.6	2.4	0.00
17:18:23		264.4	200.4	2.4	0.00
17:20:45		267.9	203.9	1.8	0.00
17:23:07		282.3	218.3	1.2	0.00
17:25:27		300.8	236.8	1.5	0.00
17:27:52		306.2	242.2	2.2	0.00
17:30:15		313.0	249.0	2.1	0.00
17:32:37		308.8	244.8	2.5	0.00
17:34:59		307.6	243.6	2.7	0.00
17:37:22		312.9	248.9	3.0	0.00
17:39:42		316.3	252.3	2.9	0.00
17:42:03		313.6	249.6	3.1	0.00
17:44:25		317.6	253.6	3.7	0.00
17:46:47		317.4	253.4	4.5	0.00

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-23. Summary Data Table of VRPM Plane A456 for August 13, 2008 at the EnCana Benzel Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
09:36:27	0.04	13.7	48.7	1.3	1.00
09:40:49	0.03	18.4	53.4	1.1	1.00
09:45:10	0.02	22.0	57.0	1.2	0.99
09:49:33	0.03	18.6	53.6	1.2	0.95
09:53:57	0.02	18.7	53.7	1.3	0.95
09:58:21	0.03	19.4	54.4	1.4	0.87
10:02:42	0.03	15.7	50.7	1.4	0.81
10:07:05	0.03	14.0	49.0	1.4	0.91
10:11:26	0.03	11.7	46.7	1.3	0.85
10:15:49	0.02	1.6	36.6	0.9	0.90
10:20:12	0.02	358.5	33.5	0.8	0.98
10:24:34		349.8	24.8	0.9	0.00
10:28:58		338.6	13.6	0.8	0.00
10:33:20		341.1	16.1	0.8	0.00
10:37:42		345.9	20.9	1.0	0.00
10:42:06		354.5	29.5	1.1	0.00
10:46:29	0.05	357.3	32.3	1.1	0.99
10:50:54	0.05	353.2	28.2	1.2	0.96
10:55:18	0.05	345.7	20.7	1.1	0.92
10:59:42	0.04	344.6	19.6	1.2	0.97
11:04:03	0.04	349.7	24.7	1.4	0.94
11:08:29	0.04	342.4	17.4	1.1	0.99
11:12:55	0.05	354.0	29.0	1.3	1.00
11:17:17	0.04	1.5	36.5	1.3	1.00
11:21:41	0.04	352.7	27.7	1.1	1.00
11:26:04	0.04	343.1	18.1	0.8	0.99
11:30:29	0.04	337.6	12.6	0.8	1.00
11:34:54	0.04	335.2	10.2	1.0	1.00
11:39:16	0.04	329.5	4.5	1.1	1.00

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
11:43:40	0.06	340.7	15.7	1.4	1.00
11:48:02	0.07	346.2	21.2	1.5	0.98
11:52:26	0.05	337.9	12.9	1.2	1.00
11:56:48	0.04	332.0	7.0	1.0	0.96
12:01:09	0.03	325.8	0.8	0.7	0.95
12:05:31	0.00	4.3	39.3	0.1	0.00
12:09:55	0.00	110.1	145.1	0.3	0.00
12:14:15	0.00	74.4	109.4	0.4	0.00
12:18:36	0.00	94.8	129.8	0.4	0.00
12:22:58	0.00	39.4	74.4	0.6	0.00
12:27:21	0.02	32.4	67.4	0.8	0.80
12:31:45	0.02	31.6	66.6	1.0	0.81
12:36:09	0.02	26.7	61.7	1.4	0.90
12:40:31	0.04	19.4	54.4	1.5	0.98
12:44:55	0.05	18.2	53.2	1.5	0.95
12:49:19	0.03	17.2	52.2	1.3	0.98
12:53:43	0.02	25.4	60.4	0.9	0.96
12:58:06	0.04	11.4	46.4	1.0	0.98
13:02:29	0.03	353.3	28.3	0.9	0.87
13:06:51	0.02	341.6	16.6	0.8	1.00
13:11:13	0.06	326.3	1.3	1.0	1.00
13:15:36	0.08	330.1	5.1	1.2	0.91
13:19:58	0.09	0.9	35.9	1.2	0.79
13:24:20	0.07	44.6	79.6	1.6	0.98
13:28:41	0.07	48.5	83.5	2.0	0.51
13:33:04	0.04	44.4	79.4	2.4	0.99
13:37:25	0.03	43.1	78.1	2.2	1.00
13:41:47	0.01	48.8	83.8	1.7	1.00
13:46:09	0.03	37.2	72.2	1.9	1.00
13:50:32	0.03	36.0	71.0	1.7	1.00

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
13:54:53	0.03	46.9	81.9	1.7	1.00
13:59:16	0.02	59.3	94.3	2.1	0.99
14:03:38	0.01	55.5	90.5	2.5	0.99
14:08:03	0.02	42.9	77.9	2.6	1.00
14:12:27	0.02	36.4	71.4	2.9	0.99
14:16:49	0.03	29.4	64.4	3.2	0.99
14:21:11	0.04	17.1	52.1	3.3	0.98
14:25:34	0.06	3.0	38.0	3.0	0.99
14:29:57	0.09	358.3	33.3	3.1	0.97
14:34:19	0.08	358.7	33.7	2.8	0.99
14:38:42	0.06	348.8	23.8	2.0	1.00
14:43:04	0.07	313.8	348.8	2.2	0.99
14:47:26	0.07	310.7	345.7	2.1	0.98
14:51:50	0.04	290.7	325.7	2.0	0.97
14:56:12	0.03	284.9	319.9	2.3	0.95
15:00:33	0.03	297.4	332.4	2.1	0.97
15:04:58	0.02	319.3	354.3	1.4	0.97
15:09:21	0.04	347.0	22.0	1.0	0.96
15:13:42	0.05	346.7	21.7	1.5	0.95
15:45:08		170.1	205.1	2.1	0.00
15:47:30		176.1	211.1	2.7	0.00
15:49:53		172.1	207.1	2.4	0.00
15:52:15		161.6	196.6	2.3	0.00
15:54:36	0.03	149.2	184.2	1.6	0.91
15:56:59	0.04	91.2	126.2	0.9	0.74
15:59:22	0.03	90.2	125.2	1.1	0.76
16:01:43	0.08	29.8	64.8	1.1	0.89
16:04:04	0.10	351.0	26.0	1.5	0.83
16:06:25	0.12	342.6	17.6	2.4	0.87
16:08:48	0.15	340.7	15.7	3.8	0.94

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
16:11:10	0.15	325.3	0.3	3.9	0.95
16:13:30	0.14	327.2	2.2	3.6	0.98
16:15:50	0.12	325.0	360.0	3.5	0.99
16:18:14	0.08	320.1	355.1	3.2	1.00
16:20:35	0.07	319.9	354.9	2.2	0.97
16:22:56	0.06	351.9	26.9	1.6	0.99
16:25:17	0.06	359.9	34.9	1.2	0.97
16:27:38	0.05	33.0	68.0	1.1	0.97
16:29:58	0.05	37.0	72.0	1.0	0.97
16:32:19	0.03	22.4	57.4	0.8	0.98
16:34:40	0.05	10.9	45.9	0.7	0.84
16:37:00	0.03	354.0	29.0	0.6	0.97
16:39:21	0.03	317.6	352.6	0.6	1.00
16:41:43	0.02	279.7	314.7	0.4	0.86
16:44:05	0.03	292.8	327.8	0.8	0.77
16:46:25	0.05	287.5	322.5	1.3	0.82
16:48:48	0.06	287.0	322.0	1.6	0.77
16:51:08	0.06	300.9	335.9	2.0	0.87
16:53:28	0.07	310.7	345.7	2.3	0.90
16:55:50	0.06	326.1	1.1	2.3	0.92
16:58:13	0.06	342.9	17.9	2.6	0.96
17:00:34	0.05	351.2	26.2	2.7	0.96
17:02:54	0.05	0.1	35.1	2.4	0.96
17:05:17	0.04	5.2	40.2	2.3	0.98
17:07:41	0.03	338.6	13.6	1.6	0.99
17:10:04	0.03	303.3	338.3	1.8	0.99
17:12:24	0.03	287.5	322.5	2.2	0.99
17:14:47		270.2	305.2	2.3	0.00
17:17:11		262.8	297.8	2.4	0.00
17:19:35		264.5	299.5	2.2	0.00

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
17:21:56		274.7	309.7	1.4	0.00
17:24:18		294.2	329.2	1.2	0.00
17:26:42		301.8	336.8	1.8	0.00
17:29:04		311.2	346.2	2.2	0.00
17:31:27		309.7	344.7	2.3	0.00
17:33:47		307.2	342.2	2.6	0.00
17:36:10		308.6	343.6	2.8	0.00
17:38:31		315.3	350.3	2.9	0.00
17:40:53		314.5	349.5	3.1	0.00
17:43:14		313.9	348.9	3.2	0.00
17:45:37		318.5	353.5	4.2	0.00

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-24. Summary Data Table of VRPM Plane E123 for August 13, 2008 at the EnCana Benzel Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
10:30:58	-0.01	336.6	158.6	0.8	0.74
10:35:22	-0.02	354.4	176.4	1.0	0.89
10:39:50	-0.02	349.9	171.9	1.1	0.04
10:44:14	-0.02	356.1	178.1	1.0	0.03
10:48:38	-0.02	357.4	179.4	1.2	0.98
10:53:01	-0.02	346.4	168.4	1.2	0.76
10:57:24	-0.01	343.7	165.7	1.2	0.92
11:01:49	-0.02	347.5	169.5	1.3	0.93
11:06:11	-0.01	346.3	168.3	1.3	0.86
11:10:35	-0.02	344.9	166.9	1.1	1.00
11:14:58	-0.02	356.6	178.6	1.3	0.99
11:19:21	-0.02	359.0	181.0	1.2	0.99
11:23:44	-0.01	344.7	166.7	0.9	0.93
11:28:09	-0.01	340.6	162.6	0.9	0.78
11:32:31	0.00	339.6	161.6	0.9	0.00
11:36:54	-0.01	331.9	153.9	1.0	1.00
11:41:17	-0.01	333.9	155.9	1.2	0.98
11:45:41	-0.02	343.5	165.5	1.4	0.88
11:50:03	-0.02	345.7	167.7	1.5	0.71
11:54:27	-0.02	331.3	153.3	1.0	0.93
11:58:50	-0.01	334.7	156.7	0.9	0.81
12:03:14	0.00	329.9	151.9	0.4	0.00
12:07:37	0.00	130.8	312.8	0.2	0.00
12:12:01	0.00	73.8	255.8	0.4	0.00
12:16:25	0.00	94.1	276.1	0.5	0.00
12:20:48	0.00	67.9	249.9	0.5	0.00
12:25:12	0.00	25.8	207.8	0.7	0.00
12:29:36	-0.01	32.8	214.8	0.8	0.94
12:34:00	-0.01	33.4	215.4	1.3	0.96
12:38:25	-0.01	28.7	210.7	1.5	0.99
12:42:47		20.0	202.0	1.4	0.00
12:47:12	-0.01	14.4	196.4	1.5	0.53
12:51:35	-0.01	27.1	209.1	0.9	0.64

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
12:55:59	-0.01	31.6	213.6	1.0	0.56
13:00:21	-0.01	13.6	195.6	0.9	0.38
13:04:45	-0.01	345.3	167.3	0.9	0.00
13:09:10	-0.01	334.2	156.2	0.9	0.99
13:13:32	-0.01	321.5	143.5	1.1	0.67
13:17:56	-0.01	345.6	167.6	1.1	0.69
13:22:18	-0.01	30.1	212.1	1.6	0.79
13:26:43	-0.01	46.9	228.9	1.9	0.98
13:31:06	-0.02	46.9	228.9	2.4	0.94
13:35:29	-0.01	46.3	228.3	2.4	0.99
13:39:51	-0.02	46.2	228.2	2.0	0.76
13:44:16	-0.02	37.2	219.2	1.8	0.52
13:48:39	-0.02	35.4	217.4	1.9	0.44
13:53:03	-0.01	39.6	221.6	1.7	0.01
13:57:26	-0.01	54.7	236.7	1.9	0.03
14:01:50	-0.01	56.4	238.4	2.4	0.01
14:06:13	-0.01	48.5	230.5	2.5	0.58
14:10:36	-0.02	41.2	223.2	2.9	0.96
14:15:15	-0.02	31.2	213.2	3.2	0.83
14:19:23	-0.03	20.2	202.2	3.3	0.97
14:23:47	-0.02	11.0	193.0	3.2	0.96
14:28:10	-0.02	359.1	181.1	3.1	1.00
14:32:33	-0.02	358.2	180.2	3.0	0.97
14:36:57	-0.05	356.9	178.9	2.3	0.10
14:41:21	-0.04	321.3	143.3	1.9	0.01
14:45:45	-0.05	310.9	132.9	2.1	0.00
14:50:08	-0.06	294.0	116.0	2.1	0.00
14:54:31	-0.12	278.8	100.8	2.2	0.62
14:58:55	-0.07	295.1	117.1	2.4	0.97
15:03:20	-0.04	309.5	131.5	1.5	1.00
15:07:44	-0.05	328.5	150.5	1.0	0.94
15:12:07	-0.01	352.4	174.4	1.4	0.94
15:16:33		352.4	174.4	1.6	0.00
15:21:21		352.6	174.6	1.5	0.00
15:25:23	-0.04	330.2	152.2	1.0	0.96

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
15:29:48	-0.03	300.9	122.9	1.9	1.00
15:34:14	-0.07	295.6	117.6	1.1	0.50
15:38:40	-0.16	225.1	47.1	0.8	0.65
15:43:05	-0.08	190.7	12.7	1.6	0.98
15:47:30	-0.04	166.3	348.3	1.4	1.00
15:51:56	-0.02	157.9	339.9	1.7	1.00
15:56:21	-0.02	148.3	330.3	1.1	0.99
16:00:47	-0.01	5.2	187.2	0.8	1.00
16:05:11	-0.02	350.8	172.8	2.2	1.00
16:09:36		331.0	153.0	2.9	0.00
16:13:59		328.3	150.3	3.2	0.00
16:18:25		332.6	154.6	2.6	0.00
16:22:49		334.1	156.1	1.9	0.00
16:27:12		357.2	179.2	1.3	0.00
16:35:14	0.00	352.2	174.2	0.6	0.82
16:39:38	0.00	320.5	142.5	0.7	0.68
16:44:03	-0.01	312.9	134.9	1.2	0.59
16:48:28	0.00	321.7	143.7	1.5	0.96
16:52:51		329.2	151.2	1.6	0.00
17:00:53		343.1	165.1	2.1	0.00
17:05:18		331.4	153.4	2.1	0.00
17:09:43	-0.01	315.7	137.7	1.7	1.00
17:14:07	0.00	283.3	105.3	1.7	0.99
17:18:30	0.00	281.4	103.4	1.9	0.97
17:22:55	0.00	283.4	105.4	2.1	0.85
17:27:20	0.00	296.1	118.1	1.9	0.68

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-25. Summary Data Table of VRPM Plane E456 for August 13, 2008 at the EnCana Benzel Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
10:33:10	0.00	340.7	95.7	0.8	0.82
10:37:33	-0.01	347.0	102.0	1.0	0.82
10:42:01	0.00	354.4	109.4	1.1	0.57
10:46:24	0.00	357.4	112.4	1.1	0.97
10:50:48	0.00	353.6	108.6	1.2	0.82
10:55:12	0.00	345.7	100.7	1.1	0.92
10:59:36	0.00	344.5	99.5	1.2	-0.04
11:04:01	0.00	349.8	104.8	1.4	0.97
11:08:23	0.00	342.5	97.5	1.1	0.78
11:12:46	0.00	353.5	108.5	1.3	0.99
11:17:08	0.00	1.7	116.7	1.3	0.97
11:21:32	0.00	353.0	108.0	1.1	0.95
11:25:55	0.00	343.1	98.1	0.8	0.90
11:30:19	0.00	338.9	93.9	0.8	0.52
11:34:42	0.01	336.0	91.0	1.0	0.72
11:39:04	0.00	329.5	84.5	1.1	0.75
11:43:29	0.00	340.5	95.5	1.3	0.88
11:47:51	0.00	346.1	101.1	1.5	0.95
11:52:15	0.00	339.1	94.1	1.3	1.00
11:56:38	0.00	332.2	87.2	1.0	0.85
12:01:00	0.00	327.9	82.9	0.7	0.88
12:05:25	0.00	355.9	110.9	0.1	0.00
12:09:48	0.00	110.0	225.0	0.3	0.00
12:14:12	0.00	74.2	189.2	0.4	0.00
12:18:37	0.00	94.8	209.8	0.4	0.00
12:22:59	0.00	39.6	154.6	0.6	0.00
12:27:24	0.00	32.4	147.4	0.8	0.52
12:31:47	0.00	31.8	146.8	1.0	0.41
12:36:11	0.00	26.6	141.6	1.4	0.99

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
12:40:35		19.5	134.5	1.5	0.00
12:44:58		18.2	133.2	1.5	0.00
12:49:23		17.6	132.6	1.3	0.00
12:53:46		25.4	140.4	0.9	0.00
12:58:09	0.00	11.2	126.2	1.0	0.75
13:02:32	0.00	352.9	107.9	0.9	0.74
13:06:57	0.00	341.6	96.6	0.8	0.80
13:11:20	0.00	325.8	80.8	1.0	0.96
13:15:43	0.00	332.0	87.0	1.2	-0.06
13:20:06	0.00	2.6	117.6	1.2	0.77
13:24:29	-0.01	45.0	160.0	1.6	0.82
13:28:54	-0.01	48.5	163.5	2.0	0.88
13:33:16		44.3	159.3	2.4	0.00
13:37:39		43.1	158.1	2.2	0.00
13:42:03		48.9	163.9	1.7	0.00
13:46:27		36.7	151.7	2.0	0.00
13:50:50		36.6	151.6	1.7	0.00
13:55:14		46.7	161.7	1.6	0.00
13:59:38		59.8	174.8	2.2	0.00
14:04:01		54.9	169.9	2.5	0.00
14:08:24		43.0	158.0	2.6	0.00
14:12:46		36.1	151.1	2.9	0.00
14:17:10		28.0	143.0	3.2	0.00
14:21:34		16.3	131.3	3.3	0.00
14:25:58	-0.01	2.2	117.2	3.1	0.20
14:30:21	-0.01	358.2	113.2	3.1	0.33
14:34:45	-0.01	357.8	112.8	2.7	0.43
14:39:08	-0.01	343.3	98.3	1.9	0.44
14:43:32	0.00	312.4	67.4	2.1	0.87
14:47:55	-0.01	309.8	64.8	2.1	0.70

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
14:52:18	-0.01	287.6	42.6	2.0	0.83
14:56:42	0.00	287.3	42.3	2.5	0.99
15:01:08	-0.01	299.9	54.9	2.0	0.88
15:05:31	-0.01	318.7	73.7	1.3	0.89
15:09:56	-0.01	351.5	106.5	1.1	0.93
15:14:20	0.00	346.5	101.5	1.6	1.00
15:18:46	-0.01	348.6	103.6	1.4	1.00
15:23:11	-0.01	349.1	104.1	1.3	0.98
15:27:34	0.01	308.9	63.9	1.5	0.97
15:32:00	0.01	308.3	63.3	1.6	0.98
15:36:26	0.02	271.9	26.9	0.9	0.59
15:40:52	0.02	191.3	306.3	1.5	0.46
15:45:17	0.02	184.3	299.3	1.3	0.68
15:49:42	0.01	158.1	273.1	1.5	0.43
15:54:09	0.01	154.7	269.7	1.5	0.30
15:58:33	0.00	127.7	242.7	0.5	0.83
16:02:57	0.00	2.1	117.1	1.6	0.41
16:07:23	0.02	330.7	85.7	2.6	0.45
16:11:47	0.03	327.0	82.0	3.2	0.67
16:16:12	0.02	330.1	85.1	2.9	0.96
16:20:36	0.01	334.7	89.7	2.3	0.88
16:25:00	0.01	336.0	91.0	1.4	0.94
16:58:40	0.00	338.6	93.6	2.1	0.99
17:03:06	0.00	340.5	95.5	2.0	0.64
17:07:30	0.00	322.3	77.3	1.9	0.94
17:11:54	0.01	297.7	52.7	1.5	0.89
17:16:18	0.01	282.2	37.2	1.8	0.90
17:20:43	0.01	279.4	34.4	2.0	0.86
17:25:07	0.01	289.7	44.7	1.9	0.95
17:29:31	0.01	303.3	58.3	2.0	0.91

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-26. Summary Data Table of VRPM Plane A123 for August 14, 2008 at the EnCana Benzel Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
09:18:50	0.03	48.8	344.8	1.0	0.97
09:24:10	0.03	32.3	328.3	1.2	0.98
09:28:31	0.02	14.3	310.3	1.4	0.84
09:32:54	0.01	15.3	311.3	1.2	0.91
09:37:16		11.9	307.9	1.3	0.00
09:41:38	0.03	11.4	307.4	1.4	0.45
09:45:58	0.02	6.9	302.9	1.3	0.94
09:50:21	0.03	12.6	308.6	1.4	0.90
09:54:42	0.04	13.0	309.0	1.5	0.91
09:59:04	0.04	3.8	299.8	1.4	0.94
10:03:28	0.03	5.5	301.5	1.5	0.44
10:07:51	0.02	357.8	293.8	1.7	0.77
10:12:14		349.9	285.9	1.9	0.00
10:16:35		345.7	281.7	1.8	0.00
10:20:58	0.01	351.6	287.6	1.9	0.89
10:25:22	0.01	353.6	289.6	1.7	0.64
10:29:44	0.02	0.5	296.5	1.6	0.94
10:34:05	0.02	1.7	297.7	1.5	0.97
10:38:27	0.01	358.4	294.4	1.4	0.91
10:42:48	0.01	0.3	296.3	1.2	0.92
10:47:09	0.00	350.0	286.0	1.2	0.82
10:51:30	0.00	347.3	283.3	1.1	0.94
10:55:51	0.01	349.8	285.8	1.3	0.92
11:00:15	0.01	355.4	291.4	1.5	0.92
11:04:36	0.01	356.8	292.8	1.5	0.79
11:08:59	0.01	2.6	298.6	1.4	0.15
11:13:20	0.01	10.6	306.6	1.7	0.13
11:17:43	0.02	11.1	307.1	1.6	0.03
11:22:04	0.02	7.0	303.0	1.6	0.05

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
11:26:26	0.02	6.8	302.8	1.7	0.03
11:30:47	0.02	3.9	299.9	1.6	0.15
11:35:08	0.01	354.8	290.8	1.3	0.06
11:39:32	0.00	345.7	281.7	1.1	0.98
11:43:54	0.01	13.9	309.9	0.8	0.97
11:48:15	0.01	34.3	330.3	0.5	0.98
11:52:36	0.01	110.5	46.5	0.3	0.94
11:57:00	0.01	142.3	78.3	0.8	0.96
12:01:21	0.01	146.5	82.5	1.3	1.00
12:05:44	-0.01	165.1	101.1	1.4	0.99
12:10:05	0.02	155.1	91.1	1.1	0.98
12:14:30	0.03	134.5	70.5	0.9	0.98
12:18:54	0.04	112.3	48.3	0.9	1.00
12:23:17	0.07	76.0	12.0	1.0	1.00
12:27:39	0.08	53.9	349.9	1.2	0.99
12:32:03	0.07	65.8	1.8	0.9	1.00
12:36:26	0.04	61.3	357.3	0.5	1.00
12:40:49	-0.01	200.8	136.8	0.4	1.00
12:45:11	0.00	205.4	141.4	0.6	0.00
12:49:33	0.00	205.7	141.7	0.6	0.00
12:53:56	0.00	182.3	118.3	0.5	0.00
12:58:17	0.00	142.0	78.0	0.6	1.00
13:02:39	0.05	96.5	32.5	1.0	0.99
13:07:00	0.08	81.8	17.8	1.2	0.99
13:11:24	0.12	67.7	3.7	1.3	0.98
13:15:47	0.11	50.4	346.4	1.3	0.97
13:20:09	0.00	6.0	302.0	0.3	0.00
13:24:30	0.00	229.2	165.2	0.4	0.00
13:28:53	-0.01	225.9	161.9	0.4	1.00
13:33:15	0.00	254.6	190.6	0.3	0.00

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
13:37:38	0.03	24.2	320.2	1.0	0.81
13:42:01	0.06	18.7	314.7	2.6	0.91
13:46:23	0.06	10.8	306.8	2.7	0.97
13:50:46	0.01	346.7	282.7	2.1	0.85
13:55:08	0.01	336.3	272.3	1.6	0.74
13:59:30	0.00	277.3	213.3	1.0	1.00
14:03:51	0.00	228.1	164.1	1.2	0.95
14:08:14	0.02	200.9	136.9	0.8	0.97
14:12:36	0.05	138.1	74.1	0.9	0.50
14:16:58	0.05	128.9	64.9	0.7	0.62
14:21:20	0.03	178.8	114.8	0.8	0.63
14:25:41	0.02	220.8	156.8	1.4	0.62
14:30:02	-0.01	250.7	186.7	1.6	0.98
14:34:26		263.1	199.1	2.3	0.00
14:38:47		280.7	216.7	2.2	0.00
14:43:09	0.00	313.7	249.7	1.9	1.00
14:47:30	0.00	318.1	254.1	1.8	0.97
14:51:53	0.00	338.7	274.7	1.4	1.00
14:56:15	0.01	347.5	283.5	1.8	1.00
15:00:37	0.00	344.5	280.5	1.6	1.00
15:04:59	0.00	339.0	275.0	1.5	0.98
15:09:21	0.00	336.7	272.7	1.7	0.99
15:13:42	-0.02	330.0	266.0	1.4	0.02
15:18:03	-0.02	336.7	272.7	1.8	0.01
15:22:26	-0.01	341.9	277.9	1.8	0.02
15:26:49	-0.01	350.5	286.5	2.0	0.02
15:31:10	-0.01	354.5	290.5	2.2	0.01
15:35:31	0.00	3.2	299.2	2.5	0.01
15:39:55	0.00	352.7	288.7	2.1	0.01
15:44:19	0.00	345.9	281.9	2.4	0.01

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
15:48:41	0.01	343.1	279.1	2.5	0.20
15:53:02		333.4	269.4	2.7	0.00
15:57:25		340.2	276.2	2.8	0.00
16:01:49		340.4	276.4	2.7	0.00
16:06:12		344.3	280.3	2.8	0.00
16:10:35		346.3	282.3	2.7	0.00
16:14:57		337.2	273.2	2.5	0.00
16:19:22		323.2	259.2	2.3	0.00
16:23:44		297.6	233.6	2.1	0.00
16:28:08		285.9	221.9	2.4	0.00
16:32:30		269.0	205.0	2.8	0.00
16:36:54		273.4	209.4	2.8	0.00
16:41:15		264.4	200.4	2.0	0.00
16:45:37	0.00	313.5	249.5	1.9	1.00
16:50:00		315.8	251.8	2.2	0.00

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-27. Summary Data Table of VRPM Plane A456 for August 14, 2008 at the EnCana Benzel Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
09:22:01	0.01	37.8	72.8	1.1	1.00
09:26:21	0.02	23.0	58.0	1.3	0.76
09:30:42	0.02	14.1	49.1	1.4	0.88
09:35:04	0.02	9.3	44.3	1.2	0.85
09:39:27	0.02	11.7	46.7	1.5	0.87
09:43:48	0.02	9.7	44.7	1.4	0.92
09:48:09	0.02	13.6	48.6	1.3	0.93
09:52:32	0.02	10.2	45.2	1.4	0.85
09:56:53	0.02	8.2	43.2	1.5	0.78
10:01:15	0.02	3.7	38.7	1.4	0.95
10:05:39	0.03	4.8	39.8	1.6	1.00
10:10:03	0.04	352.7	27.7	1.8	0.88
10:14:25	0.05	345.9	20.9	1.8	1.00
10:18:47	0.06	350.5	25.5	1.8	0.96
10:23:10	0.06	349.4	24.4	1.7	0.91
10:27:33	0.06	357.6	32.6	1.6	0.90
10:31:54	0.06	2.8	37.8	1.6	0.86
10:36:15	0.07	1.6	36.6	1.4	0.96
10:40:38	0.07	359.6	34.6	1.3	0.60
10:45:45	0.07	356.6	31.6	1.3	0.58
10:49:21	0.07	347.5	22.5	1.2	0.75
10:53:42	0.06	348.2	23.2	1.2	0.93
10:58:04	0.06	353.6	28.6	1.4	0.98
11:02:25	0.06	352.8	27.8	1.5	0.92
11:06:48	0.05	1.8	36.8	1.5	0.74
11:11:10	0.05	7.2	42.2	1.5	0.98
11:15:31	0.06	13.9	48.9	1.7	0.96
11:19:54	0.07	7.8	42.8	1.5	0.93
11:24:15	0.08	3.0	38.0	1.6	0.91

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
11:28:37	0.07	9.6	44.6	1.7	1.00
11:32:58	0.07	2.1	37.1	1.4	0.46
11:37:20	0.08	351.4	26.4	1.3	0.29
11:41:42	0.07	356.5	31.5	1.0	0.88
11:46:04	0.04	25.2	60.2	0.7	0.86
11:50:26	0.03	72.1	107.1	0.4	0.87
11:54:47	0.01	140.1	175.1	0.5	0.91
11:59:10	-0.01	135.5	170.5	1.1	0.98
12:03:32	-0.01	155.5	190.5	1.4	0.95
12:07:55	-0.01	164.2	199.2	1.3	0.93
12:12:18	-0.01	139.9	174.9	0.9	0.95
12:16:41	-0.01	128.3	163.3	0.9	0.99
12:21:05	0.00	85.0	120.0	0.9	0.96
12:25:27	0.00	63.5	98.5	1.1	0.96
12:29:51	0.00	50.9	85.9	1.1	0.98
12:34:14	0.00	63.5	98.5	0.8	1.00
12:38:36	0.00	85.6	120.6	0.2	1.00
12:42:59	0.00	209.7	244.7	0.6	0.00
12:47:21	0.00	203.9	238.9	0.7	0.00
12:51:45	0.00	198.5	233.5	0.5	0.00
12:56:05	0.00	163.5	198.5	0.6	0.00
13:00:28	-0.02	109.9	144.9	0.8	0.69
13:04:50	-0.01	88.1	123.1	1.0	0.09
13:09:12	-0.04	77.4	112.4	1.3	0.89
13:13:35	-0.01	61.7	96.7	1.3	0.98
13:17:58	0.00	41.7	76.7	0.8	0.00
13:22:20	0.00	310.3	345.3	0.3	0.00
13:26:42	0.00	227.3	262.3	0.5	0.99
13:31:05	0.00	231.8	266.8	0.3	0.00
13:35:27	0.00	318.5	353.5	0.2	0.99

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
13:39:50	0.01	23.5	58.5	2.0	0.84
13:44:12	0.03	11.1	46.1	2.9	0.85
13:48:34	0.03	358.3	33.3	2.3	0.85
13:52:57	0.03	338.7	13.7	1.8	0.92
13:57:19	0.01	320.0	355.0	1.2	0.99
14:01:41	0.00	240.0	275.0	1.3	0.99
14:06:02	0.00	223.4	258.4	1.0	0.99
14:10:24	-0.01	163.1	198.1	0.8	0.98
14:14:47	-0.01	133.1	168.1	0.9	0.96
14:19:09	-0.01	156.4	191.4	0.8	0.97
14:23:30	-0.01	206.6	241.6	1.2	0.98
14:27:51	0.00	233.9	268.9	1.4	1.00
14:32:13	0.01	259.4	294.4	2.0	1.00
14:36:36	0.01	263.9	298.9	2.3	1.00
14:40:58	0.01	295.6	330.6	2.0	0.87
14:45:20	0.02	318.9	353.9	2.0	0.89
14:49:41	0.03	327.4	2.4	1.5	0.99
14:54:04	0.04	342.7	17.7	1.6	1.00
14:58:25	0.05	345.6	20.6	1.7	0.99
15:02:48	0.05	339.0	14.0	1.6	0.99
15:07:09	0.05	343.0	18.0	1.5	1.00
15:11:31	0.05	330.0	5.0	1.7	0.99
15:15:52	0.05	332.6	7.6	1.5	0.96
15:20:15	0.05	337.6	12.6	1.9	0.97
15:24:37	0.06	353.6	28.6	1.8	0.97
15:29:00	0.09	349.2	24.2	2.1	0.99
15:33:21	0.10	359.1	34.1	2.5	0.99
15:37:43	0.08	358.3	33.3	2.2	1.00
15:42:06	0.09	350.8	25.8	2.3	1.00
15:46:30	0.09	345.5	20.5	2.6	1.00

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
15:50:51	0.09	339.7	14.7	2.7	0.99
15:55:13	0.08	333.1	8.1	2.7	0.97
15:59:37	0.08	341.3	16.3	2.8	0.90
16:04:00	0.07	341.6	16.6	2.9	0.91
16:08:24	0.06	346.1	21.1	2.7	0.96
16:12:47	0.05	346.7	21.7	2.8	0.97
16:17:09	0.05	327.3	2.3	2.2	0.94
16:21:32	0.04	313.6	348.6	2.2	0.97
16:25:54	0.03	292.1	327.1	2.2	0.99
16:30:18	0.02	277.5	312.5	2.6	0.99
16:34:42	0.01	272.5	307.5	2.7	0.99
16:39:03	0.01	263.0	298.0	2.3	1.00
16:43:26	0.02	292.8	327.8	1.7	0.89
16:47:48	0.03	317.8	352.8	2.2	0.99
16:52:12	0.02	309.8	344.8	2.2	0.99

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-28. Summary Data Table of VRPM Plane E123 for August 14, 2008 at the EnCana Benzel Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
09:22:29		34.7	216.7	1.2	0.00
09:27:55		17.4	199.4	1.4	0.00
09:32:18		15.2	197.2	1.2	0.00
09:36:43		12.2	194.2	1.3	0.00
09:41:07		11.1	193.1	1.4	0.00
09:45:32		6.6	188.6	1.3	0.00
09:49:55		12.8	194.8	1.3	0.00
09:54:20		13.8	195.8	1.5	0.00
09:58:44		3.1	185.1	1.4	0.00
10:03:09		5.4	187.4	1.5	0.00
10:07:32		358.5	180.5	1.7	0.00
10:11:57		350.4	172.4	1.9	0.00
10:16:24		345.7	167.7	1.8	0.00
10:20:48		351.5	173.5	1.9	0.00
10:25:12		353.6	175.6	1.7	0.00
10:29:38		0.5	182.5	1.6	0.00
10:34:05	-0.01	1.8	183.8	1.5	0.24
10:38:30		358.6	180.6	1.4	0.00
10:42:56		0.4	182.4	1.2	0.00
10:47:22		349.8	171.8	1.2	0.00
10:51:48		347.7	169.7	1.1	0.00
10:56:14		351.2	173.2	1.3	0.00
11:00:40		354.9	176.9	1.5	0.00
11:05:07		357.1	179.1	1.5	0.00
11:09:33		4.7	186.7	1.5	0.00
11:13:59		11.3	193.3	1.8	0.00
11:18:23		9.0	191.0	1.6	0.00
11:22:50	-0.01	6.1	188.1	1.6	0.57
11:27:15	-0.01	8.6	190.6	1.7	0.95
11:31:40		2.2	184.2	1.5	0.00
11:36:05		353.1	175.1	1.3	0.00
11:40:31		349.6	171.6	1.1	0.00
11:44:56		26.5	208.5	0.8	0.00

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
11:49:22	-0.01	52.2	234.2	0.4	0.04
11:53:47	-0.01	136.0	318.0	0.3	0.01
11:58:13	0.00	137.7	319.7	1.0	0.01
12:02:39	0.00	151.6	333.6	1.4	0.02
12:07:01	0.00	165.8	347.8	1.4	0.02
12:11:27	-0.01	146.4	328.4	0.9	0.96
12:15:54	-0.01	133.1	315.1	0.9	0.95
12:20:19	-0.01	90.1	272.1	0.8	1.00
12:24:45	-0.01	68.7	250.7	1.1	0.93
12:29:08	-0.01	52.3	234.3	1.2	0.01
12:33:34	-0.03	63.7	245.7	0.8	0.75
12:37:59	-0.03	66.3	248.3	0.3	0.19
12:42:25	0.00	209.4	31.4	0.6	0.00
12:46:51	0.00	203.1	25.1	0.7	0.00
12:51:13	0.00	197.9	19.9	0.6	0.00
12:55:39	0.00	167.5	349.5	0.6	0.00
13:00:05	0.01	116.2	298.2	0.8	0.97
13:04:32	0.00	88.2	270.2	1.0	0.87
13:08:57	0.00	78.0	260.0	1.2	0.79
13:13:18	-0.01	63.0	245.0	1.3	0.94
13:17:44	0.00	42.2	224.2	0.9	0.00
13:22:10	0.00	317.2	139.2	0.3	0.00
13:26:36	-0.02	228.6	50.6	0.5	0.03
13:31:01	0.00	229.9	51.9	0.3	0.00
13:35:26	-0.01	318.7	140.7	0.2	0.01
13:39:50	-0.01	23.3	205.3	1.9	0.01
13:44:15	-0.01	11.1	193.1	2.9	1.00
13:48:40	-0.01	357.7	179.7	2.3	0.90
13:53:04	-0.01	338.5	160.5	1.8	1.00
13:57:29	-0.01	318.3	140.3	1.1	0.75
14:01:53	-0.01	238.5	60.5	1.3	0.66
14:06:19	-0.02	222.1	44.1	0.9	0.81
14:10:44	-0.05	159.0	341.0	0.9	0.86
14:15:11	-0.01	133.6	315.6	0.9	0.22
14:19:36	-0.01	159.6	341.6	0.8	0.61

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
14:24:02	0.01	211.9	33.9	1.3	0.95
14:28:27	0.03	237.1	59.1	1.4	0.84
14:32:52	0.02	261.6	83.6	2.1	0.70
14:37:17	0.02	269.0	91.0	2.3	0.71
14:41:40	0.00	299.6	121.6	1.9	0.99
14:46:05	0.00	319.0	141.0	1.9	0.88
14:50:30		331.7	153.7	1.4	0.00
14:54:54		346.4	168.4	1.7	0.00
14:59:17		345.3	167.3	1.6	0.00
15:03:42		336.4	158.4	1.6	0.00
15:08:07		340.9	162.9	1.6	0.00
15:12:33		327.8	149.8	1.6	0.00
15:16:55		334.8	156.8	1.6	0.00
15:21:20		337.7	159.7	2.0	0.00
15:25:44		350.1	172.1	1.8	0.00
15:30:08		350.7	172.7	2.1	0.00
15:34:32		3.0	185.0	2.5	0.00
15:38:54		352.6	174.6	2.0	0.00
15:43:18		348.3	170.3	2.4	0.00
15:47:40		344.1	166.1	2.6	0.00
15:52:04		337.1	159.1	2.7	0.00
15:56:27		337.0	159.0	2.8	0.00
16:00:50		341.3	163.3	2.8	0.00
16:05:13		344.0	166.0	2.9	0.00
16:09:38		347.6	169.6	2.7	0.00
16:14:02		343.2	165.2	2.7	0.00

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-29. Summary Data Table of VRPM Plane E456 for August 14, 2008 at the EnCana Benzel Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
09:25:41		25.3	140.3	1.3	0.00
09:30:05		14.5	129.5	1.4	0.00
09:34:31		9.1	124.1	1.2	0.00
09:38:54	-0.01	12.8	127.8	1.5	0.73
09:43:18		10.1	125.1	1.4	0.00
09:47:42		13.0	128.0	1.3	0.00
09:52:07		10.1	125.1	1.4	0.00
09:56:32		8.4	123.4	1.5	0.00
10:00:55		4.1	119.1	1.4	0.00
10:05:20	-0.01	5.1	120.1	1.6	0.91
10:09:45	-0.01	352.7	107.7	1.8	0.85
10:14:11	-0.01	345.8	100.8	1.8	0.77
10:18:35	-0.01	350.4	105.4	1.8	0.78
10:22:59	-0.01	349.3	104.3	1.7	0.80
10:27:24	-0.01	357.2	112.2	1.6	0.77
10:31:51	-0.01	2.3	117.3	1.6	0.87
10:36:17	0.00	1.3	116.3	1.4	0.88
10:40:44	0.00	359.8	114.8	1.3	0.87
10:45:09	0.00	356.3	111.3	1.3	0.83
10:49:35	0.00	347.3	102.3	1.2	0.67
10:54:01	0.00	347.9	102.9	1.2	1.00
10:58:27	0.00	354.9	109.9	1.4	0.81
11:02:53	0.00	353.0	108.0	1.5	0.57
11:07:19	0.00	1.7	116.7	1.4	0.30
11:11:44	0.00	8.5	123.5	1.6	0.80
11:16:09	-0.01	12.9	127.9	1.7	0.76
11:20:35	0.00	6.9	121.9	1.5	0.47
11:25:01	0.00	4.2	119.2	1.6	0.81
11:29:27	0.00	7.5	122.5	1.6	0.80
11:33:51	0.00	0.8	115.8	1.4	0.87
11:38:17	0.00	348.2	103.2	1.2	1.00
11:42:42	0.00	6.1	121.1	0.9	0.75
11:47:08	0.00	30.4	145.4	0.6	0.81

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
11:51:33	0.00	93.4	208.4	0.3	0.82
11:55:59	0.00	143.5	258.5	0.7	0.95
12:00:25	0.00	140.0	255.0	1.2	0.96
12:04:51	0.00	163.9	278.9	1.4	0.96
12:09:14	0.00	158.7	273.7	1.2	0.97
12:13:40	-0.01	134.2	249.2	0.9	0.89
12:18:05	0.00	117.6	232.6	0.9	0.91
12:22:32	-0.01	80.2	195.2	0.9	0.93
12:26:54	-0.01	54.4	169.4	1.2	0.96
12:31:20	-0.01	59.7	174.7	0.9	0.90
12:35:46	0.00	64.6	179.6	0.6	0.93
12:40:12	0.00	189.1	304.1	0.3	0.90
12:44:38	0.00	208.9	323.9	0.6	0.00
12:49:04	0.00	206.6	321.6	0.6	0.00
12:53:26	0.00	184.5	299.5	0.6	0.00
12:57:51	0.00	150.2	265.2	0.7	0.98
13:02:17	0.00	97.2	212.2	1.0	0.89
13:06:42	0.00	81.2	196.2	1.1	0.85
13:11:04	-0.01	68.6	183.6	1.3	0.99
13:15:31	-0.01	51.4	166.4	1.3	0.41
13:19:57	0.00	14.0	129.0	0.4	0.00
13:24:23	0.00	232.0	347.0	0.3	0.00
13:28:48	0.00	227.6	342.6	0.4	0.92
13:33:12	0.00	257.0	12.0	0.3	0.00
13:37:36	0.00	23.6	138.6	0.9	0.99
13:42:01	-0.01	18.7	133.7	2.6	0.98
13:46:27	-0.01	10.5	125.5	2.7	0.96
13:50:52	-0.02	346.3	101.3	2.1	0.40
13:55:17	-0.02	336.3	91.3	1.6	0.50
13:59:41	-0.02	275.6	30.6	1.0	0.63
14:04:05	-0.03	228.7	343.7	1.1	0.79
14:08:30	-0.02	200.8	315.8	0.7	0.88
14:12:57	-0.02	136.3	251.3	0.9	0.67
14:17:23	-0.03	137.0	252.0	0.7	0.93
14:21:47	-0.01	188.9	303.9	0.8	1.00

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
14:26:13	0.00	225.4	340.4	1.5	0.97
14:30:38	0.04	256.8	11.8	1.7	0.79
14:35:03	0.08	261.8	16.8	2.3	0.94
14:39:28	0.05	284.9	39.9	2.1	0.85
14:43:51	0.02	319.5	74.5	2.0	0.94
14:48:18	0.01	320.4	75.4	1.7	1.00
14:52:41	0.00	340.6	95.6	1.5	1.00
14:57:05	0.00	345.4	100.4	1.8	0.99
15:01:30	0.00	344.5	99.5	1.5	1.00
15:05:53	0.00	342.7	97.7	1.6	1.00
15:10:19	0.01	333.4	88.4	1.8	0.83
15:14:44	0.01	330.2	85.2	1.5	1.00
15:19:06	0.01	340.2	95.2	1.8	0.96
15:23:30	0.00	348.1	103.1	1.7	1.00
15:27:54	0.00	350.5	105.5	2.0	0.94
15:32:20	0.00	357.7	112.7	2.4	0.99
15:36:42	0.00	3.4	118.4	2.3	0.92
15:41:05	0.00	351.4	106.4	2.2	0.98
15:45:29	0.00	346.7	101.7	2.6	0.85
15:49:51	0.00	341.1	96.1	2.6	0.93
15:54:15	0.00	331.7	86.7	2.7	1.00
15:58:37	0.00	341.0	96.0	2.9	1.00
16:03:00	0.00	340.6	95.6	2.8	0.50
16:07:26	0.00	343.6	98.6	2.6	1.00
16:11:49	0.00	347.1	102.1	2.8	0.89
16:16:14	0.01	328.6	83.6	2.3	0.94

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-30. Summary Data Table of VRPM Plane A123 for August 15, 2008 at the EnCana Benzel Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
09:29:09	0.04	60.9	356.9	0.8	0.99
09:34:31	0.05	41.7	337.7	1.0	0.98
09:38:53	0.06	48.3	344.3	0.9	0.91
09:43:15	0.05	67.1	3.1	0.8	1.00
09:47:39	0.07	74.3	10.3	1.2	1.00
09:52:01	0.06	64.6	0.6	1.2	0.69
09:56:23	0.05	73.2	9.2	1.2	0.80
10:00:45	0.05	72.0	8.0	1.2	0.98
10:05:08	0.04	53.1	349.1	1.5	0.76
10:09:30	0.04	45.5	341.5	1.3	0.79
10:13:50	0.04	28.7	324.7	1.5	0.60
10:18:12	0.07	16.5	312.5	1.7	0.59
10:22:33	0.06	4.8	300.8	1.5	0.88
10:26:54	0.05	1.6	297.6	1.5	0.94
10:31:15	0.06	8.4	304.4	1.4	0.81
10:35:36	0.05	31.8	327.8	1.1	0.70
10:40:01	0.04	32.6	328.6	1.2	0.74
10:44:21	0.04	34.1	330.1	1.3	0.86
10:48:41	0.07	45.3	341.3	1.4	0.98
10:53:01	0.07	37.9	333.9	1.3	0.71
10:57:24	0.06	42.0	338.0	1.2	0.14
11:01:46	0.06	55.0	351.0	1.3	0.95
11:06:07	0.07	55.6	351.6	1.4	0.99
11:10:30	0.06	57.5	353.5	1.5	0.85
11:14:51	0.03	52.2	348.2	1.6	0.95
11:19:13	0.04	35.8	331.8	1.5	0.94
11:23:36	0.06	29.8	325.8	1.5	0.98
11:27:57	0.07	21.9	317.9	1.6	0.95
11:32:19	0.07	17.2	313.2	1.6	0.92
11:36:42	0.09	14.9	310.9	2.0	0.90
11:41:05	0.05	19.2	315.2	2.0	1.00
11:45:27	0.02	2.1	298.1	2.3	0.95
11:49:50	0.01	352.0	288.0	2.2	0.95

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
11:54:11	0.01	351.9	287.9	2.5	1.00
11:58:33	0.00	345.4	281.4	2.4	1.00
12:02:56	0.00	339.4	275.4	2.4	0.93
12:07:17	0.01	348.2	284.2	2.3	0.65
12:11:40	0.01	335.5	271.5	2.0	0.45
12:16:02	0.01	316.0	252.0	1.9	0.01
12:20:23	0.01	310.4	246.4	1.7	0.01
12:24:46	0.01	302.7	238.7	1.8	0.08
12:29:08		302.6	238.6	2.4	0.00
12:33:30		316.4	252.4	1.8	0.00
12:37:51		320.0	256.0	1.3	0.00
12:42:13		333.3	269.3	1.4	0.00
12:46:35		348.4	284.4	2.1	0.00
12:50:56		351.5	287.5	2.4	0.00
12:55:18		346.3	282.3	3.0	0.00
12:59:36		346.7	282.7	3.6	0.00
13:03:58		351.6	287.6	4.1	0.00
13:08:18		347.0	283.0	3.8	0.00
13:12:41		347.4	283.4	3.7	0.00
13:17:00		342.5	278.5	3.8	0.00
13:21:22		340.5	276.5	3.7	0.00
13:25:43		341.4	277.4	3.6	0.00
13:30:06		344.8	280.8	3.9	0.00
13:34:28		348.2	284.2	4.1	0.00
13:38:49		347.5	283.5	4.3	0.00
13:43:13		346.6	282.6	4.8	0.00
13:47:34		344.1	280.1	4.7	0.00
13:51:55		343.1	279.1	4.7	0.00
13:56:17		341.0	277.0	4.8	0.00
14:00:41		344.7	280.7	5.0	0.00

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-31. Summary Data Table of VRPM Plane A456 for August 15, 2008 at the EnCana Benzel Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
09:32:20	-0.01	41.1	76.1	1.0	0.82
09:36:42	-0.01	38.1	73.1	0.9	1.00
09:41:04	-0.01	50.0	85.0	0.8	1.00
09:45:28	0.00	72.4	107.4	1.1	0.98
09:49:50	0.00	69.2	104.2	1.2	0.93
09:54:11	0.01	65.1	100.1	1.2	0.78
09:58:34	0.00	77.8	112.8	1.2	0.98
10:02:56	0.01	61.5	96.5	1.4	0.95
10:07:18	0.01	45.9	80.9	1.4	0.86
10:11:40	0.01	38.2	73.2	1.3	0.99
10:16:01	0.01	21.5	56.5	1.7	0.89
10:20:23	0.02	9.6	44.6	1.6	0.88
10:24:44	0.01	4.6	39.6	1.5	0.97
10:29:05	0.02	355.4	30.4	1.4	1.00
10:33:25	0.01	17.8	52.8	1.1	0.88
10:37:48	0.02	34.9	69.9	1.0	0.98
10:42:10	0.01	33.5	68.5	1.3	1.00
10:46:30	0.01	37.9	72.9	1.3	0.86
10:50:51	0.00	41.3	76.3	1.2	0.84
10:55:13	0.00	33.3	68.3	1.2	0.00
10:59:35	0.00	53.2	88.2	1.1	0.97
11:03:57	0.00	50.8	85.8	1.3	0.99
11:08:19	0.00	53.9	88.9	1.5	0.99
11:12:40	0.00	58.0	93.0	1.5	0.99
11:17:03	0.01	41.7	76.7	1.5	0.99
11:21:25	0.01	26.5	61.5	1.6	0.96
11:25:47	0.01	25.9	60.9	1.5	0.97
11:30:09	0.02	18.0	53.0	1.7	1.00
11:34:31	0.02	16.2	51.2	1.7	0.99
11:38:53	0.03	15.5	50.5	2.1	0.89
11:43:16	0.04	13.5	48.5	2.2	0.98
11:47:37	0.06	356.8	31.8	2.1	0.82
11:52:01	0.07	350.6	25.6	2.5	1.00

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
11:56:23	0.06	350.0	25.0	2.3	0.98
12:00:45	0.07	340.6	15.6	2.5	0.89
12:05:06	0.07	342.2	17.2	2.2	0.66
12:09:29	0.05	347.0	22.0	2.1	0.81
12:13:51	0.05	320.4	355.4	1.8	0.80
12:18:13	0.04	314.3	349.3	1.7	0.98
12:22:35	0.03	304.1	339.1	1.8	1.00
12:26:57	0.03	296.0	331.0	2.2	0.99
12:31:19	0.03	309.6	344.6	2.1	0.98
12:35:41	0.02	319.8	354.8	1.5	0.98
12:40:02	0.03	329.9	4.9	1.3	0.94
12:44:25	0.03	342.2	17.2	1.7	0.96
12:48:45	0.04	353.7	28.7	2.2	0.96
12:53:07	0.04	347.4	22.4	2.8	0.95
12:57:27	0.04	347.9	22.9	3.4	0.99
13:01:48	0.03	352.1	27.1	3.8	0.97
13:06:08	0.03	349.3	24.3	3.9	0.99
13:10:28	0.03	346.2	21.2	3.7	0.99
13:14:51	0.03	343.4	18.4	3.7	0.99
13:19:11	0.03	342.9	17.9	3.8	1.00
13:23:33	0.03	339.9	14.9	3.5	0.99
13:27:55	0.03	342.5	17.5	3.8	0.97
13:32:17	0.04	344.0	19.0	4.1	1.00
13:36:39	0.04	349.7	24.7	4.3	0.99
13:41:02	0.04	347.2	22.2	4.6	0.98
13:45:24	0.04	345.8	20.8	4.8	1.00
13:49:44		342.7	17.7	4.6	0.00
13:54:07		343.6	18.6	5.0	0.00
13:58:29		344.7	19.7	5.0	0.00
14:02:52		339.0	14.0	5.0	0.00

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-32. Summary Data Table of VRPM Plane E123 for August 15, 2008 at the EnCana Benzel Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
09:46:14		72.6	254.6	1.2	0.00
09:51:26		66.1	248.1	1.2	0.00
09:55:38		71.3	253.3	1.2	0.00
09:59:51		77.1	259.1	1.2	0.00
10:04:03		56.4	238.4	1.5	0.00
10:08:16		45.8	227.8	1.4	0.00
10:12:28		35.8	217.8	1.3	0.00
10:16:41		20.0	202.0	1.7	0.00
10:20:53		7.6	189.6	1.6	0.00
10:25:06		3.5	185.5	1.4	0.00
10:29:18		354.6	176.6	1.4	0.00
10:33:31		18.9	200.9	1.1	0.00
10:37:44		36.4	218.4	1.0	0.00
10:41:56		33.3	215.3	1.3	0.00
10:46:09		38.2	220.2	1.3	0.00
10:50:21		42.7	224.7	1.2	0.00
10:54:34		35.2	217.2	1.3	0.00
10:58:47		49.0	231.0	1.2	0.00
11:03:03		51.7	233.7	1.3	0.00
11:07:12		53.7	235.7	1.5	0.00
11:11:26		56.6	238.6	1.5	0.00
11:15:38		49.5	231.5	1.5	0.00
11:19:51		31.3	213.3	1.5	0.00
11:24:03		27.8	209.8	1.5	0.00
11:28:16		20.8	202.8	1.6	0.00
11:32:29		16.8	198.8	1.7	0.00
11:36:41		15.4	197.4	2.0	0.00
11:40:54		19.3	201.3	1.9	0.00
11:45:06		2.7	184.7	2.3	0.00
11:49:19		352.9	174.9	2.1	0.00
11:53:31		351.4	173.4	2.3	0.00
11:57:44		347.4	169.4	2.4	0.00
12:01:57		340.5	162.5	2.4	0.00

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
12:06:09		344.6	166.6	2.3	0.00
12:10:22		343.3	165.3	2.1	0.00
12:14:35		316.1	138.1	1.8	0.00
12:18:47	-0.01	313.9	135.9	1.7	1.00
12:23:01	-0.01	304.1	126.1	1.9	1.00
12:27:13		293.8	115.8	2.3	0.00
12:31:26		311.3	133.3	2.1	0.00
12:35:38	-0.02	319.1	141.1	1.5	0.00
12:39:52	-0.02	330.6	152.6	1.2	0.10
12:44:04	-0.02	338.6	160.6	1.7	0.01
12:48:17	-0.02	353.7	175.7	2.2	0.00
12:52:30	-0.02	346.6	168.6	2.7	0.00
12:56:42		347.6	169.6	3.3	0.00
13:00:56		350.4	172.4	3.7	0.00
13:05:08		349.9	171.9	3.9	0.00
13:09:21		346.1	168.1	3.8	0.00
13:13:33		346.1	168.1	3.8	0.00
13:17:47		342.8	164.8	3.8	0.00
13:22:00		338.8	160.8	3.6	0.00
13:26:14		341.7	163.7	3.7	0.00
13:30:27		343.9	165.9	4.0	0.00
13:34:39		349.7	171.7	4.1	0.00
13:38:53		347.9	169.9	4.4	0.00
13:43:07		346.2	168.2	4.7	0.00
13:47:19		344.3	166.3	4.8	0.00
13:51:32		343.9	165.9	4.7	0.00
13:55:45		341.7	163.7	4.9	0.00
14:00:03		345.6	167.6	5.0	0.00
14:04:15		339.2	161.2	5.0	0.00

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Table A-33. Summary Data Table of VRPM Plane E456 for August 15, 2008 at the EnCana Benzel Facility

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
09:49:18		70.3	185.3	1.2	0.00
09:53:31		63.0	178.0	1.2	0.00
09:57:43		77.1	192.1	1.1	0.00
10:01:57		64.6	179.6	1.4	0.00
10:06:09		49.0	164.0	1.5	0.00
10:10:22		44.3	159.3	1.3	0.00
10:14:34		26.3	141.3	1.6	0.00
10:18:47		13.7	128.7	1.7	0.00
10:22:59	-0.02	4.2	119.2	1.4	0.37
10:27:11		359.9	114.9	1.5	0.00
10:31:24		8.4	123.4	1.4	0.00
10:35:36		32.9	147.9	1.1	0.00
10:39:49		33.9	148.9	1.2	0.00
10:44:02		34.7	149.7	1.2	0.00
10:48:14		44.2	159.2	1.3	0.00
10:52:27		41.7	156.7	1.2	0.00
10:56:40		37.1	152.1	1.3	0.00
11:00:52		59.0	174.0	1.2	0.00
11:05:05		55.2	170.2	1.3	0.00
11:09:18		54.1	169.1	1.5	0.00
11:13:31		56.5	171.5	1.5	0.00
11:17:44		40.8	155.8	1.5	0.00
11:21:56		27.3	142.3	1.6	0.00
11:26:09		24.0	139.0	1.5	0.00
11:30:21		17.2	132.2	1.7	0.00
11:34:34		17.3	132.3	1.7	0.00
11:38:47		15.4	130.4	2.1	0.00
11:42:59		14.2	129.2	2.3	0.00
11:47:12		357.1	112.1	2.1	0.00
11:51:24	0.00	350.2	105.2	2.5	0.99
11:55:37	0.00	352.6	107.6	2.3	0.97
11:59:49	0.00	343.0	98.0	2.6	0.96
12:04:02	0.00	343.2	98.2	2.3	0.97

Appendix AMeasurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

Time	Flux [g/sec]	Wind Direction [degrees]	Rotated Wind Direction [degrees]	Wind Speed	CCF
12:08:15	0.00	349.0	104.0	2.3	0.87
12:12:27	0.00	330.1	85.1	2.0	0.88
12:16:40	0.00	314.5	69.5	1.8	0.99
12:20:53	0.00	308.5	63.5	1.8	0.89
12:25:06	0.00	299.5	54.5	1.9	1.00
12:29:18	0.01	300.7	55.7	2.3	1.00
12:33:31	0.00	316.7	71.7	1.7	1.00
12:37:45	0.01	319.9	74.9	1.3	0.99
12:41:57	0.00	335.4	90.4	1.4	0.93
12:46:10	0.00	346.2	101.2	1.9	1.00
12:50:23	-0.01	353.4	108.4	2.4	0.96
12:54:35	0.00	346.9	101.9	2.9	0.99
12:58:49	0.00	346.9	101.9	3.6	0.98
13:03:01	-0.01	353.2	108.2	4.0	0.99
13:07:14	0.00	346.6	101.6	3.8	1.00
13:11:26	0.00	349.5	104.5	3.8	1.00
13:15:40	0.00	340.6	95.6	3.7	0.87
13:19:53	0.00	340.6	95.6	3.8	0.97
13:24:06	0.00	340.4	95.4	3.5	1.00
13:28:19	0.00	343.1	98.1	3.8	0.99
13:32:31	0.00	345.4	100.4	4.1	0.84
13:36:46		349.3	104.3	4.2	0.00
13:40:59		347.3	102.3	4.6	0.00
13:45:12		345.1	100.1	4.7	0.00
13:49:24		342.5	97.5	4.6	0.00
13:53:38		343.0	98.0	4.9	0.00
13:57:56		344.8	99.8	4.9	0.00
14:02:08		342.4	97.4	5.1	0.00
14:06:21		340.8	95.8	4.9	0.00

Appendix A

Measurement of Emissions from
Produced Water Ponds

October 2009 (Rev. 0.6)

This page intentionally left blank.

Appendix B

Measurement of Emissions
from Produced Water Ponds

October 2009 (Rev. 0.6)

Appendix B: ERG SUMMA Canister Data

Appendix B

Measurement of Emissions
from Produced Water Ponds

October 2009 (Rev. 0.6)

This page intentionally left blank.



Eastern Research Group
601 Keystone Park Drive
Suite 700
Morrisville, NC 27560

September 24, 2008

Mark Modrak
ARCADIS
4915 Prospectus Drive
Durham, NC 27713
Project Name: Lagoon

Dear Mark Modrak,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 08/21/08 08:11.

The test results in this report are in compliance with NELAC accreditation requirements for the certified parameters. All analyses were performed as described in the US EPA-approved QAPP, under the contract for NMOC, UATMP, PAMS, HAPS, and NATTS support (US EPA Contract No. 68-D-03-049). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7930.

Sincerely,

Laura Van Enwyck
Program Manager
laura.vanenwyck@erg.com

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify laura.vanenwyck@erg.com and delete the report without retaining any copies.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535

FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
ARCADIS TNAPC11	8082101-04	Air	08/07/08 00:00	08/21/08 08:11
ARCADIS 926	8082101-05	Air	08/08/08 00:00	08/21/08 08:11
ARCADIS 3639A	8082101-06	Air	08/08/08 00:00	08/21/08 08:11
ARCADIS 648	8082101-07	Air	08/08/08 00:00	08/21/08 08:11
ARCADIS ER038	8082101-08	Air	08/09/08 00:00	08/21/08 08:11
ARCADIS ER001	8082101-09	Air	08/09/08 00:00	08/21/08 08:11
ARCADIS ER047	8082101-10	Air	08/09/08 00:00	08/21/08 08:11
ARCADIS C1 167604	8082101-11	Air	08/12/08 00:00	08/21/08 08:11
ARCADIS C2 659	8082101-12	Air	08/12/08 00:00	08/21/08 08:11
ARCADIS ER029	8082101-13	Air	08/12/08 00:00	08/21/08 08:11
ARCADIS 3255	8082101-14	Air	08/13/08 12:07	08/21/08 08:11
ARCADIS TNAPC20	8082101-15	Air	08/13/08 16:52	08/21/08 08:11
ARCADIS C1 ER043	8082101-16	Air	08/13/08 12:07	08/21/08 08:11
ARCADIS C2 444	8082101-17	Air	08/13/08 12:07	08/21/08 08:11
ARCADIS C1 167601	8082101-18	Air	08/13/08 16:52	08/21/08 08:11
ARCADIS C2 3254	8082101-19	Air	08/13/08 16:52	08/21/08 08:11
ARCADIS ER061	8082101-20	Air	08/14/08 11:32	08/21/08 08:11
ARCADIS 15280	8082101-21	Air	08/14/08 17:09	08/21/08 08:11
ARCADIS C1 ER064	8082101-22	Air	08/14/08 11:32	08/21/08 08:11
ARCADIS C2 ER069	8082101-23	Air	08/14/08 11:32	08/21/08 08:11
ARCADIS C1 988	8082101-24	Air	08/14/08 17:09	08/21/08 08:11
ARCADIS C2 3248	8082101-25	Air	08/14/08 17:09	08/21/08 08:11
ARCADIS ER021	8082101-26	Air	08/15/08 12:09	08/21/08 08:11

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 **FAX:** (919) 544-5690

ARCADIS C1 ER114

8082101-27

Air

ARCADIS C2 ER085

8082101-28

Air

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

08/15/08 12:09

08/21/08 08:11

08/15/08 12:09

08/21/08 08:11



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS TNAPC11 **Lab ID:** 8082101-04 **Sampled:** 08/07/08 00:00
Pressure @ Receipt: 10" Hg **Canister #:** TNAPC11 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 15:15

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Acetylene	0.517	0.55		0.072
Propylene	0.415	0.72		0.152
Dichlorodifluoromethane	0.459	2.27		0.040
Chloromethane	0.723	1.50		0.064
Dichlorotetrafluoroethane	0.046	0.32		0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.205	1.15		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.107	0.82		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	0.727	2.15		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	203	650.00	D-01	1.43
Carbon Tetrachloride	0.054	0.34		0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	1210	4,570.00	D-01	3.28



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS TNAPC11 **Lab ID:** 8082101-04 **Sampled:** 08/07/08 00:00
Pressure @ Receipt: 10" Hg **Canister #:** TNAPC11 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 15:15

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	1160	5,430.00	D-01	0.714
Tetrachloroethylene	ND	ND	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	216	940.00	D-01	1.14
m,p-Xylene	2300	10,000.00	D-01, E	2.71
Bromoform	ND	ND	U	0.040
Styrene	ND	ND	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	411	1,790.00	D-01	1.14
1,3,5-Trimethylbenzene	395	1,950.00	D-01	2.28
1,2,4-Trimethylbenzene	388	1,910.00	D-01	2.28
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS 926 **Lab ID:** 8082101-05 **Sampled:** 08/08/08 00:00
Pressure @ Receipt: 10" Hg **Canister #:** 926 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 16:19

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Acetylene	0.330	0.35		0.072
Propylene	0.177	0.31		0.152
Dichlorodifluoromethane	0.505	2.50		0.040
Chloromethane	0.644	1.33		0.064
Dichlorotetrafluoroethane	ND	ND	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.332	1.87		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.134	1.03		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	0.700	2.07		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	95.0	304.00	D-01	1.04
Carbon Tetrachloride	ND	ND	U	0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	220	831.00	D-01	2.40



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS 926 **Lab ID:** 8082101-05 **Sampled:** 08/08/08 00:00
Pressure @ Receipt: 10" Hg **Canister #:** 926 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 16:19

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	74.9	351.00	D-01	0.522
Tetrachloroethylene	0.042	0.29	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	11.7	50.90		0.064
m,p-Xylene	166	722.00	D-01	1.98
Bromoform	ND	ND	U	0.040
Styrene	ND	ND	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	24.6	107.00		0.064
1,3,5-Trimethylbenzene	22.3	110.00		0.128
1,2,4-Trimethylbenzene	20.8	102.00		0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS 3639A **Lab ID:** 8082101-06 **Sampled:** 08/08/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** 3639A **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 17:26

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Acetylene	0.931	0.99		0.018
Propylene	0.313	0.54		0.038
Dichlorodifluoromethane	0.429	2.13		0.010
Chloromethane	0.557	1.15		0.016
Dichlorotetrafluoroethane	0.014	0.10		0.006
Vinyl chloride	ND	ND	U	0.010
1,3-Butadiene	0.029	0.06		0.010
Bromomethane	ND	ND	U	0.008
Chloroethane	0.030	0.08		0.008
Acetonitrile	ND	ND	U	0.044
Acrolein	0.395	0.91		0.040
Trichlorofluoromethane	0.246	1.38		0.006
Acrylonitrile	ND	ND	U	0.018
1,1-Dichloroethene	ND	ND	U	0.010
Dichloromethane	0.073	0.25		0.036
Carbon Disulfide	0.037	0.12		0.008
Trichlorotrifluoroethane	0.081	0.62		0.014
trans-1,2-Dichloroethylene	ND	ND	U	0.010
1,1-Dichloroethane	ND	ND	U	0.014
Methyl tert-Butyl Ether	ND	ND	U	0.010
Methyl Ethyl Ketone	0.632	1.87		0.056
Chloroprene	ND	ND	U	0.014
cis-1,2-Dichloroethylene	ND	ND	U	0.014
Bromochloromethane	ND	ND	U	0.012
Chloroform	ND	ND	U	0.014
Ethyl tert-Butyl Ether	ND	ND	U	0.010
1,2-Dichloroethane	ND	ND	U	0.018
1,1,1-Trichloroethane	0.013	0.07		0.010
Benzene	1.36	4.35		0.020
Carbon Tetrachloride	0.080	0.50		0.008
tert-Amyl Methyl Ether	ND	ND	U	0.026
1,2-Dichloropropane	ND	ND	U	0.020
Ethyl Acrylate	ND	ND	U	0.042
Bromodichloromethane	ND	ND	U	0.014
Trichloroethylene	ND	ND	U	0.008
Methyl Methacrylate	ND	ND	U	0.024
cis-1,3-Dichloropropene	ND	ND	U	0.014
Methyl Isobutyl Ketone	0.057	0.23		0.032
trans-1,3-Dichloropropene	ND	ND	U	0.030
1,1,2-Trichloroethane	ND	ND	U	0.016
Toluene	4.78	18.10		0.046



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Description: ARCADIS 3639A

Lab ID: 8082101-06

Sampled: 08/08/08 00:00

Pressure @ Receipt: 8" Hg

Canister #: 3639A

Received: 08/21/08 08:11

Comments:

Analyzed: 08/27/08 17:26

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Dibromochloromethane	ND	ND	U	0.010
1,2-Dibromoethane	ND	ND	U	0.014
n-Octane	0.536	2.51		0.010
Tetrachloroethylene	0.068	0.46		0.012
Chlorobenzene	ND	ND	U	0.016
Ethylbenzene	0.566	2.46		0.016
m,p-Xylene	2.32	10.10		0.038
Bromoform	ND	ND	U	0.010
Styrene	0.210	0.90		0.042
1,1,2,2-Tetrachloroethane	ND	ND	U	0.018
o-Xylene	0.788	3.43		0.016
1,3,5-Trimethylbenzene	0.284	1.40		0.032
1,2,4-Trimethylbenzene	0.767	3.78		0.032
m-Dichlorobenzene	ND	ND	U	0.030
Chloromethylbenzene	ND	ND	U	0.022
p-Dichlorobenzene	ND	ND	U	0.024
o-Dichlorobenzene	ND	ND	U	0.030
1,2,4-Trichlorobenzene	ND	ND	U	0.060
Hexachloro-1,3-butadiene	ND	ND	U	0.034



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS 648 **Lab ID:** 8082101-07 **Sampled:** 08/08/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** 648 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 18:29

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Acetylene	0.367	0.39		0.072
Propylene	0.409	0.71		0.152
Dichlorodifluoromethane	0.420	2.08		0.040
Chloromethane	0.622	1.29		0.064
Dichlorotetrafluoroethane	ND	ND	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.175	0.99		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.073	0.56		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	0.998	2.95		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	82.6	264.00	D-01	0.876
Carbon Tetrachloride	0.047	0.30		0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	222	838.00	D-01	2.01



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Description: ARCADIS 648

Lab ID: 8082101-07

Sampled: 08/08/08 00:00

Pressure @ Receipt: 8" Hg

Canister #: 648

Received: 08/21/08 08:11

Comments:

Analyzed: 08/27/08 18:29

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	70.3	329.00	D-01	0.438
Tetrachloroethylene	ND	ND	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	10.5	45.70		0.064
m,p-Xylene	142	618.00	D-01	1.66
Bromoform	ND	ND	U	0.040
Styrene	0.145	0.62	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	21.0	91.40		0.064
1,3,5-Trimethylbenzene	17.8	87.70		0.128
1,2,4-Trimethylbenzene	16.7	82.30		0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER038 **Lab ID:** 8082101-08 **Sampled:** 08/09/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** ER038 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 19:35

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m³		ppbv
Acetylene	0.192	0.21		0.018
Propylene	0.197	0.34		0.038
Dichlorodifluoromethane	0.451	2.24		0.010
Chloromethane	0.705	1.46		0.016
Dichlorotetrafluoroethane	0.012	0.08		0.006
Vinyl chloride	ND	ND	U	0.010
1,3-Butadiene	ND	ND	U	0.010
Bromomethane	0.010	0.04		0.008
Chloroethane	ND	ND	U	0.008
Acetonitrile	ND	ND	U	0.044
Acrolein	0.380	0.87		0.040
Trichlorofluoromethane	0.201	1.13		0.006
Acrylonitrile	ND	ND	U	0.018
1,1-Dichloroethene	ND	ND	U	0.010
Dichloromethane	0.050	0.17		0.036
Carbon Disulfide	0.031	0.10		0.008
Trichlorotrifluoroethane	0.071	0.55		0.014
trans-1,2-Dichloroethylene	ND	ND	U	0.010
1,1-Dichloroethane	ND	ND	U	0.014
Methyl tert-Butyl Ether	ND	ND	U	0.010
Methyl Ethyl Ketone	0.663	1.96		0.056
Chloroprene	ND	ND	U	0.014
cis-1,2-Dichloroethylene	ND	ND	U	0.014
Bromochloromethane	ND	ND	U	0.012
Chloroform	ND	ND	U	0.014
Ethyl tert-Butyl Ether	ND	ND	U	0.010
1,2-Dichloroethane	ND	ND	U	0.018
1,1,1-Trichloroethane	0.009	0.05	U	0.010
Benzene	0.547	1.75		0.020
Carbon Tetrachloride	0.086	0.54		0.008
tert-Amyl Methyl Ether	ND	ND	U	0.026
1,2-Dichloropropane	ND	ND	U	0.020
Ethyl Acrylate	ND	ND	U	0.042
Bromodichloromethane	ND	ND	U	0.014
Trichloroethylene	ND	ND	U	0.008
Methyl Methacrylate	ND	ND	U	0.024
cis-1,3-Dichloropropene	ND	ND	U	0.014
Methyl Isobutyl Ketone	ND	ND	U	0.032
trans-1,3-Dichloropropene	ND	ND	U	0.030
1,1,2-Trichloroethane	ND	ND	U	0.016
Toluene	1.18	4.46		0.046



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Description: ARCADIS ER038

Lab ID: 8082101-08

Sampled: 08/09/08 00:00

Pressure @ Receipt: 8" Hg

Canister #: ER038

Received: 08/21/08 08:11

Comments:

Analyzed: 08/27/08 19:35

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Dibromochloromethane	ND	ND	U	0.010
1,2-Dibromoethane	ND	ND	U	0.014
n-Octane	0.461	2.16		0.010
Tetrachloroethylene	0.031	0.21		0.012
Chlorobenzene	ND	ND	U	0.016
Ethylbenzene	0.072	0.31		0.016
m,p-Xylene	0.563	2.45		0.038
Bromoform	ND	ND	U	0.010
Styrene	ND	ND	U	0.042
1,1,2,2-Tetrachloroethane	ND	ND	U	0.018
o-Xylene	0.115	0.50		0.016
1,3,5-Trimethylbenzene	0.098	0.48		0.032
1,2,4-Trimethylbenzene	0.142	0.70		0.032
m-Dichlorobenzene	ND	ND	U	0.030
Chloromethylbenzene	ND	ND	U	0.022
p-Dichlorobenzene	ND	ND	U	0.024
o-Dichlorobenzene	ND	ND	U	0.030
1,2,4-Trichlorobenzene	ND	ND	U	0.060
Hexachloro-1,3-butadiene	ND	ND	U	0.034



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER001 **Lab ID:** 8082101-09 **Sampled:** 08/09/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** ER001 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 20:38

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Acetylene	0.377	0.40		0.072
Propylene	0.571	0.99		0.152
Dichlorodifluoromethane	0.393	1.95		0.040
Chloromethane	0.667	1.38		0.064
Dichlorotetrafluoroethane	ND	ND	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.203	1.14		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.112	0.86		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	0.928	2.74		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	0.628	2.01		0.080
Carbon Tetrachloride	0.107	0.68		0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	1.11	4.19		0.184



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER001 **Lab ID:** 8082101-09 **Sampled:** 08/09/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** ER001 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 20:38

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m³		ppbv
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	0.380	1.78		0.040
Tetrachloroethylene	ND	ND	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	0.087	0.38		0.064
m,p-Xylene	0.559	2.43		0.152
Bromoform	ND	ND	U	0.040
Styrene	0.111	0.47	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	0.134	0.58		0.064
1,3,5-Trimethylbenzene	0.106	0.52	U	0.128
1,2,4-Trimethylbenzene	0.148	0.73		0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER047 **Lab ID:** 8082101-10 **Sampled:** 08/09/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** ER047 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 21:42

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Acetylene	0.391	0.42		0.072
Propylene	0.302	0.52		0.152
Dichlorodifluoromethane	0.471	2.33		0.040
Chloromethane	0.644	1.33		0.064
Dichlorotetrafluoroethane	ND	ND	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.219	1.23		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.078	0.60		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	0.765	2.26		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	8.13	26.00		0.080
Carbon Tetrachloride	0.086	0.54		0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	16.7	63.10		0.184

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER047 **Lab ID:** 8082101-10 **Sampled:** 08/09/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** ER047 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 21:42

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m³		ppbv
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	11.6	54.30		0.040
Tetrachloroethylene	ND	ND	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	0.855	3.72		0.064
m,p-Xylene	13.5	58.70		0.152
Bromoform	ND	ND	U	0.040
Styrene	ND	ND	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	2.19	9.53		0.064
1,3,5-Trimethylbenzene	2.61	12.90		0.128
1,2,4-Trimethylbenzene	1.72	8.47		0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 167604 **Lab ID:** 8082101-11 **Sampled:** 08/12/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** 167604 **Received:** 08/21/08 08:11
Comments: Col 1 w/659 - downwind **Analyzed:** 08/27/08 22:45

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Acetylene	0.377	0.40		0.072
Propylene	0.125	0.22	U	0.152
Dichlorodifluoromethane	0.392	1.94		0.040
Chloromethane	0.571	1.18		0.064
Dichlorotetrafluoroethane	ND	ND	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.218	1.23		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.070	0.54		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	0.439	1.30		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	2.10	6.72		0.080
Carbon Tetrachloride	ND	ND	U	0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	3.41	12.90		0.184



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 167604 **Lab ID:** 8082101-11 **Sampled:** 08/12/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** 167604 **Received:** 08/21/08 08:11
Comments: Col 1 w/659 - downwind **Analyzed:** 08/27/08 22:45

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	0.815	3.82		0.040
Tetrachloroethylene	ND	ND	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	0.235	1.02		0.064
m,p-Xylene	1.74	7.57		0.152
Bromoform	ND	ND	U	0.040
Styrene	ND	ND	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	0.391	1.70		0.064
1,3,5-Trimethylbenzene	0.259	1.28		0.128
1,2,4-Trimethylbenzene	0.326	1.61		0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 659 **Lab ID:** 8082101-12 **Sampled:** 08/12/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** 659 **Received:** 08/21/08 08:11
Comments: Col 2 w/167604 - downwind **Analyzed:** 08/28/08 00:51

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Acetylene	0.437	0.47		0.072
Propylene	0.269	0.46		0.152
Dichlorodifluoromethane	0.394	1.95		0.040
Chloromethane	0.547	1.13		0.064
Dichlorotetrafluoroethane	ND	ND	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.220	1.24		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.082	0.63		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	0.422	1.25		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	2.54	8.13		0.080
Carbon Tetrachloride	0.061	0.39		0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	4.01	15.10		0.184

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 659 **Lab ID:** 8082101-12 **Sampled:** 08/12/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** 659 **Received:** 08/21/08 08:11
Comments: Col 2 w/167604 - downwind **Analyzed:** 08/28/08 00:51

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	0.914	4.28		0.040
Tetrachloroethylene	ND	ND	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	0.312	1.36		0.064
m,p-Xylene	2.05	8.92		0.152
Bromoform	ND	ND	U	0.040
Styrene	ND	ND	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	0.514	2.24		0.064
1,3,5-Trimethylbenzene	0.314	1.55		0.128
1,2,4-Trimethylbenzene	0.398	1.96		0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER029 **Lab ID:** 8082101-13 **Sampled:** 08/12/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** ER029 **Received:** 08/21/08 08:11
Comments: upwind canister **Analyzed:** 08/28/08 02:58

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Acetylene	0.792	0.85		0.072
Propylene	0.315	0.54		0.152
Dichlorodifluoromethane	0.423	2.10		0.040
Chloromethane	0.666	1.38		0.064
Dichlorotetrafluoroethane	ND	ND	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.219	1.23		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.141	1.08		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	0.593	1.75		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	0.491	1.57		0.080
Carbon Tetrachloride	0.095	0.60		0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	1.07	4.04		0.184



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Description: ARCADIS ER029

Lab ID: 8082101-13

Sampled: 08/12/08 00:00

Pressure @ Receipt: 8" Hg

Canister #: ER029

Received: 08/21/08 08:11

Comments: upwind canister

Analyzed: 08/28/08 02:58

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	0.595	2.79		0.040
Tetrachloroethylene	0.057	0.39		0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	0.152	0.66		0.064
m,p-Xylene	0.971	4.23		0.152
Bromoform	ND	ND	U	0.040
Styrene	ND	ND	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	0.263	1.14		0.064
1,3,5-Trimethylbenzene	0.150	0.74		0.128
1,2,4-Trimethylbenzene	0.218	1.07		0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Description: ARCADIS 3255

Lab ID: 8082101-14

Sampled: 08/13/08 12:07

Pressure @ Receipt: 8" Hg

Canister #: 3255

Received: 08/21/08 08:11

Comments: upwind

Analyzed: 08/28/08 04:01

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Acetylene	0.709	0.76		0.072
Propylene	0.424	0.73		0.152
Dichlorodifluoromethane	0.428	2.12		0.040
Chloromethane	0.651	1.35		0.064
Dichlorotetrafluoroethane	ND	ND	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.249	1.40		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	ND	ND	U	0.056
trans-1,2-Dichloroethylene	0.050	0.20		0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	0.754	2.23		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	0.339	1.09		0.080
Carbon Tetrachloride	0.103	0.65		0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	0.690	2.61		0.184

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Description: ARCADIS 3255

Lab ID: 8082101-14

Sampled: 08/13/08 12:07

Pressure @ Receipt: 8" Hg

Canister #: 3255

Received: 08/21/08 08:11

Comments: upwind

Analyzed: 08/28/08 04:01

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	0.373	1.75		0.040
Tetrachloroethylene	0.040	0.27	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	0.083	0.36		0.064
m,p-Xylene	0.530	2.31		0.152
Bromoform	ND	ND	U	0.040
Styrene	ND	ND	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	0.156	0.68		0.064
1,3,5-Trimethylbenzene	0.086	0.42	U	0.128
1,2,4-Trimethylbenzene	0.114	0.56	U	0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS TNAPC20 **Lab ID:** 8082101-15 **Sampled:** 08/13/08 16:52
Pressure @ Receipt: 8" Hg **Canister #:** TNAPC20 **Received:** 08/21/08 08:11
Comments: upwind single summa canister **Analyzed:** 08/28/08 05:04

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Acetylene	0.382	0.41		0.072
Propylene	0.244	0.42		0.152
Dichlorodifluoromethane	0.434	2.15		0.040
Chloromethane	0.635	1.31		0.064
Dichlorotetrafluoroethane	ND	ND	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.239	1.35		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.102	0.78		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	0.185	0.55	U	0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	1.29	4.13		0.080
Carbon Tetrachloride	0.087	0.55		0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	4.10	15.50		0.184



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS TNAPC20 **Lab ID:** 8082101-15 **Sampled:** 08/13/08 16:52
Pressure @ Receipt: 8" Hg **Canister #:** TNAPC20 **Received:** 08/21/08 08:11
Comments: upwind single summa canister **Analyzed:** 08/28/08 05:04

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m³		ppbv
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	2.01	9.41		0.040
Tetrachloroethylene	ND	ND	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	0.454	1.98		0.064
m,p-Xylene	4.36	19.00		0.152
Bromoform	ND	ND	U	0.040
Styrene	ND	ND	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	0.738	3.21		0.064
1,3,5-Trimethylbenzene	0.646	3.18		0.128
1,2,4-Trimethylbenzene	0.727	3.58		0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 ER043 **Lab ID:** 8082101-16 **Sampled:** 08/13/08 12:07
Pressure @ Receipt: 10" Hg **Canister #:** ER043 **Received:** 08/21/08 08:11
Comments: Col 1 w/444 - downwind **Analyzed:** 08/28/08 06:07

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Acetylene	0.646	0.69		0.072
Propylene	0.486	0.84		0.152
Dichlorodifluoromethane	0.462	2.29		0.040
Chloromethane	0.645	1.33		0.064
Dichlorotetrafluoroethane	ND	ND	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.247	1.39		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.092	0.71		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	0.795	2.35		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	2.22	7.11		0.080
Carbon Tetrachloride	0.048	0.30		0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	5.83	22.00		0.184



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 ER043 **Lab ID:** 8082101-16 **Sampled:** 08/13/08 12:07
Pressure @ Receipt: 10" Hg **Canister #:** ER043 **Received:** 08/21/08 08:11
Comments: Col 1 w/444 - downwind **Analyzed:** 08/28/08 06:07

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	2.03	9.50		0.040
Tetrachloroethylene	ND	ND	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	0.560	2.44		0.064
m,p-Xylene	5.76	25.10		0.152
Bromoform	ND	ND	U	0.040
Styrene	ND	ND	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	1.02	4.44		0.064
1,3,5-Trimethylbenzene	0.926	4.56		0.128
1,2,4-Trimethylbenzene	1.06	5.22		0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 444 **Lab ID:** 8082101-17 **Sampled:** 08/13/08 12:07
Pressure @ Receipt: 10" Hg **Canister #:** 444 **Received:** 08/21/08 08:11
Comments: Col 2 w/ER043 - downwind **Analyzed:** 08/28/08 08:13

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Acetylene	0.634	0.68		0.072
Propylene	0.316	0.55		0.152
Dichlorodifluoromethane	0.447	2.22		0.040
Chloromethane	0.574	1.19		0.064
Dichlorotetrafluoroethane	ND	ND	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.250	1.41		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.135	1.04		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	0.283	0.84		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	2.20	7.04		0.080
Carbon Tetrachloride	0.093	0.59		0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	5.55	21.00		0.184



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 444 **Lab ID:** 8082101-17 **Sampled:** 08/13/08 12:07
Pressure @ Receipt: 10" Hg **Canister #:** 444 **Received:** 08/21/08 08:11
Comments: Col 2 w/ER043 - downwind **Analyzed:** 08/28/08 08:13

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	1.91	8.94		0.040
Tetrachloroethylene	ND	ND	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	0.506	2.20		0.064
m,p-Xylene	5.30	23.10		0.152
Bromoform	ND	ND	U	0.040
Styrene	ND	ND	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	0.947	4.12		0.064
1,3,5-Trimethylbenzene	0.836	4.12		0.128
1,2,4-Trimethylbenzene	0.949	4.67		0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 167601 **Lab ID:** 8082101-18 **Sampled:** 08/13/08 16:52
Pressure @ Receipt: 10" Hg **Canister #:** 167601 **Received:** 08/21/08 08:11
Comments: Col 1 w/3254 **Analyzed:** 08/29/08 11:37

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Acetylene	0.354	0.38		0.072
Propylene	0.264	0.46		0.152
Dichlorodifluoromethane	0.417	2.07		0.040
Chloromethane	0.588	1.22		0.064
Dichlorotetrafluoroethane	0.011	0.08	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.237	1.33		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.102	0.78		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	0.347	1.03		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	1.35	4.32		0.080
Carbon Tetrachloride	0.047	0.30		0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	5.37	20.30		0.184



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 167601 **Lab ID:** 8082101-18 **Sampled:** 08/13/08 16:52
Pressure @ Receipt: 10" Hg **Canister #:** 167601 **Received:** 08/21/08 08:11
Comments: Col 1 w/3254 **Analyzed:** 08/29/08 11:37

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	2.92	13.70		0.040
Tetrachloroethylene	ND	ND	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	0.652	2.84		0.064
m,p-Xylene	7.51	32.70		0.152
Bromoform	ND	ND	U	0.040
Styrene	ND	ND	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	1.14	4.96		0.064
1,3,5-Trimethylbenzene	1.25	6.16		0.128
1,2,4-Trimethylbenzene	1.32	6.50		0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 3254 **Lab ID:** 8082101-19 **Sampled:** 08/13/08 16:52
Pressure @ Receipt: 8" Hg **Canister #:** 3254 **Received:** 08/21/08 08:11
Comments: Col 2 w/167601 **Analyzed:** 08/29/08 13:42

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Acetylene	0.464	0.50		0.072
Propylene	0.924	1.59		0.152
Dichlorodifluoromethane	0.451	2.24		0.040
Chloromethane	0.644	1.33		0.064
Dichlorotetrafluoroethane	ND	ND	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.269	1.51		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.089	0.68		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	1.71	5.05		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	1.55	4.96		0.080
Carbon Tetrachloride	0.093	0.59		0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	4.95	18.70		0.184



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 3254 **Lab ID:** 8082101-19 **Sampled:** 08/13/08 16:52
Pressure @ Receipt: 8" Hg **Canister #:** 3254 **Received:** 08/21/08 08:11
Comments: Col 2 w/167601 **Analyzed:** 08/29/08 13:42

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	2.69	12.60		0.040
Tetrachloroethylene	ND	ND	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	0.676	2.94		0.064
m,p-Xylene	7.24	31.50		0.152
Bromoform	ND	ND	U	0.040
Styrene	ND	ND	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	1.15	5.00		0.064
1,3,5-Trimethylbenzene	1.22	6.01		0.128
1,2,4-Trimethylbenzene	1.38	6.80		0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER061 **Lab ID:** 8082101-20 **Sampled:** 08/14/08 11:32
Pressure @ Receipt: 10" Hg **Canister #:** ER061 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/29/08 15:47

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Acetylene	0.525	0.56		0.072
Propylene	0.834	1.44		0.152
Dichlorodifluoromethane	0.494	2.45		0.040
Chloromethane	0.680	1.41		0.064
Dichlorotetrafluoroethane	ND	ND	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.299	1.68		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.115	0.88		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	1.72	5.08		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	0.267	0.86		0.080
Carbon Tetrachloride	0.119	0.75		0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	0.413	1.56		0.184

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER061 **Lab ID:** 8082101-20 **Sampled:** 08/14/08 11:32
Pressure @ Receipt: 10" Hg **Canister #:** ER061 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/29/08 15:47

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m³		ppbv
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	0.074	0.35		0.040
Tetrachloroethylene	ND	ND	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	0.068	0.30		0.064
m,p-Xylene	0.155	0.67		0.152
Bromoform	ND	ND	U	0.040
Styrene	ND	ND	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	0.075	0.33		0.064
1,3,5-Trimethylbenzene	0.046	0.23	U	0.128
1,2,4-Trimethylbenzene	0.085	0.42	U	0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Description: ARCADIS 15280

Lab ID: 8082101-21

Sampled: 08/14/08 17:09

Pressure @ Receipt: 8" Hg

Canister #: 15280

Received: 08/21/08 08:11

Comments: Waypoint 207, upwind canister

Analyzed: 08/29/08 16:50

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Acetylene	0.370	0.40		0.072
Propylene	0.329	0.57		0.152
Dichlorodifluoromethane	0.464	2.30		0.040
Chloromethane	0.692	1.43		0.064
Dichlorotetrafluoroethane	ND	ND	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.245	1.38		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.100	0.77		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	0.230	0.68		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	1.06	3.39		0.080
Carbon Tetrachloride	0.102	0.64		0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	2.01	7.59		0.184

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS 15280 **Lab ID:** 8082101-21 **Sampled:** 08/14/08 17:09
Pressure @ Receipt: 8" Hg **Canister #:** 15280 **Received:** 08/21/08 08:11
Comments: Waypoint 207, upwind canister **Analyzed:** 08/29/08 16:50

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	0.417	1.95		0.040
Tetrachloroethylene	ND	ND	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	0.183	0.80		0.064
m,p-Xylene	1.03	4.48		0.152
Bromoform	ND	ND	U	0.040
Styrene	ND	ND	U	0.168
1,1,1,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	0.216	0.94		0.064
1,3,5-Trimethylbenzene	0.117	0.58	U	0.128
1,2,4-Trimethylbenzene	0.164	0.81		0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 ER064 **Lab ID:** 8082101-22 **Sampled:** 08/14/08 11:32
Pressure @ Receipt: 8" Hg **Canister #:** ER064 **Received:** 08/21/08 08:11
Comments: Col 1 w/ER069 **Analyzed:** 08/29/08 17:52

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Acetylene	0.420	0.45		0.072
Propylene	0.362	0.62		0.152
Dichlorodifluoromethane	0.537	2.66		0.040
Chloromethane	0.715	1.48		0.064
Dichlorotetrafluoroethane	ND	ND	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.321	1.81		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.108	0.83		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	0.557	1.65		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	2.49	7.97		0.080
Carbon Tetrachloride	0.112	0.71		0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	3.28	12.40		0.184



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 ER064 **Lab ID:** 8082101-22 **Sampled:** 08/14/08 11:32
Pressure @ Receipt: 8" Hg **Canister #:** ER064 **Received:** 08/21/08 08:11
Comments: Col 1 w/ER069 **Analyzed:** 08/29/08 17:52

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	0.368	1.72		0.040
Tetrachloroethylene	ND	ND	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	0.222	0.97		0.064
m,p-Xylene	1.70	7.40		0.152
Bromoform	ND	ND	U	0.040
Styrene	ND	ND	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	0.326	1.42		0.064
1,3,5-Trimethylbenzene	0.148	0.73		0.128
1,2,4-Trimethylbenzene	0.214	1.05		0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 ER069 **Lab ID:** 8082101-23 **Sampled:** 08/14/08 11:32
Pressure @ Receipt: 8" Hg **Canister #:** ER069 **Received:** 08/21/08 08:11
Comments: Col 2 w/ER064 **Analyzed:** 08/29/08 19:57

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Acetylene	0.362	0.39		0.072
Propylene	0.375	0.65		0.152
Dichlorodifluoromethane	0.491	2.43		0.040
Chloromethane	0.648	1.34		0.064
Dichlorotetrafluoroethane	ND	ND	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.296	1.67		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.102	0.78		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	0.618	1.83		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	2.13	6.82		0.080
Carbon Tetrachloride	0.109	0.69		0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	3.03	11.40		0.184



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 ER069 **Lab ID:** 8082101-23 **Sampled:** 08/14/08 11:32
Pressure @ Receipt: 8" Hg **Canister #:** ER069 **Received:** 08/21/08 08:11
Comments: Col 2 w/ER064 **Analyzed:** 08/29/08 19:57

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	0.422	1.98		0.040
Tetrachloroethylene	ND	ND	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	0.199	0.87		0.064
m,p-Xylene	1.54	6.70		0.152
Bromoform	ND	ND	U	0.040
Styrene	ND	ND	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	0.294	1.28		0.064
1,3,5-Trimethylbenzene	0.178	0.88		0.128
1,2,4-Trimethylbenzene	0.226	1.11		0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 988 **Lab ID:** 8082101-24 **Sampled:** 08/14/08 17:09
Pressure @ Receipt: 10" Hg **Canister #:** 988 **Received:** 08/21/08 08:11
Comments: Col 1 w/3248 - waypoint 208 **Analyzed:** 08/29/08 22:03

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Acetylene	0.471	0.50		0.072
Propylene	0.329	0.57		0.152
Dichlorodifluoromethane	0.498	2.47		0.040
Chloromethane	0.694	1.44		0.064
Dichlorotetrafluoroethane	ND	ND	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.313	1.76		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.119	0.91		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	0.657	1.94		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	2.26	7.23		0.080
Carbon Tetrachloride	0.120	0.76		0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	4.51	17.00		0.184



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 988 **Lab ID:** 8082101-24 **Sampled:** 08/14/08 17:09
Pressure @ Receipt: 10" Hg **Canister #:** 988 **Received:** 08/21/08 08:11
Comments: Col 1 w/3248 - waypoint 208 **Analyzed:** 08/29/08 22:03

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	0.787	3.68		0.040
Tetrachloroethylene	ND	ND	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	0.287	1.25		0.064
m,p-Xylene	2.26	9.83		0.152
Bromoform	ND	ND	U	0.040
Styrene	ND	ND	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	0.428	1.86		0.064
1,3,5-Trimethylbenzene	0.298	1.47		0.128
1,2,4-Trimethylbenzene	0.291	1.43		0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 3248 **Lab ID:** 8082101-25 **Sampled:** 08/14/08 17:09
Pressure @ Receipt: 8" Hg **Canister #:** 3248 **Received:** 08/21/08 08:11
Comments: Col 2 w/988 - waypoint 209 **Analyzed:** 08/30/08 00:08

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Acetylene	0.575	0.61		0.072
Propylene	0.383	0.66		0.152
Dichlorodifluoromethane	0.514	2.55		0.040
Chloromethane	0.641	1.33		0.064
Dichlorotetrafluoroethane	ND	ND	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.278	1.57		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.118	0.91		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	0.633	1.87		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	2.81	9.00		0.080
Carbon Tetrachloride	0.158	1.00		0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	4.74	17.90		0.184

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 3248 **Lab ID:** 8082101-25 **Sampled:** 08/14/08 17:09
Pressure @ Receipt: 8" Hg **Canister #:** 3248 **Received:** 08/21/08 08:11
Comments: Col 2 w/988 - waypoint 209 **Analyzed:** 08/30/08 00:08

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	0.836	3.91		0.040
Tetrachloroethylene	ND	ND	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	0.267	1.16		0.064
m,p-Xylene	2.16	9.40		0.152
Bromoform	ND	ND	U	0.040
Styrene	ND	ND	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	0.434	1.89		0.064
1,3,5-Trimethylbenzene	0.139	0.69		0.128
1,2,4-Trimethylbenzene	0.208	1.02		0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Description: ARCADIS ER021

Lab ID: 8082101-26

Sampled: 08/15/08 12:09

Pressure @ Receipt: 8" Hg

Canister #: ER021

Received: 08/21/08 08:11

Comments: Waypoint 212, upwind canister

Analyzed: 08/30/08 02:13

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Acetylene	0.522	0.56		0.072
Propylene	0.736	1.27		0.152
Dichlorodifluoromethane	0.520	2.58		0.040
Chloromethane	0.682	1.41		0.064
Dichlorotetrafluoroethane	ND	ND	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.314	1.77		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.104	0.80		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	1.18	3.49		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	4.28	13.70		0.080
Carbon Tetrachloride	0.087	0.55		0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	7.29	27.50		0.184

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER021 **Lab ID:** 8082101-26 **Sampled:** 08/15/08 12:09
Pressure @ Receipt: 8" Hg **Canister #:** ER021 **Received:** 08/21/08 08:11
Comments: Waypoint 212, upwind canister **Analyzed:** 08/30/08 02:13

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	0.583	2.73		0.040
Tetrachloroethylene	ND	ND	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	0.280	1.22		0.064
m,p-Xylene	2.27	9.88		0.152
Bromoform	ND	ND	U	0.040
Styrene	ND	ND	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	0.440	1.91		0.064
1,3,5-Trimethylbenzene	0.161	0.79		0.128
1,2,4-Trimethylbenzene	0.205	1.01		0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 ER114 **Lab ID:** 8082101-27 **Sampled:** 08/15/08 12:09
Pressure @ Receipt: 8" Hg **Canister #:** ER114 **Received:** 08/21/08 08:11
Comments: Col 1 w/ER085 - waypoint 210 **Analyzed:** 08/30/08 03:16

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Acetylene	0.439	0.47		0.072
Propylene	0.791	1.36		0.152
Dichlorodifluoromethane	0.491	2.43		0.040
Chloromethane	0.648	1.34		0.064
Dichlorotetrafluoroethane	ND	ND	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.280	1.58		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.119	0.91		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	1.23	3.64		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	1.00	3.20		0.080
Carbon Tetrachloride	0.136	0.86		0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	1.87	7.06		0.184



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 ER114 **Lab ID:** 8082101-27 **Sampled:** 08/15/08 12:09
Pressure @ Receipt: 8" Hg **Canister #:** ER114 **Received:** 08/21/08 08:11
Comments: Col 1 w/ER085 - waypoint 210 **Analyzed:** 08/30/08 03:16

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	0.223	1.04		0.040
Tetrachloroethylene	ND	ND	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	0.133	0.58		0.064
m,p-Xylene	0.860	3.74		0.152
Bromoform	ND	ND	U	0.040
Styrene	ND	ND	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	0.180	0.78		0.064
1,3,5-Trimethylbenzene	0.099	0.49	U	0.128
1,2,4-Trimethylbenzene	0.125	0.62	U	0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 ER085 **Lab ID:** 8082101-28 **Sampled:** 08/15/08 12:09
Pressure @ Receipt: 10" Hg **Canister #:** ER085 **Received:** 08/21/08 08:11
Comments: Col 2 w/ER114 - waypoint 211 **Analyzed:** 08/30/08 05:21

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Acetylene	0.672	0.72		0.072
Propylene	0.489	0.84		0.152
Dichlorodifluoromethane	0.522	2.59		0.040
Chloromethane	0.740	1.53		0.064
Dichlorotetrafluoroethane	ND	ND	U	0.024
Vinyl chloride	ND	ND	U	0.040
1,3-Butadiene	ND	ND	U	0.040
Bromomethane	ND	ND	U	0.032
Chloroethane	ND	ND	U	0.032
Acetonitrile	ND	ND	U	0.176
Acrolein	ND	ND	U	0.160
Trichlorofluoromethane	0.319	1.80		0.024
Acrylonitrile	ND	ND	U	0.072
1,1-Dichloroethene	ND	ND	U	0.040
Dichloromethane	ND	ND	U	0.144
Carbon Disulfide	ND	ND	U	0.032
Trichlorotrifluoroethane	0.149	1.14		0.056
trans-1,2-Dichloroethylene	ND	ND	U	0.040
1,1-Dichloroethane	ND	ND	U	0.056
Methyl tert-Butyl Ether	ND	ND	U	0.040
Methyl Ethyl Ketone	0.690	2.04		0.224
Chloroprene	ND	ND	U	0.056
cis-1,2-Dichloroethylene	ND	ND	U	0.056
Bromochloromethane	ND	ND	U	0.048
Chloroform	ND	ND	U	0.056
Ethyl tert-Butyl Ether	ND	ND	U	0.040
1,2-Dichloroethane	ND	ND	U	0.072
1,1,1-Trichloroethane	ND	ND	U	0.040
Benzene	2.70	8.64		0.080
Carbon Tetrachloride	0.118	0.74		0.032
tert-Amyl Methyl Ether	ND	ND	U	0.104
1,2-Dichloropropane	ND	ND	U	0.080
Ethyl Acrylate	ND	ND	U	0.168
Bromodichloromethane	ND	ND	U	0.056
Trichloroethylene	ND	ND	U	0.032
Methyl Methacrylate	ND	ND	U	0.096
cis-1,3-Dichloropropene	ND	ND	U	0.056
Methyl Isobutyl Ketone	ND	ND	U	0.128
trans-1,3-Dichloropropene	ND	ND	U	0.120
1,1,2-Trichloroethane	ND	ND	U	0.064
Toluene	4.89	18.50		0.184



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/24/08 13:45
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 ER085 **Lab ID:** 8082101-28 **Sampled:** 08/15/08 12:09
Pressure @ Receipt: 10" Hg **Canister #:** ER085 **Received:** 08/21/08 08:11
Comments: Col 2 w/ER114 - waypoint 211 **Analyzed:** 08/30/08 05:21

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Dibromochloromethane	ND	ND	U	0.040
1,2-Dibromoethane	ND	ND	U	0.056
n-Octane	0.509	2.38		0.040
Tetrachloroethylene	ND	ND	U	0.048
Chlorobenzene	ND	ND	U	0.064
Ethylbenzene	0.536	2.33		0.064
m,p-Xylene	2.43	10.60		0.152
Bromoform	ND	ND	U	0.040
Styrene	ND	ND	U	0.168
1,1,2,2-Tetrachloroethane	ND	ND	U	0.072
o-Xylene	0.690	3.00		0.064
1,3,5-Trimethylbenzene	0.188	0.93		0.128
1,2,4-Trimethylbenzene	0.367	1.81		0.128
m-Dichlorobenzene	ND	ND	U	0.120
Chloromethylbenzene	ND	ND	U	0.088
p-Dichlorobenzene	ND	ND	U	0.096
o-Dichlorobenzene	ND	ND	U	0.120
1,2,4-Trichlorobenzene	ND	ND	U	0.240
Hexachloro-1,3-butadiene	ND	ND	U	0.136



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B8H2903 - Summa Canister Prep

Duplicate (B8H2903-DUP1)

Source: 8082101-11

Prepared: 08/12/08 Analyzed: 08/27/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
Acetylene	0.346	ppbv	0.38	8.77	30	
Propylene	0.251	ppbv	ND		30	
Dichlorodifluoromethane	0.400	ppbv	0.39	1.87	30	
Chloromethane	0.587	ppbv	0.57	2.75	30	
Dichlorotetrafluoroethane	ND	ppbv	ND		30	U
Vinyl chloride	ND	ppbv	ND		30	U
1,3-Butadiene	ND	ppbv	ND		30	U
Bromomethane	ND	ppbv	ND		30	U
Chloroethane	ND	ppbv	ND		30	U
Acetonitrile	ND	ppbv	ND		30	U
Acrolein	ND	ppbv	ND		30	U
Trichlorofluoromethane	0.213	ppbv	0.22	2.42	30	
Acrylonitrile	ND	ppbv	ND		30	U
1,1-Dichloroethene	ND	ppbv	ND		30	U
Dichloromethane	ND	ppbv	ND		30	U
Carbon Disulfide	ND	ppbv	ND		30	U
Trichlorotrifluoroethane	0.083	ppbv	0.07	16.8	30	
trans-1,2-Dichloroethylene	ND	ppbv	ND		30	U
1,1-Dichloroethane	ND	ppbv	ND		30	U
Methyl tert-Butyl Ether	ND	ppbv	ND		30	U
Methyl Ethyl Ketone	0.428	ppbv	0.44	2.51	30	
Chloroprene	ND	ppbv	ND		30	U
cis-1,2-Dichloroethylene	ND	ppbv	ND		30	U
Bromochloromethane	ND	ppbv	ND		30	U
Chloroform	ND	ppbv	ND		30	U
Ethyl tert-Butyl Ether	ND	ppbv	ND		30	U
1,2-Dichloroethane	ND	ppbv	ND		30	U
1,1,1-Trichloroethane	ND	ppbv	ND		30	U
Benzene	2.15	ppbv	2.10	2.35	30	
Carbon Tetrachloride	ND	ppbv	ND		30	U
tert-Amyl Methyl Ether	ND	ppbv	ND		30	U
1,2-Dichloropropane	ND	ppbv	ND		30	U
Ethyl Acrylate	ND	ppbv	ND		30	U
Bromodichloromethane	ND	ppbv	ND		30	U
Trichloroethylene	ND	ppbv	ND		30	U
Methyl Methacrylate	ND	ppbv	ND		30	U
cis-1,3-Dichloropropene	ND	ppbv	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B8H2903 - Summa Canister Prep

Duplicate (B8H2903-DUP1) Continued

Source: 8082101-11

Prepared: 08/12/08 Analyzed: 08/27/08

Methyl Isobutyl Ketone	ND	ppbv	ND		30	U
trans-1,3-Dichloropropene	ND	ppbv	ND		30	U
1,1,2-Trichloroethane	ND	ppbv	ND		30	U
Toluene	3.22	ppbv	3.41	5.67	30	
Dibromochloromethane	ND	ppbv	ND		30	U
1,2-Dibromoethane	ND	ppbv	ND		30	U
n-Octane	0.738	ppbv	0.82	9.93	30	
Tetrachloroethylene	ND	ppbv	ND		30	U
Chlorobenzene	ND	ppbv	ND		30	U
Ethylbenzene	0.220	ppbv	0.24	6.86	30	
m,p-Xylene	1.69	ppbv	1.74	3.08	30	
Bromoform	ND	ppbv	ND		30	U
Styrene	ND	ppbv	ND		30	U
1,1,2,2-Tetrachloroethane	ND	ppbv	ND		30	U
o-Xylene	0.385	ppbv	0.39	1.52	30	
1,3,5-Trimethylbenzene	0.271	ppbv	0.26	4.64	30	
1,2,4-Trimethylbenzene	0.326	ppbv	0.33	0.0306	30	
m-Dichlorobenzene	ND	ppbv	ND		30	U
Chloromethylbenzene	ND	ppbv	ND		30	U
p-Dichlorobenzene	ND	ppbv	ND		30	U
o-Dichlorobenzene	ND	ppbv	ND		30	U
1,2,4-Trichlorobenzene	ND	ppbv	ND		30	U
Hexachloro-1,3-butadiene	ND	ppbv	ND		30	U

Duplicate (B8H2903-DUP2)

Source: 8082101-12

Prepared: 08/12/08 Analyzed: 08/28/08

Acetylene	0.442	ppbv	0.44	1.12	30	
Propylene	0.308	ppbv	0.27	13.5	30	
Dichlorodifluoromethane	0.403	ppbv	0.39	2.31	30	
Chloromethane	0.596	ppbv	0.55	8.63	30	
Dichlorotetrafluoroethane	ND	ppbv	ND		30	U
Vinyl chloride	ND	ppbv	ND		30	U
1,3-Butadiene	ND	ppbv	ND		30	U
Bromomethane	ND	ppbv	ND		30	U
Chloroethane	ND	ppbv	ND		30	U
Acetonitrile	ND	ppbv	ND		30	U
Acrolein	ND	ppbv	ND		30	U
Trichlorofluoromethane	0.212	ppbv	0.22	3.61	30	
Acrylonitrile	ND	ppbv	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B8H2903 - Summa Canister Prep

Duplicate (B8H2903-DUP2) Continued

Source: 8082101-12

Prepared: 08/12/08 Analyzed: 08/28/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
1,1-Dichloroethene	ND	ppbv	ND		30	U
Dichloromethane	ND	ppbv	ND		30	U
Carbon Disulfide	ND	ppbv	ND		30	U
Trichlorotrifluoroethane	0.103	ppbv	0.08	23.0	30	
trans-1,2-Dichloroethylene	ND	ppbv	ND		30	U
1,1-Dichloroethane	ND	ppbv	ND		30	U
Methyl tert-Butyl Ether	ND	ppbv	ND		30	U
Methyl Ethyl Ketone	0.435	ppbv	0.42	2.87	30	
Chloroprene	ND	ppbv	ND		30	U
cis-1,2-Dichloroethylene	ND	ppbv	ND		30	U
Bromochloromethane	ND	ppbv	ND		30	U
Chloroform	ND	ppbv	ND		30	U
Ethyl tert-Butyl Ether	ND	ppbv	ND		30	U
1,2-Dichloroethane	ND	ppbv	ND		30	U
1,1,1-Trichloroethane	ND	ppbv	ND		30	U
Benzene	2.20	ppbv	2.54	14.1	30	
Carbon Tetrachloride	0.076	ppbv	0.06	23.1	30	
tert-Amyl Methyl Ether	ND	ppbv	ND		30	U
1,2-Dichloropropane	ND	ppbv	ND		30	U
Ethyl Acrylate	ND	ppbv	ND		30	U
Bromodichloromethane	ND	ppbv	ND		30	U
Trichloroethylene	ND	ppbv	ND		30	U
Methyl Methacrylate	ND	ppbv	ND		30	U
cis-1,3-Dichloropropene	ND	ppbv	ND		30	U
Methyl Isobutyl Ketone	ND	ppbv	ND		30	U
trans-1,3-Dichloropropene	ND	ppbv	ND		30	U
1,1,2-Trichloroethane	ND	ppbv	ND		30	U
Toluene	3.64	ppbv	4.01	9.70	30	
Dibromochloromethane	ND	ppbv	ND		30	U
1,2-Dibromoethane	ND	ppbv	ND		30	U
n-Octane	0.802	ppbv	0.91	13.0	30	
Tetrachloroethylene	ND	ppbv	ND		30	U
Chlorobenzene	ND	ppbv	ND		30	U
Ethylbenzene	0.314	ppbv	0.31	0.640	30	
m,p-Xylene	1.91	ppbv	2.05	6.98	30	
Bromoform	ND	ppbv	ND		30	U
Styrene	ND	ppbv	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B8H2903 - Summa Canister Prep

Duplicate (B8H2903-DUP2) Continued

Source: 8082101-12

Prepared: 08/12/08 Analyzed: 08/28/08

1,1,2,2-Tetrachloroethane	ND	ppbv	ND		30	U
o-Xylene	0.495	ppbv	0.51	3.69	30	
1,3,5-Trimethylbenzene	0.293	ppbv	0.31	6.86	30	
1,2,4-Trimethylbenzene	0.378	ppbv	0.40	4.97	30	
m-Dichlorobenzene	ND	ppbv	ND		30	U
Chloromethylbenzene	ND	ppbv	ND		30	U
p-Dichlorobenzene	ND	ppbv	ND		30	U
o-Dichlorobenzene	ND	ppbv	ND		30	U
1,2,4-Trichlorobenzene	ND	ppbv	ND		30	U
Hexachloro-1,3-butadiene	ND	ppbv	ND		30	U

Duplicate (B8H2903-DUP3)

Source: 8082101-16

Prepared: 08/13/08 Analyzed: 08/28/08

Acetylene	0.582	ppbv	0.65	10.4	30	
Propylene	0.423	ppbv	0.49	13.9	30	
Dichlorodifluoromethane	0.438	ppbv	0.46	5.26	30	
Chloromethane	0.616	ppbv	0.65	4.52	30	
Dichlorotetrafluoroethane	ND	ppbv	ND		30	U
Vinyl chloride	ND	ppbv	ND		30	U
1,3-Butadiene	ND	ppbv	ND		30	U
Bromomethane	ND	ppbv	ND		30	U
Chloroethane	ND	ppbv	ND		30	U
Acetonitrile	ND	ppbv	ND		30	U
Acrolein	ND	ppbv	ND		30	U
Trichlorofluoromethane	0.240	ppbv	0.25	3.12	30	
Acrylonitrile	ND	ppbv	ND		30	U
1,1-Dichloroethene	ND	ppbv	ND		30	U
Dichloromethane	ND	ppbv	ND		30	U
Carbon Disulfide	ND	ppbv	ND		30	U
Trichlorotrifluoroethane	0.116	ppbv	0.09	23.1	30	
trans-1,2-Dichloroethylene	ND	ppbv	ND		30	U
1,1-Dichloroethane	ND	ppbv	ND		30	U
Methyl tert-Butyl Ether	ND	ppbv	ND		30	U
Methyl Ethyl Ketone	0.891	ppbv	0.80	11.3	30	
Chloroprene	ND	ppbv	ND		30	U
cis-1,2-Dichloroethylene	ND	ppbv	ND		30	U
Bromochloromethane	ND	ppbv	ND		30	U
Chloroform	ND	ppbv	ND		30	U
Ethyl tert-Butyl Ether	ND	ppbv	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B8H2903 - Summa Canister Prep

Duplicate (B8H2903-DUP3) Continued

Source: 8082101-16

Prepared: 08/13/08 Analyzed: 08/28/08

1,2-Dichloroethane	ND	ppbv	ND		30	U
1,1,1-Trichloroethane	ND	ppbv	ND		30	U
Benzene	2.12	ppbv	2.22	4.66	30	
Carbon Tetrachloride	0.060	ppbv	0.05	22.0	30	
tert-Amyl Methyl Ether	ND	ppbv	ND		30	U
1,2-Dichloropropane	ND	ppbv	ND		30	U
Ethyl Acrylate	ND	ppbv	ND		30	U
Bromodichloromethane	ND	ppbv	ND		30	U
Trichloroethylene	ND	ppbv	ND		30	U
Methyl Methacrylate	ND	ppbv	ND		30	U
cis-1,3-Dichloropropene	ND	ppbv	ND		30	U
Methyl Isobutyl Ketone	ND	ppbv	ND		30	U
trans-1,3-Dichloropropene	ND	ppbv	ND		30	U
1,1,2-Trichloroethane	ND	ppbv	ND		30	U
Toluene	5.68	ppbv	5.83	2.71	30	
Dibromochloromethane	ND	ppbv	ND		30	U
1,2-Dibromoethane	ND	ppbv	ND		30	U
n-Octane	1.86	ppbv	2.03	8.97	30	
Tetrachloroethylene	ND	ppbv	ND		30	U
Chlorobenzene	ND	ppbv	ND		30	U
Ethylbenzene	0.537	ppbv	0.56	4.19	30	
m,p-Xylene	5.52	ppbv	5.76	4.11	30	
Bromoform	ND	ppbv	ND		30	U
Styrene	ND	ppbv	ND		30	U
1,1,2,2-Tetrachloroethane	ND	ppbv	ND		30	U
o-Xylene	0.993	ppbv	1.02	2.86	30	
1,3,5-Trimethylbenzene	0.861	ppbv	0.93	7.33	30	
1,2,4-Trimethylbenzene	1.02	ppbv	1.06	3.16	30	
m-Dichlorobenzene	ND	ppbv	ND		30	U
Chloromethylbenzene	ND	ppbv	ND		30	U
p-Dichlorobenzene	ND	ppbv	ND		30	U
o-Dichlorobenzene	ND	ppbv	ND		30	U
1,2,4-Trichlorobenzene	ND	ppbv	ND		30	U
Hexachloro-1,3-butadiene	ND	ppbv	ND		30	U

Duplicate (B8H2903-DUP4)

Source: 8082101-17

Prepared: 08/13/08 Analyzed: 08/28/08

Acetylene	0.560	ppbv	0.63	12.4	30	
Propylene	0.340	ppbv	0.32	7.29	30	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B8H2903 - Summa Canister Prep

Duplicate (B8H2903-DUP4) Continued Source: 8082101-17 Prepared: 08/13/08 Analyzed: 08/28/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
Dichlorodifluoromethane	0.442	ppbv	0.45	1.03	30	
Chloromethane	0.592	ppbv	0.57	3.21	30	
Dichlorotetrafluoroethane	ND	ppbv	ND		30	U
Vinyl chloride	ND	ppbv	ND		30	U
1,3-Butadiene	ND	ppbv	ND		30	U
Bromomethane	ND	ppbv	ND		30	U
Chloroethane	ND	ppbv	ND		30	U
Acetonitrile	ND	ppbv	ND		30	U
Acrolein	ND	ppbv	ND		30	U
Trichlorofluoromethane	0.281	ppbv	0.25	11.5	30	
Acrylonitrile	ND	ppbv	ND		30	U
1,1-Dichloroethene	ND	ppbv	ND		30	U
Dichloromethane	ND	ppbv	ND		30	U
Carbon Disulfide	ND	ppbv	ND		30	U
Trichlorotrifluoroethane	0.101	ppbv	0.14	28.4	30	
trans-1,2-Dichloroethylene	ND	ppbv	ND		30	U
1,1-Dichloroethane	ND	ppbv	ND		30	U
Methyl tert-Butyl Ether	ND	ppbv	ND		30	U
Methyl Ethyl Ketone	0.308	ppbv	0.28	8.49	30	
Chloroprene	ND	ppbv	ND		30	U
cis-1,2-Dichloroethylene	ND	ppbv	ND		30	U
Bromochloromethane	ND	ppbv	ND		30	U
Chloroform	ND	ppbv	ND		30	U
Ethyl tert-Butyl Ether	ND	ppbv	ND		30	U
1,2-Dichloroethane	ND	ppbv	ND		30	U
1,1,1-Trichloroethane	ND	ppbv	ND		30	U
Benzene	1.78	ppbv	2.20	21.3	30	
Carbon Tetrachloride	0.078	ppbv	0.09	17.2	30	
tert-Amyl Methyl Ether	ND	ppbv	ND		30	U
1,2-Dichloropropane	ND	ppbv	ND		30	U
Ethyl Acrylate	ND	ppbv	ND		30	U
Bromodichloromethane	ND	ppbv	ND		30	U
Trichloroethylene	ND	ppbv	ND		30	U
Methyl Methacrylate	ND	ppbv	ND		30	U
cis-1,3-Dichloropropene	ND	ppbv	ND		30	U
Methyl Isobutyl Ketone	ND	ppbv	ND		30	U
trans-1,3-Dichloropropene	ND	ppbv	ND		30	U



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B8H2903 - Summa Canister Prep

Duplicate (B8H2903-DUP4) Continued Source: 8082101-17 Prepared: 08/13/08 Analyzed: 08/28/08

1,1,2-Trichloroethane	ND	ppbv	ND		30	U
Toluene	5.34	ppbv	5.55	3.81	30	
Dibromochloromethane	ND	ppbv	ND		30	U
1,2-Dibromoethane	ND	ppbv	ND		30	U
n-Octane	1.86	ppbv	1.91	2.72	30	
Tetrachloroethylene	ND	ppbv	ND		30	U
Chlorobenzene	ND	ppbv	ND		30	U
Ethylbenzene	0.506	ppbv	0.51	0.0198	30	
m,p-Xylene	5.06	ppbv	5.30	4.58	30	
Bromoform	ND	ppbv	ND		30	U
Styrene	ND	ppbv	ND		30	U
1,1,2,2-Tetrachloroethane	ND	ppbv	ND		30	U
o-Xylene	0.910	ppbv	0.95	3.90	30	
1,3,5-Trimethylbenzene	0.811	ppbv	0.84	3.06	30	
1,2,4-Trimethylbenzene	0.910	ppbv	0.95	4.18	30	
m-Dichlorobenzene	ND	ppbv	ND		30	U
Chloromethylbenzene	ND	ppbv	ND		30	U
p-Dichlorobenzene	ND	ppbv	ND		30	U
o-Dichlorobenzene	ND	ppbv	ND		30	U
1,2,4-Trichlorobenzene	ND	ppbv	ND		30	U
Hexachloro-1,3-butadiene	ND	ppbv	ND		30	U

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP1) Source: 8082101-18 Prepared: 08/13/08 Analyzed: 08/29/08

Acetylene	0.554	ppbv	0.35	44.0	30	
Propylene	0.393	ppbv	0.26	39.5	30	
Dichlorodifluoromethane	0.479	ppbv	0.42	13.7	30	
Chloromethane	0.664	ppbv	0.59	12.1	30	
Dichlorotetrafluoroethane	ND	ppbv	ND		30	U
Vinyl chloride	ND	ppbv	ND		30	U
1,3-Butadiene	ND	ppbv	ND		30	U
Bromomethane	ND	ppbv	ND		30	U
Chloroethane	ND	ppbv	ND		30	U
Acetonitrile	ND	ppbv	ND		30	U
Acrolein	ND	ppbv	ND		30	U
Trichlorofluoromethane	0.272	ppbv	0.24	13.6	30	
Acrylonitrile	ND	ppbv	ND		30	U
1,1-Dichloroethene	ND	ppbv	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP1) Continued Source: 8082101-18 Prepared: 08/13/08 Analyzed: 08/29/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
Dichloromethane	ND	ppbv	ND		30	U
Carbon Disulfide	ND	ppbv	ND		30	U
Trichlorotrifluoroethane	ND	ppbv	0.10		30	U
trans-1,2-Dichloroethylene	ND	ppbv	ND		30	U
1,1-Dichloroethane	ND	ppbv	ND		30	U
Methyl tert-Butyl Ether	ND	ppbv	ND		30	U
Methyl Ethyl Ketone	0.328	ppbv	0.35	5.72	30	
Chloroprene	ND	ppbv	ND		30	U
cis-1,2-Dichloroethylene	ND	ppbv	ND		30	U
Bromochloromethane	ND	ppbv	ND		30	U
Chloroform	ND	ppbv	ND		30	U
Ethyl tert-Butyl Ether	ND	ppbv	ND		30	U
1,2-Dichloroethane	ND	ppbv	ND		30	U
1,1,1-Trichloroethane	ND	ppbv	ND		30	U
Benzene	1.52	ppbv	1.35	11.9	30	
Carbon Tetrachloride	0.047	ppbv	0.05	0.851	30	
tert-Amyl Methyl Ether	ND	ppbv	ND		30	U
1,2-Dichloropropane	ND	ppbv	ND		30	U
Ethyl Acrylate	ND	ppbv	ND		30	U
Bromodichloromethane	ND	ppbv	ND		30	U
Trichloroethylene	ND	ppbv	ND		30	U
Methyl Methacrylate	ND	ppbv	ND		30	U
cis-1,3-Dichloropropene	ND	ppbv	ND		30	U
Methyl Isobutyl Ketone	ND	ppbv	ND		30	U
trans-1,3-Dichloropropene	ND	ppbv	ND		30	U
1,1,2-Trichloroethane	ND	ppbv	ND		30	U
Toluene	5.58	ppbv	5.37	3.82	30	
Dibromochloromethane	ND	ppbv	ND		30	U
1,2-Dibromoethane	ND	ppbv	ND		30	U
n-Octane	3.06	ppbv	2.92	4.77	30	
Tetrachloroethylene	ND	ppbv	ND		30	U
Chlorobenzene	ND	ppbv	ND		30	U
Ethylbenzene	0.703	ppbv	0.65	7.57	30	
m,p-Xylene	7.96	ppbv	7.51	5.79	30	
Bromoform	ND	ppbv	ND		30	U
Styrene	ND	ppbv	ND		30	U
1,1,2,2-Tetrachloroethane	ND	ppbv	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP1) Continued

Source: 8082101-18

Prepared: 08/13/08 Analyzed: 08/29/08

o-Xylene	1.28	ppbv	1.14	11.2	30	
1,3,5-Trimethylbenzene	1.34	ppbv	1.25	6.99	30	
1,2,4-Trimethylbenzene	1.46	ppbv	1.32	10.2	30	
m-Dichlorobenzene	ND	ppbv	ND		30	U
Chloromethylbenzene	ND	ppbv	ND		30	U
p-Dichlorobenzene	ND	ppbv	ND		30	U
o-Dichlorobenzene	ND	ppbv	ND		30	U
1,2,4-Trichlorobenzene	ND	ppbv	ND		30	U
Hexachloro-1,3-butadiene	ND	ppbv	ND		30	U

Duplicate (B8I0101-DUP2)

Source: 8082101-19

Prepared: 08/13/08 Analyzed: 08/29/08

Acetylene	0.429	ppbv	0.46	7.86	30	
Propylene	0.855	ppbv	0.92	7.77	30	
Dichlorodifluoromethane	0.427	ppbv	0.45	5.46	30	
Chloromethane	0.625	ppbv	0.64	2.99	30	
Dichlorotetrafluoroethane	ND	ppbv	ND		30	U
Vinyl chloride	ND	ppbv	ND		30	U
1,3-Butadiene	ND	ppbv	ND		30	U
Bromomethane	ND	ppbv	ND		30	U
Chloroethane	ND	ppbv	ND		30	U
Acetonitrile	ND	ppbv	ND		30	U
Acrolein	ND	ppbv	ND		30	U
Trichlorofluoromethane	0.239	ppbv	0.27	12.0	30	
Acrylonitrile	ND	ppbv	ND		30	U
1,1-Dichloroethene	ND	ppbv	ND		30	U
Dichloromethane	ND	ppbv	ND		30	U
Carbon Disulfide	ND	ppbv	ND		30	U
Trichlorotrifluoroethane	0.091	ppbv	0.09	1.88	30	
trans-1,2-Dichloroethylene	ND	ppbv	ND		30	U
1,1-Dichloroethane	ND	ppbv	ND		30	U
Methyl tert-Butyl Ether	ND	ppbv	ND		30	U
Methyl Ethyl Ketone	1.66	ppbv	1.71	2.89	30	
Chloroprene	ND	ppbv	ND		30	U
cis-1,2-Dichloroethylene	ND	ppbv	ND		30	U
Bromochloromethane	ND	ppbv	ND		30	U
Chloroform	ND	ppbv	ND		30	U
Ethyl tert-Butyl Ether	ND	ppbv	ND		30	U
1,2-Dichloroethane	ND	ppbv	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP2) Continued

Source: 8082101-19

Prepared: 08/13/08 Analyzed: 08/29/08

1,1,1-Trichloroethane	ND	ppbv	ND		30	U
Benzene	1.51	ppbv	1.55	2.49	30	
Carbon Tetrachloride	0.094	ppbv	0.09	1.18	30	
tert-Amyl Methyl Ether	ND	ppbv	ND		30	U
1,2-Dichloropropane	ND	ppbv	ND		30	U
Ethyl Acrylate	ND	ppbv	ND		30	U
Bromodichloromethane	ND	ppbv	ND		30	U
Trichloroethylene	ND	ppbv	ND		30	U
Methyl Methacrylate	ND	ppbv	ND		30	U
cis-1,3-Dichloropropene	ND	ppbv	ND		30	U
Methyl Isobutyl Ketone	ND	ppbv	ND		30	U
trans-1,3-Dichloropropene	ND	ppbv	ND		30	U
1,1,2-Trichloroethane	ND	ppbv	ND		30	U
Toluene	4.97	ppbv	4.95	0.438	30	
Dibromochloromethane	ND	ppbv	ND		30	U
1,2-Dibromoethane	ND	ppbv	ND		30	U
n-Octane	2.64	ppbv	2.69	1.79	30	
Tetrachloroethylene	ND	ppbv	ND		30	U
Chlorobenzene	ND	ppbv	ND		30	U
Ethylbenzene	0.633	ppbv	0.68	6.53	30	
m,p-Xylene	6.96	ppbv	7.24	4.02	30	
Bromoform	ND	ppbv	ND		30	U
Styrene	ND	ppbv	ND		30	U
1,1,2,2-Tetrachloroethane	ND	ppbv	ND		30	U
o-Xylene	1.13	ppbv	1.15	2.35	30	
1,3,5-Trimethylbenzene	1.16	ppbv	1.22	5.20	30	
1,2,4-Trimethylbenzene	1.33	ppbv	1.38	3.64	30	
m-Dichlorobenzene	ND	ppbv	ND		30	U
Chloromethylbenzene	ND	ppbv	ND		30	U
p-Dichlorobenzene	ND	ppbv	ND		30	U
o-Dichlorobenzene	ND	ppbv	ND		30	U
1,2,4-Trichlorobenzene	ND	ppbv	ND		30	U
Hexachloro-1,3-butadiene	ND	ppbv	ND		30	U

Duplicate (B8I0101-DUP3)

Source: 8082101-22

Prepared: 08/14/08 Analyzed: 08/29/08

Acetylene	0.392	ppbv	0.42	7.05	30	
Propylene	0.368	ppbv	0.36	1.53	30	
Dichlorodifluoromethane	0.454	ppbv	0.54	16.7	30	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP3) Continued Source: 8082101-22 Prepared: 08/14/08 Analyzed: 08/29/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
Chloromethane	0.644	ppbv	0.72	10.5	30	
Dichlorotetrafluoroethane	ND	ppbv	ND		30	U
Vinyl chloride	ND	ppbv	ND		30	U
1,3-Butadiene	ND	ppbv	ND		30	U
Bromomethane	ND	ppbv	ND		30	U
Chloroethane	ND	ppbv	ND		30	U
Acetonitrile	ND	ppbv	ND		30	U
Acrolein	ND	ppbv	ND		30	U
Trichlorofluoromethane	0.308	ppbv	0.32	4.14	30	
Acrylonitrile	ND	ppbv	ND		30	U
1,1-Dichloroethene	ND	ppbv	ND		30	U
Dichloromethane	ND	ppbv	ND		30	U
Carbon Disulfide	ND	ppbv	ND		30	U
Trichlorotrifluoroethane	0.108	ppbv	0.11	0.186	30	
trans-1,2-Dichloroethylene	ND	ppbv	ND		30	U
1,1-Dichloroethane	ND	ppbv	ND		30	U
Methyl tert-Butyl Ether	ND	ppbv	ND		30	U
Methyl Ethyl Ketone	0.513	ppbv	0.56	8.23	30	
Chloroprene	ND	ppbv	ND		30	U
cis-1,2-Dichloroethylene	ND	ppbv	ND		30	U
Bromochloromethane	ND	ppbv	ND		30	U
Chloroform	ND	ppbv	ND		30	U
Ethyl tert-Butyl Ether	ND	ppbv	ND		30	U
1,2-Dichloroethane	ND	ppbv	ND		30	U
1,1,1-Trichloroethane	ND	ppbv	ND		30	U
Benzene	2.28	ppbv	2.49	8.74	30	
Carbon Tetrachloride	0.135	ppbv	0.11	18.8	30	
tert-Amyl Methyl Ether	ND	ppbv	ND		30	U
1,2-Dichloropropane	ND	ppbv	ND		30	U
Ethyl Acrylate	ND	ppbv	ND		30	U
Bromodichloromethane	ND	ppbv	ND		30	U
Trichloroethylene	ND	ppbv	ND		30	U
Methyl Methacrylate	ND	ppbv	ND		30	U
cis-1,3-Dichloropropene	ND	ppbv	ND		30	U
Methyl Isobutyl Ketone	ND	ppbv	ND		30	U
trans-1,3-Dichloropropene	ND	ppbv	ND		30	U
1,1,2-Trichloroethane	ND	ppbv	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP3) Continued

Source: 8082101-22

Prepared: 08/14/08 Analyzed: 08/29/08

Toluene	3.02	ppbv	3.28	8.09	30	
Dibromochloromethane	ND	ppbv	ND		30	U
1,2-Dibromoethane	ND	ppbv	ND		30	U
n-Octane	0.352	ppbv	0.37	4.30	30	
Tetrachloroethylene	ND	ppbv	ND		30	U
Chlorobenzene	ND	ppbv	ND		30	U
Ethylbenzene	0.185	ppbv	0.22	18.6	30	
m,p-Xylene	1.54	ppbv	1.70	10.4	30	
Bromoform	ND	ppbv	ND		30	U
Styrene	ND	ppbv	ND		30	U
1,1,2,2-Tetrachloroethane	ND	ppbv	ND		30	U
o-Xylene	0.297	ppbv	0.33	9.37	30	
1,3,5-Trimethylbenzene	ND	ppbv	0.15		30	U
1,2,4-Trimethylbenzene	0.174	ppbv	0.21	20.4	30	
m-Dichlorobenzene	ND	ppbv	ND		30	U
Chloromethylbenzene	ND	ppbv	ND		30	U
p-Dichlorobenzene	ND	ppbv	ND		30	U
o-Dichlorobenzene	ND	ppbv	ND		30	U
1,2,4-Trichlorobenzene	ND	ppbv	ND		30	U
Hexachloro-1,3-butadiene	ND	ppbv	ND		30	U

Duplicate (B8I0101-DUP4)

Source: 8082101-23

Prepared: 08/14/08 Analyzed: 08/29/08

Acetylene	0.449	ppbv	0.36	21.4	30	
Propylene	0.401	ppbv	0.38	6.85	30	
Dichlorodifluoromethane	0.509	ppbv	0.49	3.60	30	
Chloromethane	0.686	ppbv	0.65	5.79	30	
Dichlorotetrafluoroethane	ND	ppbv	ND		30	U
Vinyl chloride	ND	ppbv	ND		30	U
1,3-Butadiene	ND	ppbv	ND		30	U
Bromomethane	ND	ppbv	ND		30	U
Chloroethane	ND	ppbv	ND		30	U
Acetonitrile	ND	ppbv	ND		30	U
Acrolein	ND	ppbv	ND		30	U
Trichlorofluoromethane	0.291	ppbv	0.30	1.60	30	
Acrylonitrile	ND	ppbv	ND		30	U
1,1-Dichloroethene	ND	ppbv	ND		30	U
Dichloromethane	ND	ppbv	ND		30	U
Carbon Disulfide	ND	ppbv	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP4) Continued Source: 8082101-23 Prepared: 08/14/08 Analyzed: 08/29/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
Trichlorotrifluoroethane	0.106	ppbv	0.10	3.93	30	
trans-1,2-Dichloroethylene	ND	ppbv	ND		30	U
1,1-Dichloroethane	ND	ppbv	ND		30	U
Methyl tert-Butyl Ether	ND	ppbv	ND		30	U
Methyl Ethyl Ketone	0.724	ppbv	0.62	15.9	30	
Chloroprene	ND	ppbv	ND		30	U
cis-1,2-Dichloroethylene	ND	ppbv	ND		30	U
Bromochloromethane	ND	ppbv	ND		30	U
Chloroform	ND	ppbv	ND		30	U
Ethyl tert-Butyl Ether	ND	ppbv	ND		30	U
1,2-Dichloroethane	ND	ppbv	ND		30	U
1,1,1-Trichloroethane	ND	ppbv	ND		30	U
Benzene	2.12	ppbv	2.13	0.451	30	
Carbon Tetrachloride	0.144	ppbv	0.11	27.7	30	
tert-Amyl Methyl Ether	ND	ppbv	ND		30	U
1,2-Dichloropropane	ND	ppbv	ND		30	U
Ethyl Acrylate	ND	ppbv	ND		30	U
Bromodichloromethane	ND	ppbv	ND		30	U
Trichloroethylene	ND	ppbv	ND		30	U
Methyl Methacrylate	ND	ppbv	ND		30	U
cis-1,3-Dichloropropene	ND	ppbv	ND		30	U
Methyl Isobutyl Ketone	ND	ppbv	ND		30	U
trans-1,3-Dichloropropene	ND	ppbv	ND		30	U
1,1,2-Trichloroethane	ND	ppbv	ND		30	U
Toluene	3.03	ppbv	3.03	0.00991	30	
Dibromochloromethane	ND	ppbv	ND		30	U
1,2-Dibromoethane	ND	ppbv	ND		30	U
n-Octane	0.390	ppbv	0.42	7.71	30	
Tetrachloroethylene	ND	ppbv	ND		30	U
Chlorobenzene	ND	ppbv	ND		30	U
Ethylbenzene	0.183	ppbv	0.20	8.49	30	
m,p-Xylene	1.54	ppbv	1.54	0.299	30	
Bromoform	ND	ppbv	ND		30	U
Styrene	ND	ppbv	ND		30	U
1,1,2,2-Tetrachloroethane	ND	ppbv	ND		30	U
o-Xylene	0.316	ppbv	0.29	7.48	30	
1,3,5-Trimethylbenzene	0.173	ppbv	0.18	2.68	30	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP4) Continued

Source: 8082101-23

Prepared: 08/14/08 Analyzed: 08/29/08

1,2,4-Trimethylbenzene	0.227	ppbv	0.23	0.619	30	
m-Dichlorobenzene	ND	ppbv	ND		30	U
Chloromethylbenzene	ND	ppbv	ND		30	U
p-Dichlorobenzene	ND	ppbv	ND		30	U
o-Dichlorobenzene	ND	ppbv	ND		30	U
1,2,4-Trichlorobenzene	ND	ppbv	ND		30	U
Hexachloro-1,3-butadiene	ND	ppbv	ND		30	U

Duplicate (B8I0101-DUP5)

Source: 8082101-24

Prepared: 08/14/08 Analyzed: 08/29/08

Acetylene	0.479	ppbv	0.47	1.68	30	
Propylene	ND	ppbv	0.33		30	U
Dichlorodifluoromethane	0.504	ppbv	0.50	1.34	30	
Chloromethane	0.676	ppbv	0.69	2.61	30	
Dichlorotetrafluoroethane	ND	ppbv	ND		30	U
Vinyl chloride	ND	ppbv	ND		30	U
1,3-Butadiene	ND	ppbv	ND		30	U
Bromomethane	ND	ppbv	ND		30	U
Chloroethane	ND	ppbv	ND		30	U
Acetonitrile	ND	ppbv	ND		30	U
Acrolein	ND	ppbv	ND		30	U
Trichlorofluoromethane	0.267	ppbv	0.31	16.0	30	
Acrylonitrile	ND	ppbv	ND		30	U
1,1-Dichloroethene	ND	ppbv	ND		30	U
Dichloromethane	ND	ppbv	ND		30	U
Carbon Disulfide	ND	ppbv	ND		30	U
Trichlorotrifluoroethane	0.135	ppbv	0.12	12.6	30	
trans-1,2-Dichloroethylene	ND	ppbv	ND		30	U
1,1-Dichloroethane	ND	ppbv	ND		30	U
Methyl tert-Butyl Ether	ND	ppbv	ND		30	U
Methyl Ethyl Ketone	0.542	ppbv	0.66	19.2	30	
Chloroprene	ND	ppbv	ND		30	U
cis-1,2-Dichloroethylene	ND	ppbv	ND		30	U
Bromochloromethane	ND	ppbv	ND		30	U
Chloroform	ND	ppbv	ND		30	U
Ethyl tert-Butyl Ether	ND	ppbv	ND		30	U
1,2-Dichloroethane	ND	ppbv	ND		30	U
1,1,1-Trichloroethane	ND	ppbv	ND		30	U
Benzene	3.01	ppbv	2.26	28.4	30	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP5) Continued Source: 8082101-24 Prepared: 08/14/08 Analyzed: 08/29/08

Carbon Tetrachloride	0.147	ppbv	0.12	20.3	30	
tert-Amyl Methyl Ether	ND	ppbv	ND		30	U
1,2-Dichloropropane	ND	ppbv	ND		30	U
Ethyl Acrylate	ND	ppbv	ND		30	U
Bromodichloromethane	ND	ppbv	ND		30	U
Trichloroethylene	ND	ppbv	ND		30	U
Methyl Methacrylate	ND	ppbv	ND		30	U
cis-1,3-Dichloropropene	ND	ppbv	ND		30	U
Methyl Isobutyl Ketone	ND	ppbv	ND		30	U
trans-1,3-Dichloropropene	ND	ppbv	ND		30	U
1,1,2-Trichloroethane	ND	ppbv	ND		30	U
Toluene	4.91	ppbv	4.51	8.42	30	
Dibromochloromethane	ND	ppbv	ND		30	U
1,2-Dibromoethane	ND	ppbv	ND		30	U
n-Octane	0.894	ppbv	0.79	12.7	30	
Tetrachloroethylene	ND	ppbv	ND		30	U
Chlorobenzene	ND	ppbv	ND		30	U
Ethylbenzene	0.248	ppbv	0.29	14.6	30	
m,p-Xylene	2.38	ppbv	2.26	4.99	30	
Bromoform	ND	ppbv	ND		30	U
Styrene	ND	ppbv	ND		30	U
1,1,2,2-Tetrachloroethane	ND	ppbv	ND		30	U
o-Xylene	0.464	ppbv	0.43	8.12	30	
1,3,5-Trimethylbenzene	0.289	ppbv	0.30	3.13	30	
1,2,4-Trimethylbenzene	0.300	ppbv	0.29	3.08	30	
m-Dichlorobenzene	ND	ppbv	ND		30	U
Chloromethylbenzene	ND	ppbv	ND		30	U
p-Dichlorobenzene	ND	ppbv	ND		30	U
o-Dichlorobenzene	ND	ppbv	ND		30	U
1,2,4-Trichlorobenzene	ND	ppbv	ND		30	U
Hexachloro-1,3-butadiene	ND	ppbv	ND		30	U

Duplicate (B8I0101-DUP6) Source: 8082101-25 Prepared: 08/14/08 Analyzed: 08/30/08

Acetylene	0.523	ppbv	0.58	9.52	30	
Propylene	0.368	ppbv	0.38	3.86	30	
Dichlorodifluoromethane	0.507	ppbv	0.51	1.41	30	
Chloromethane	0.707	ppbv	0.64	9.78	30	
Dichlorotetrafluoroethane	ND	ppbv	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP6) Continued Source: 8082101-25 Prepared: 08/14/08 Analyzed: 08/30/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
Vinyl chloride	ND	ppbv	ND		30	U
1,3-Butadiene	ND	ppbv	ND		30	U
Bromomethane	ND	ppbv	ND		30	U
Chloroethane	ND	ppbv	ND		30	U
Acetonitrile	ND	ppbv	ND		30	U
Acrolein	ND	ppbv	ND		30	U
Trichlorofluoromethane	0.311	ppbv	0.28	11.1	30	
Acrylonitrile	ND	ppbv	ND		30	U
1,1-Dichloroethene	ND	ppbv	ND		30	U
Dichloromethane	ND	ppbv	ND		30	U
Carbon Disulfide	ND	ppbv	ND		30	U
Trichlorotrifluoroethane	0.114	ppbv	0.12	3.63	30	
trans-1,2-Dichloroethylene	ND	ppbv	ND		30	U
1,1-Dichloroethane	ND	ppbv	ND		30	U
Methyl tert-Butyl Ether	ND	ppbv	ND		30	U
Methyl Ethyl Ketone	0.828	ppbv	0.63	26.7	30	
Chloroprene	ND	ppbv	ND		30	U
cis-1,2-Dichloroethylene	ND	ppbv	ND		30	U
Bromochloromethane	ND	ppbv	ND		30	U
Chloroform	ND	ppbv	ND		30	U
Ethyl tert-Butyl Ether	ND	ppbv	ND		30	U
1,2-Dichloroethane	ND	ppbv	ND		30	U
1,1,1-Trichloroethane	ND	ppbv	ND		30	U
Benzene	3.16	ppbv	2.81	11.8	30	
Carbon Tetrachloride	0.163	ppbv	0.16	2.86	30	
tert-Amyl Methyl Ether	ND	ppbv	ND		30	U
1,2-Dichloropropane	ND	ppbv	ND		30	U
Ethyl Acrylate	ND	ppbv	ND		30	U
Bromodichloromethane	ND	ppbv	ND		30	U
Trichloroethylene	ND	ppbv	ND		30	U
Methyl Methacrylate	ND	ppbv	ND		30	U
cis-1,3-Dichloropropene	ND	ppbv	ND		30	U
Methyl Isobutyl Ketone	ND	ppbv	ND		30	U
trans-1,3-Dichloropropene	ND	ppbv	ND		30	U
1,1,2-Trichloroethane	ND	ppbv	ND		30	U
Toluene	4.97	ppbv	4.74	4.59	30	
Dibromochloromethane	ND	ppbv	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP6) Continued

Source: 8082101-25

Prepared: 08/14/08 Analyzed: 08/30/08

1,2-Dibromoethane	ND	ppbv	ND		30	U
n-Octane	0.829	ppbv	0.84	0.769	30	
Tetrachloroethylene	ND	ppbv	ND		30	U
Chlorobenzene	ND	ppbv	ND		30	U
Ethylbenzene	0.276	ppbv	0.27	3.31	30	
m,p-Xylene	2.27	ppbv	2.16	5.10	30	
Bromoform	ND	ppbv	ND		30	U
Styrene	ND	ppbv	ND		30	U
1,1,2,2-Tetrachloroethane	ND	ppbv	ND		30	U
o-Xylene	0.456	ppbv	0.43	5.01	30	
1,3,5-Trimethylbenzene	0.135	ppbv	0.14	2.85	30	
1,2,4-Trimethylbenzene	0.192	ppbv	0.21	7.86	30	
m-Dichlorobenzene	ND	ppbv	ND		30	U
Chloromethylbenzene	ND	ppbv	ND		30	U
p-Dichlorobenzene	ND	ppbv	ND		30	U
o-Dichlorobenzene	ND	ppbv	ND		30	U
1,2,4-Trichlorobenzene	ND	ppbv	ND		30	U
Hexachloro-1,3-butadiene	ND	ppbv	ND		30	U

Duplicate (B8I0101-DUP7)

Source: 8082101-27

Prepared: 08/15/08 Analyzed: 08/30/08

Acetylene	0.417	ppbv	0.44	5.02	30	
Propylene	0.917	ppbv	0.79	14.8	30	
Dichlorodifluoromethane	0.540	ppbv	0.49	9.46	30	
Chloromethane	0.684	ppbv	0.65	5.36	30	
Dichlorotetrafluoroethane	ND	ppbv	ND		30	U
Vinyl chloride	ND	ppbv	ND		30	U
1,3-Butadiene	ND	ppbv	ND		30	U
Bromomethane	ND	ppbv	ND		30	U
Chloroethane	ND	ppbv	ND		30	U
Acetonitrile	ND	ppbv	ND		30	U
Acrolein	ND	ppbv	ND		30	U
Trichlorofluoromethane	0.324	ppbv	0.28	14.5	30	
Acrylonitrile	ND	ppbv	ND		30	U
1,1-Dichloroethene	ND	ppbv	ND		30	U
Dichloromethane	ND	ppbv	ND		30	U
Carbon Disulfide	ND	ppbv	ND		30	U
Trichlorotrifluoroethane	0.091	ppbv	0.12	26.2	30	
trans-1,2-Dichloroethylene	ND	ppbv	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP7) Continued Source: 8082101-27 Prepared: 08/15/08 Analyzed: 08/30/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
1,1-Dichloroethane	ND	ppbv	ND		30	U
Methyl tert-Butyl Ether	ND	ppbv	ND		30	U
Methyl Ethyl Ketone	1.40	ppbv	1.23	13.1	30	
Chloroprene	ND	ppbv	ND		30	U
cis-1,2-Dichloroethylene	ND	ppbv	ND		30	U
Bromochloromethane	ND	ppbv	ND		30	U
Chloroform	ND	ppbv	ND		30	U
Ethyl tert-Butyl Ether	ND	ppbv	ND		30	U
1,2-Dichloroethane	ND	ppbv	ND		30	U
1,1,1-Trichloroethane	ND	ppbv	ND		30	U
Benzene	1.33	ppbv	1.00	28.6	30	
Carbon Tetrachloride	0.186	ppbv	0.14	31.0	30	
tert-Amyl Methyl Ether	ND	ppbv	ND		30	U
1,2-Dichloropropane	ND	ppbv	ND		30	U
Ethyl Acrylate	ND	ppbv	ND		30	U
Bromodichloromethane	ND	ppbv	ND		30	U
Trichloroethylene	ND	ppbv	ND		30	U
Methyl Methacrylate	ND	ppbv	ND		30	U
cis-1,3-Dichloropropene	ND	ppbv	ND		30	U
Methyl Isobutyl Ketone	ND	ppbv	ND		30	U
trans-1,3-Dichloropropene	ND	ppbv	ND		30	U
1,1,2-Trichloroethane	ND	ppbv	ND		30	U
Toluene	1.93	ppbv	1.87	3.18	30	
Dibromochloromethane	ND	ppbv	ND		30	U
1,2-Dibromoethane	ND	ppbv	ND		30	U
n-Octane	0.259	ppbv	0.22	15.2	30	
Tetrachloroethylene	ND	ppbv	ND		30	U
Chlorobenzene	ND	ppbv	ND		30	U
Ethylbenzene	0.120	ppbv	0.13	10.5	30	
m,p-Xylene	0.922	ppbv	0.86	6.98	30	
Bromoform	ND	ppbv	ND		30	U
Styrene	ND	ppbv	ND		30	U
1,1,2,2-Tetrachloroethane	ND	ppbv	ND		30	U
o-Xylene	0.184	ppbv	0.18	2.14	30	
1,3,5-Trimethylbenzene	ND	ppbv	ND		30	U
1,2,4-Trimethylbenzene	0.129	ppbv	ND		30	
m-Dichlorobenzene	ND	ppbv	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP7) Continued

Source: 8082101-27

Prepared: 08/15/08 Analyzed: 08/30/08

Chloromethylbenzene	ND	ppbv	ND		30	U
p-Dichlorobenzene	ND	ppbv	ND		30	U
o-Dichlorobenzene	ND	ppbv	ND		30	U
1,2,4-Trichlorobenzene	ND	ppbv	ND		30	U
Hexachloro-1,3-butadiene	ND	ppbv	ND		30	U

Duplicate (B8I0101-DUP8)

Source: 8082101-28

Prepared: 08/15/08 Analyzed: 08/30/08

Acetylene	0.628	ppbv	0.67	6.69	30	
Propylene	0.435	ppbv	0.49	11.7	30	
Dichlorodifluoromethane	0.548	ppbv	0.52	4.84	30	
Chloromethane	0.633	ppbv	0.74	15.6	30	
Dichlorotetrafluoroethane	ND	ppbv	ND		30	U
Vinyl chloride	ND	ppbv	ND		30	U
1,3-Butadiene	ND	ppbv	ND		30	U
Bromomethane	ND	ppbv	ND		30	U
Chloroethane	ND	ppbv	ND		30	U
Acetonitrile	ND	ppbv	ND		30	U
Acrolein	ND	ppbv	ND		30	U
Trichlorofluoromethane	0.314	ppbv	0.32	1.55	30	
Acrylonitrile	ND	ppbv	ND		30	U
1,1-Dichloroethene	ND	ppbv	ND		30	U
Dichloromethane	ND	ppbv	ND		30	U
Carbon Disulfide	ND	ppbv	ND		30	U
Trichlorotrifluoroethane	0.098	ppbv	0.15	41.7	30	
trans-1,2-Dichloroethylene	ND	ppbv	ND		30	U
1,1-Dichloroethane	ND	ppbv	ND		30	U
Methyl tert-Butyl Ether	ND	ppbv	ND		30	U
Methyl Ethyl Ketone	0.450	ppbv	0.69	42.1	30	
Chloroprene	ND	ppbv	ND		30	U
cis-1,2-Dichloroethylene	ND	ppbv	ND		30	U
Bromochloromethane	ND	ppbv	ND		30	U
Chloroform	ND	ppbv	ND		30	U
Ethyl tert-Butyl Ether	ND	ppbv	ND		30	U
1,2-Dichloroethane	ND	ppbv	ND		30	U
1,1,1-Trichloroethane	ND	ppbv	ND		30	U
Benzene	2.26	ppbv	2.70	18.1	30	
Carbon Tetrachloride	0.128	ppbv	0.12	8.07	30	
tert-Amyl Methyl Ether	ND	ppbv	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP8) Continued Source: 8082101-28 Prepared: 08/15/08 Analyzed: 08/30/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
1,2-Dichloropropane	ND	ppbv	ND		30	U
Ethyl Acrylate	ND	ppbv	ND		30	U
Bromodichloromethane	ND	ppbv	ND		30	U
Trichloroethylene	ND	ppbv	ND		30	U
Methyl Methacrylate	ND	ppbv	ND		30	U
cis-1,3-Dichloropropene	ND	ppbv	ND		30	U
Methyl Isobutyl Ketone	ND	ppbv	ND		30	U
trans-1,3-Dichloropropene	ND	ppbv	ND		30	U
1,1,2-Trichloroethane	ND	ppbv	ND		30	U
Toluene	4.86	ppbv	4.89	0.687	30	
Dibromochloromethane	ND	ppbv	ND		30	U
1,2-Dibromoethane	ND	ppbv	ND		30	U
n-Octane	0.564	ppbv	0.51	10.3	30	
Tetrachloroethylene	ND	ppbv	ND		30	U
Chlorobenzene	ND	ppbv	ND		30	U
Ethylbenzene	0.507	ppbv	0.54	5.49	30	
m,p-Xylene	2.44	ppbv	2.43	0.395	30	
Bromoform	ND	ppbv	ND		30	U
Styrene	ND	ppbv	ND		30	U
1,1,2,2-Tetrachloroethane	ND	ppbv	ND		30	U
o-Xylene	0.682	ppbv	0.69	1.05	30	
1,3,5-Trimethylbenzene	0.204	ppbv	0.19	7.96	30	
1,2,4-Trimethylbenzene	0.331	ppbv	0.37	10.5	30	
m-Dichlorobenzene	ND	ppbv	ND		30	U
Chloromethylbenzene	ND	ppbv	ND		30	U
p-Dichlorobenzene	ND	ppbv	ND		30	U
o-Dichlorobenzene	ND	ppbv	ND		30	U
1,2,4-Trichlorobenzene	ND	ppbv	ND		30	U
Hexachloro-1,3-butadiene	ND	ppbv	ND		30	U



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 **FAX:** (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Notes and Definitions

- U Under Detection Limit
- E The concentration indicated for this analyte is an estimated value above the calibration range of the instrument. This value is considered an estimate (CLP E-flag).
- D-01 This result obtained by diluting and reanalyzing the sample.
- ND Analyte NOT DETECTED at or above the Method Detection Limit (MDL)
- NR Not Reported
- MDL Method Detection Limit
- RPD Relative Percent Difference



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/24/08 13:45

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Items for Project Manager Review

LabNumber	Analysis	Analyte	Exception
8082101-05	TO-15	m,p-Xylene	D-01: This result obtained by diluting and reanalyzing the sample. VERSION 5.85:2863
	TO-15	(Air)	Result calculations based on MDL
	TO-15	(Air)	U-Flags used
8082101-04	TO-15	1,2,4-Trimethylbenzene	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	TO-15	1,3,5-Trimethylbenzene	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	TO-15	Benzene	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	TO-15	Ethylbenzene	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	TO-15	m,p-Xylene	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	TO-15	n-Octane	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	TO-15	o-Xylene	D-01: This result obtained by diluting and reanalyzing the sample. This is a modified report
8082101-05	TO-15	Benzene	D-01: This result obtained by diluting and reanalyzing the sample.
B8I0101-DUP8	TO-15	Trichlorotrifluoroethane	Exceeds RPD control limit
8082101-05	TO-15	n-Octane	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-05	TO-15	Toluene	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-07	TO-15	Benzene	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-07	TO-15	m,p-Xylene	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-07	TO-15	n-Octane	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-07	TO-15	Toluene	D-01: This result obtained by diluting and reanalyzing the sample.
B8I0101-DUP1	TO-15	Propylene	Exceeds RPD control limit
B8I0101-DUP1	TO-15	Acetylene	Exceeds RPD control limit
B8I0101-DUP7	TO-15	Carbon Tetrachloride	Exceeds RPD control limit
B8I0101-DUP8	TO-15	Methyl Ethyl Ketone	Exceeds RPD control limit
8082101-04	TO-15	Toluene	D-01: This result obtained by diluting and reanalyzing the sample.



Eastern Research Group
601 Keystone Park Drive
Suite 700
Morrisville, NC 27560

September 25, 2008

Mark Modrak
ARCADIS
4915 Prospectus Drive
Durham, NC 27713
Project Name: Lagoon

Dear Mark Modrak,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 08/21/08 08:11.

The test results in this report are in compliance with NELAC accreditation requirements for the certified parameters. All analyses were performed as described in the US EPA-approved QAPP, under the contract for NMOC, UATMP, PAMS, HAPS, and NATTS support (US EPA Contract No. 68-D-03-049). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7930.

Sincerely,

Laura Van Enwyck
Program Manager



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535

FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
ARCADIS TNAPC11	8082101-04	Air	08/07/08 00:00	08/21/08 08:11
ARCADIS 926	8082101-05	Air	08/08/08 00:00	08/21/08 08:11
ARCADIS 3639A	8082101-06	Air	08/08/08 00:00	08/21/08 08:11
ARCADIS 648	8082101-07	Air	08/08/08 00:00	08/21/08 08:11
ARCADIS ER038	8082101-08	Air	08/09/08 00:00	08/21/08 08:11
ARCADIS ER001	8082101-09	Air	08/09/08 00:00	08/21/08 08:11
ARCADIS ER047	8082101-10	Air	08/09/08 00:00	08/21/08 08:11
ARCADIS C1 167604	8082101-11	Air	08/12/08 00:00	08/21/08 08:11
ARCADIS C2 659	8082101-12	Air	08/12/08 00:00	08/21/08 08:11
ARCADIS ER029	8082101-13	Air	08/12/08 00:00	08/21/08 08:11
ARCADIS 3255	8082101-14	Air	08/13/08 12:07	08/21/08 08:11
ARCADIS TNAPC20	8082101-15	Air	08/13/08 16:52	08/21/08 08:11
ARCADIS C1 ER043	8082101-16	Air	08/13/08 12:07	08/21/08 08:11
ARCADIS C2 444	8082101-17	Air	08/13/08 12:07	08/21/08 08:11
ARCADIS C1 167601	8082101-18	Air	08/13/08 16:52	08/21/08 08:11
ARCADIS C2 3254	8082101-19	Air	08/13/08 16:52	08/21/08 08:11
ARCADIS ER061	8082101-20	Air	08/14/08 11:32	08/21/08 08:11
ARCADIS 15280	8082101-21	Air	08/14/08 17:09	08/21/08 08:11
ARCADIS C1 ER064	8082101-22	Air	08/14/08 11:32	08/21/08 08:11

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 **FAX:** (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

ARCADIS C2 ER069	8082101-23	Air	08/14/08 11:32	08/21/08 08:11
ARCADIS C1 988	8082101-24	Air	08/14/08 17:09	08/21/08 08:11
ARCADIS C2 3248	8082101-25	Air	08/14/08 17:09	08/21/08 08:11
ARCADIS ER021	8082101-26	Air	08/15/08 12:09	08/21/08 08:11
ARCADIS C1 ER114	8082101-27	Air	08/15/08 12:09	08/21/08 08:11
ARCADIS C2 ER085	8082101-28	Air	08/15/08 12:09	08/21/08 08:11



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS TNAPC11 **Lab ID:** 8082101-04 **Sampled:** 08/07/08 00:00
Pressure @ Receipt: 10" Hg **Canister #:** TNAPC11 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 15:15

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	1.46	0.73	0.84		0.560
Acetylene	0.953	0.48	0.51		0.880
Ethane	118	59.00	72.70		0.720
Propylene	1.26	0.42	0.72		0.560
Propane	289	96.30	174.00		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	292	73.00	174.00		0.640
Isobutene/1-Butene	42.5	10.60	24.40		1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	520	130.00	310.00		0.880
trans-2-Butene	0.738	0.19	0.42	U	1.04
cis-2-Butene	1.04	0.26	0.60	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	899	180.00	532.00	E	1.36
1-Pentene	1.13	0.23	0.65		0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	724	145.00	428.00		0.800
Isoprene	1.01	0.20	0.56	U	1.60
trans-2-Pentene	1.56	0.31	0.90		1.52
cis-2-Pentene	1.02	0.20	0.59	U	1.52
2-Methyl-2-butene	2.40	0.48	1.38		1.60
2,2-Dimethylbutane	89.0	14.80	52.40		1.12
Cyclopentene	1.03	0.21	0.58	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	69.6	13.90	40.00		0.640
2,3-Dimethylbutane	185	30.80	109.00		1.60
2-Methylpentane	625	104.00	368.00		0.640
3-Methylpentane	413	68.80	243.00		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	ND	ND	ND	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	1560	260.00	918.00	D-01	32.8
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	650	108.00	374.00		1.04
2,4-Dimethylpentane	113	16.10	66.30		1.92
Benzene	1050	175.00	560.00	D-01	34.3
Cyclohexane	1670	278.00	960.00	D-01	31.4

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS TNAPC11 **Lab ID:** 8082101-04 **Sampled:** 08/07/08 00:00
Pressure @ Receipt: 10" Hg **Canister #:** TNAPC11 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 15:15

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	1030	147.00	604.00	D-01	25.7
2,3-Dimethylpentane	224	32.00	131.00		3.12
3-Methylhexane	1030	147.00	604.00	D-01	32.8
1-Heptene	453	64.70	260.00		3.12
2,2,4-Trimethylpentane	ND	ND	ND	U	1.76
n-Heptane	3440	491.00	2,020.00	D-01	28.6
Methylcyclohexane	8350	1,190.00	4,800.00	D-01	21.4
2,2,3-Trimethylpentane	297	37.10	174.00		2.48
2,3,4-Trimethylpentane	11.8	1.48	6.91		1.44
Toluene	6950	993.00	3,750.00	D-01	47.1
2-Methylheptane	2700	338.00	1,580.00	D-01	25.7
3-Methylheptane	2290	286.00	1,340.00	D-01	28.6
1-Octene	ND	ND	ND	U	2.48
n-Octane	9730	1,220.00	5,690.00	D-01	34.3
Ethylbenzene	1010	126.00	549.00	D-01	30.0
m-Xylene/p-Xylene	13400	1,680.00	7,290.00	D-01	44.3
Styrene	22.8	2.85	12.20		2.00
o-Xylene	1930	241.00	1,050.00	D-01	24.3
1-Nonene	335	37.20	193.00		2.56
n-Nonane	7370	819.00	4,300.00	D-01	24.3
Isopropylbenzene	172	21.50	106.00		2.56
a-Pinene	855	107.00	597.00	D-01	45.7
n-Propylbenzene	308	34.20	169.00		1.52
m-Ethyltoluene	1110	123.00	608.00	D-01	21.4
p-Ethyltoluene	743	82.60	407.00	D-01	37.1
1,3,5-Trimethylbenzene	2260	251.00	1,240.00	D-01	28.6
o-Ethyltoluene	610	67.80	334.00		2.32
b-Pinene	140	17.50	97.70		1.60
1,2,4-Trimethylbenzene	1700	189.00	930.00	D-01	34.3
1-Decene	ND	ND	ND	U	1.60
n-Decane	3250	325.00	1,900.00	D-01	28.6
1,2,3-Trimethylbenzene	253	28.10	138.00		1.76
m-Diethylbenzene	124	12.40	68.20		1.44
p-Diethylbenzene	97.7	9.77	53.70		0.960
1-Undecene	15.0	1.36	8.62		1.36
n-Undecane	1240	113.00	722.00	D-01	24.3
1-Dodecene	51.1	4.26	29.40		3.36
n-Dodecane	434	36.20	252.00		3.36
1-Tridecene	ND	ND	ND	U	3.36

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS TNAPC11 **Lab ID:** 8082101-04 **Sampled:** 08/07/08 00:00
Pressure @ Receipt: 10" Hg **Canister #:** TNAPC11 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 15:15

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
n-Tridecane	133	10.20	77.30		3.36
SNMOC (Sum of Knowns)	78800	ND	ND		
Sum of Unknowns	33200	ND	ND		
TNMOC	112000	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS 926 **Lab ID:** 8082101-05 **Sampled:** 08/08/08 00:00
Pressure @ Receipt: 10" Hg **Canister #:** 926 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 16:19

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	1.39	0.70	0.80		0.560
Acetylene	ND	ND	ND	U	0.880
Ethane	44.0	22.00	27.10		0.720
Propylene	1.25	0.42	0.72		0.560
Propane	84.3	28.10	50.80		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	66.4	16.60	39.50		0.640
Isobutene/1-Butene	27.6	6.90	15.90		1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	118	29.50	70.30		0.880
trans-2-Butene	ND	ND	ND	U	1.04
cis-2-Butene	ND	ND	ND	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	236	47.20	140.00		1.36
1-Pentene	ND	ND	ND	U	0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	164	32.80	97.00		0.800
Isoprene	ND	ND	ND	U	1.60
trans-2-Pentene	ND	ND	ND	U	1.52
cis-2-Pentene	ND	ND	ND	U	1.52
2-Methyl-2-butene	0.907	0.18	0.52	U	1.60
2,2-Dimethylbutane	15.1	2.52	8.89		1.12
Cyclopentene	0.961	0.19	0.54	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	20.2	4.04	11.60		0.640
2,3-Dimethylbutane	30.8	5.13	18.10		1.60
2-Methylpentane	105	17.50	61.80		0.640
3-Methylpentane	68.1	11.40	40.10		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	ND	ND	ND	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	150	25.00	88.30		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	105	17.50	60.40		1.04
2,4-Dimethylpentane	14.7	2.10	8.62		1.92
Benzene	349	58.20	186.00		1.92
Cyclohexane	177	29.50	102.00		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS 926 **Lab ID:** 8082101-05 **Sampled:** 08/08/08 00:00
Pressure @ Receipt: 10" Hg **Canister #:** 926 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 16:19

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	91.2	13.00	53.50		1.44
2,3-Dimethylpentane	27.4	3.91	16.10		3.12
3-Methylhexane	92.2	13.20	54.10		1.84
1-Heptene	52.7	7.53	30.30		3.12
2,2,4-Trimethylpentane	ND	ND	ND	U	1.76
n-Heptane	273	39.00	160.00		1.60
Methylcyclohexane	680	97.10	391.00		1.20
2,2,3-Trimethylpentane	20.9	2.61	12.20		2.48
2,3,4-Trimethylpentane	1.34	0.17	0.78	U	1.44
Toluene	1370	196.00	739.00	D-01	34.5
2-Methylheptane	145	18.10	84.90		1.44
3-Methylheptane	102	12.80	59.70		1.60
1-Octene	ND	ND	ND	U	2.48
n-Octane	459	57.40	269.00		1.92
Ethylbenzene	56.8	7.10	30.90		1.68
m-Xylene/p-Xylene	739	92.40	402.00		2.48
Styrene	1.56	0.20	0.83	U	2.00
o-Xylene	116	14.50	63.10		1.36
1-Nonene	15.8	1.76	9.08		2.56
n-Nonane	398	44.20	232.00		1.36
Isopropylbenzene	8.87	1.11	5.46		2.56
a-Pinene	51.4	6.43	35.90		2.56
n-Propylbenzene	17.6	1.96	9.63		1.52
m-Ethyltoluene	64.8	7.20	35.50		1.20
p-Ethyltoluene	50.7	5.63	27.80		2.08
1,3,5-Trimethylbenzene	153	17.00	83.70		1.60
o-Ethyltoluene	46.4	5.16	25.40		2.32
b-Pinene	7.58	0.95	5.29		1.60
1,2,4-Trimethylbenzene	114	12.70	62.40		1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	307	30.70	179.00		1.60
1,2,3-Trimethylbenzene	16.9	1.88	9.25		1.76
m-Diethylbenzene	10.8	1.08	5.94		1.44
p-Diethylbenzene	8.67	0.87	4.77		0.960
1-Undecene	1.49	0.14	0.86		1.36
n-Undecane	208	18.90	121.00		1.36
1-Dodecene	4.98	0.42	2.86		3.36
n-Dodecane	129	10.80	75.00		3.36
1-Tridecene	ND	ND	ND	U	3.36

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS 926 **Lab ID:** 8082101-05 **Sampled:** 08/08/08 00:00
Pressure @ Receipt: 10" Hg **Canister #:** 926 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 16:19

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
n-Tridecane	54.8	4.22	31.90		3.36
SNMOC (Sum of Knowns)	7270	ND	ND		
Sum of Unknowns	2260	ND	ND		
TNMOC	9530	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS 3639A **Lab ID:** 8082101-06 **Sampled:** 08/08/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** 3639A **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 17:26

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	2.09	1.05	1.20		0.140
Acetylene	2.91	1.46	1.55		0.220
Ethane	40.1	20.10	24.70		0.180
Propylene	1.15	0.38	0.66		0.140
Propane	29.2	9.73	17.60		0.360
Propyne	ND	ND	ND	U	0.360
Isobutane	18.9	4.73	11.30		0.160
Isobutene/1-Butene	4.22	1.06	2.43		0.280
1,3-Butadiene	ND	ND	ND	U	0.380
n-Butane	29.3	7.33	17.40		0.220
trans-2-Butene	0.783	0.20	0.45		0.260
cis-2-Butene	0.808	0.20	0.47		0.380
3-Methyl-1-butene	ND	ND	ND	U	0.400
Isopentane	69.3	13.90	41.00		0.340
1-Pentene	1.56	0.31	0.90		0.240
2-Methyl-1-butene	2.73	0.55	1.57		0.400
n-Pentane	31.6	6.32	18.70		0.200
Isoprene	0.500	0.10	0.28		0.400
trans-2-Pentene	3.16	0.63	1.82		0.380
cis-2-Pentene	1.70	0.34	0.98		0.380
2-Methyl-2-butene	3.88	0.78	2.23		0.400
2,2-Dimethylbutane	3.86	0.64	2.27		0.280
Cyclopentene	1.82	0.36	1.02		0.400
4-Methyl-1-pentene	ND	ND	ND	U	0.860
Cyclopentane	2.87	0.57	1.65		0.160
2,3-Dimethylbutane	5.80	0.97	3.41		0.400
2-Methylpentane	22.4	3.73	13.20		0.160
3-Methylpentane	13.2	2.20	7.77		0.360
2-Methyl-1-pentene	0.446	0.07	0.26	U	0.860
1-Hexene	0.424	0.07	0.24	U	0.860
2-Ethyl-1-butene	ND	ND	ND	U	0.860
n-Hexane	16.8	2.80	9.89		0.460
trans-2-Hexene	0.626	0.10	0.36	U	0.860
cis-2-Hexene	ND	ND	ND	U	0.860
Methylcyclopentane	11.0	1.83	6.32		0.260
2,4-Dimethylpentane	2.23	0.32	1.31		0.480
Benzene	6.53	1.09	3.48		0.480
Cyclohexane	8.19	1.37	4.71		0.440
2-Methylhexane	6.37	0.91	3.74		0.360

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS 3639A **Lab ID:** 8082101-06 **Sampled:** 08/08/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** 3639A **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 17:26

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2,3-Dimethylpentane	2.64	0.38	1.55		0.780
3-Methylhexane	6.15	0.88	3.61		0.460
1-Heptene	1.82	0.26	1.05		0.780
2,2,4-Trimethylpentane	3.20	0.40	1.87		0.440
n-Heptane	7.05	1.01	4.14		0.400
Methylcyclohexane	13.3	1.90	7.65		0.300
2,2,3-Trimethylpentane	1.26	0.16	0.74		0.620
2,3,4-Trimethylpentane	1.16	0.15	0.68		0.360
Toluene	22.7	3.24	12.20		0.660
2-Methylheptane	2.30	0.29	1.35		0.360
3-Methylheptane	2.33	0.29	1.36		0.400
1-Octene	0.510	0.06	0.29	U	0.620
n-Octane	4.39	0.55	2.57		0.480
Ethylbenzene	3.03	0.38	1.65		0.420
m-Xylene/p-Xylene	12.4	1.55	6.74		0.620
Styrene	ND	ND	ND	U	0.500
o-Xylene	4.07	0.51	2.21		0.340
1-Nonene	0.356	0.04	0.21	U	0.640
n-Nonane	2.48	0.28	1.45		0.340
Isopropylbenzene	0.823	0.10	0.51		0.640
a-Pinene	0.745	0.09	0.52		0.640
n-Propylbenzene	1.03	0.11	0.56		0.380
m-Ethyltoluene	2.70	0.30	1.48		0.300
p-Ethyltoluene	2.03	0.23	1.11		0.520
1,3,5-Trimethylbenzene	1.71	0.19	0.94		0.400
o-Ethyltoluene	1.57	0.17	0.86		0.580
b-Pinene	ND	ND	ND	U	0.400
1,2,4-Trimethylbenzene	4.48	0.50	2.45		0.480
1-Decene	ND	ND	ND	U	0.400
n-Decane	3.41	0.34	1.99		0.400
1,2,3-Trimethylbenzene	0.834	0.09	0.46		0.440
m-Diethylbenzene	0.773	0.08	0.43		0.360
p-Diethylbenzene	1.50	0.15	0.83		0.240
1-Undecene	ND	ND	ND	U	0.340
n-Undecane	3.34	0.30	1.95		0.340
1-Dodecene	0.532	0.04	0.31	U	0.840
n-Dodecane	2.39	0.20	1.39		0.840
1-Tridecene	ND	ND	ND	U	0.840
n-Tridecane	0.859	0.07	0.50		0.840

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS 3639A **Lab ID:** 8082101-06 **Sampled:** 08/08/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** 3639A **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 17:26

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
SNMOC (Sum of Knowns)	466	ND	ND		
Sum of Unknowns	181	ND	ND		
TNMOC	648	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS 648 **Lab ID:** 8082101-07 **Sampled:** 08/08/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** 648 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 18:29

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	1.55	0.78	0.89		0.560
Acetylene	0.749	0.38	0.40	U	0.880
Ethane	40.8	20.40	25.10		0.720
Propylene	1.55	0.52	0.89		0.560
Propane	79.8	26.60	48.10		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	63.2	15.80	37.60		0.640
Isobutene/1-Butene	27.5	6.88	15.80		1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	112	28.00	66.70		0.880
trans-2-Butene	ND	ND	ND	U	1.04
cis-2-Butene	ND	ND	ND	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	231	46.20	137.00		1.36
1-Pentene	ND	ND	ND	U	0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	166	33.20	98.20		0.800
Isoprene	ND	ND	ND	U	1.60
trans-2-Pentene	ND	ND	ND	U	1.52
cis-2-Pentene	ND	ND	ND	U	1.52
2-Methyl-2-butene	1.10	0.22	0.63	U	1.60
2,2-Dimethylbutane	14.9	2.48	8.77		1.12
Cyclopentene	1.43	0.29	0.80	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	20.8	4.16	12.00		0.640
2,3-Dimethylbutane	31.3	5.22	18.40		1.60
2-Methylpentane	107	17.80	63.00		0.640
3-Methylpentane	69.0	11.50	40.60		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	ND	ND	ND	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	148	24.70	87.10		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	106	17.70	60.90		1.04
2,4-Dimethylpentane	14.2	2.03	8.33		1.92
Benzene	345	57.50	184.00		1.92
Cyclohexane	174	29.00	100.00		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS 648 **Lab ID:** 8082101-07 **Sampled:** 08/08/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** 648 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 18:29

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	88.1	12.60	51.70		1.44
2,3-Dimethylpentane	25.8	3.69	15.10		3.12
3-Methylhexane	89.0	12.70	52.20		1.84
1-Heptene	50.1	7.16	28.80		3.12
2,2,4-Trimethylpentane	ND	ND	ND	U	1.76
n-Heptane	261	37.30	153.00		1.60
Methylcyclohexane	651	93.00	374.00		1.20
2,2,3-Trimethylpentane	20.7	2.59	12.10		2.48
2,3,4-Trimethylpentane	1.48	0.19	0.87		1.44
Toluene	1430	204.00	771.00	D-01	28.9
2-Methylheptane	137	17.10	80.20		1.44
3-Methylheptane	92.7	11.60	54.20		1.60
1-Octene	ND	ND	ND	U	2.48
n-Octane	433	54.10	253.00		1.92
Ethylbenzene	55.2	6.90	30.00		1.68
m-Xylene/p-Xylene	714	89.30	388.00		2.48
Styrene	1.27	0.16	0.68	U	2.00
o-Xylene	112	14.00	60.90		1.36
1-Nonene	16.3	1.81	9.37		2.56
n-Nonane	368	40.90	215.00		1.36
Isopropylbenzene	13.4	1.68	8.25		2.56
a-Pinene	47.7	5.96	33.30		2.56
n-Propylbenzene	19.1	2.12	10.50		1.52
m-Ethyltoluene	61.7	6.86	33.80		1.20
p-Ethyltoluene	49.0	5.44	26.80		2.08
1,3,5-Trimethylbenzene	144	16.00	78.80		1.60
o-Ethyltoluene	43.0	4.78	23.50		2.32
b-Pinene	8.30	1.04	5.79		1.60
1,2,4-Trimethylbenzene	109	12.10	59.70		1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	284	28.40	166.00		1.60
1,2,3-Trimethylbenzene	19.2	2.13	10.50		1.76
m-Diethylbenzene	10.3	1.03	5.67		1.44
p-Diethylbenzene	7.58	0.76	4.17		0.960
1-Undecene	1.42	0.13	0.82		1.36
n-Undecane	196	17.80	114.00		1.36
1-Dodecene	4.08	0.34	2.35		3.36
n-Dodecane	116	9.67	67.50		3.36
1-Tridecene	ND	ND	ND	U	3.36

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS 648 **Lab ID:** 8082101-07 **Sampled:** 08/08/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** 648 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 18:29

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
n-Tridecane	46.5	3.58	27.00		3.36
SNMOC (Sum of Knowns)	7020	ND	ND		
Sum of Unknowns	2140	ND	ND		
TNMOC	9160	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER038 **Lab ID:** 8082101-08 **Sampled:** 08/09/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** ER038 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 19:35

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	1.04	0.52	0.60		0.140
Acetylene	0.554	0.28	0.30		0.220
Ethane	55.9	28.00	34.40		0.180
Propylene	0.583	0.19	0.34		0.140
Propane	27.6	9.20	16.60		0.360
Propyne	ND	ND	ND	U	0.360
Isobutane	11.7	2.93	6.97		0.160
Isobutene/1-Butene	2.87	0.72	1.65		0.280
1,3-Butadiene	4.30	0.48	1.06		0.380
n-Butane	13.4	3.35	7.98		0.220
trans-2-Butene	ND	ND	ND	U	0.260
cis-2-Butene	ND	ND	ND	U	0.380
3-Methyl-1-butene	ND	ND	ND	U	0.400
Isopentane	25.7	5.14	15.20		0.340
1-Pentene	0.255	0.05	0.15		0.240
2-Methyl-1-butene	ND	ND	ND	U	0.400
n-Pentane	9.84	1.97	5.82		0.200
Isoprene	0.371	0.07	0.21	U	0.400
trans-2-Pentene	ND	ND	ND	U	0.380
cis-2-Pentene	ND	ND	ND	U	0.380
2-Methyl-2-butene	0.420	0.08	0.24		0.400
2,2-Dimethylbutane	1.03	0.17	0.61		0.280
Cyclopentene	0.755	0.15	0.42		0.400
4-Methyl-1-pentene	ND	ND	ND	U	0.860
Cyclopentane	0.925	0.19	0.53		0.160
2,3-Dimethylbutane	1.59	0.27	0.94		0.400
2-Methylpentane	7.17	1.20	4.22		0.160
3-Methylpentane	3.90	0.65	2.30		0.360
2-Methyl-1-pentene	ND	ND	ND	U	0.860
1-Hexene	ND	ND	ND	U	0.860
2-Ethyl-1-butene	ND	ND	ND	U	0.860
n-Hexane	7.57	1.26	4.46		0.460
trans-2-Hexene	ND	ND	ND	U	0.860
cis-2-Hexene	ND	ND	ND	U	0.860
Methylcyclopentane	4.90	0.82	2.82		0.260
2,4-Dimethylpentane	0.728	0.10	0.43		0.480
Benzene	2.30	0.38	1.23		0.480
Cyclohexane	6.63	1.11	3.81		0.440



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER038 **Lab ID:** 8082101-08 **Sampled:** 08/09/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** ER038 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 19:35

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	3.19	0.46	1.87		0.360
2,3-Dimethylpentane	1.05	0.15	0.62		0.780
3-Methylhexane	2.31	0.33	1.36		0.460
1-Heptene	1.55	0.22	0.89		0.780
2,2,4-Trimethylpentane	ND	ND	ND	U	0.440
n-Heptane	4.56	0.65	2.68		0.400
Methylcyclohexane	14.5	2.07	8.34		0.300
2,2,3-Trimethylpentane	0.340	0.04	0.20	U	0.620
2,3,4-Trimethylpentane	0.308	0.04	0.18	U	0.360
Toluene	6.06	0.87	3.27		0.660
2-Methylheptane	1.74	0.22	1.02		0.360
3-Methylheptane	1.20	0.15	0.70		0.400
1-Octene	ND	ND	ND	U	0.620
n-Octane	4.35	0.54	2.55		0.480
Ethylbenzene	0.459	0.06	0.25		0.420
m-Xylene/p-Xylene	3.60	0.45	1.96		0.620
Styrene	ND	ND	ND	U	0.500
o-Xylene	0.906	0.11	0.49		0.340
1-Nonene	0.399	0.04	0.23	U	0.640
n-Nonane	2.88	0.32	1.68		0.340
Isopropylbenzene	0.217	0.03	0.13	U	0.640
a-Pinene	0.750	0.09	0.52		0.640
n-Propylbenzene	0.473	0.05	0.26		0.380
m-Ethyltoluene	0.605	0.07	0.33		0.300
p-Ethyltoluene	0.681	0.08	0.37		0.520
1,3,5-Trimethylbenzene	4.73	0.53	2.59		0.400
o-Ethyltoluene	0.754	0.08	0.41		0.580
b-Pinene	ND	ND	ND	U	0.400
1,2,4-Trimethylbenzene	1.33	0.15	0.73		0.480
1-Decene	ND	ND	ND	U	0.400
n-Decane	5.11	0.51	2.98		0.400
1,2,3-Trimethylbenzene	0.386	0.04	0.21	U	0.440
m-Diethylbenzene	0.568	0.06	0.31		0.360
p-Diethylbenzene	1.50	0.15	0.83		0.240
1-Undecene	ND	ND	ND	U	0.340
n-Undecane	5.29	0.48	3.08		0.340
1-Dodecene	0.341	0.03	0.20	U	0.840
n-Dodecane	3.28	0.27	1.91		0.840

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER038 **Lab ID:** 8082101-08 **Sampled:** 08/09/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** ER038 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 19:35

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
1-Tridecene	ND	ND	ND	U	0.840
n-Tridecane	1.21	0.09	0.70		0.840
SNMOC (Sum of Knowns)	269	ND	ND		
Sum of Unknowns	155	ND	ND		
TNMOC	424	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER001 **Lab ID:** 8082101-09 **Sampled:** 08/09/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** ER001 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 20:38

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	2.29	1.15	1.32		0.560
Acetylene	0.803	0.40	0.43	U	0.880
Ethane	53.6	26.80	33.00		0.720
Propylene	1.69	0.56	0.97		0.560
Propane	26.6	8.87	16.00		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	10.9	2.73	6.49		0.640
Isobutene/1-Butene	ND	ND	ND	U	1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	13.7	3.43	8.16		0.880
trans-2-Butene	ND	ND	ND	U	1.04
cis-2-Butene	ND	ND	ND	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	9.18	1.84	5.43		1.36
1-Pentene	ND	ND	ND	U	0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	10.3	2.06	6.09		0.800
Isoprene	ND	ND	ND	U	1.60
trans-2-Pentene	ND	ND	ND	U	1.52
cis-2-Pentene	ND	ND	ND	U	1.52
2-Methyl-2-butene	ND	ND	ND	U	1.60
2,2-Dimethylbutane	1.16	0.19	0.68		1.12
Cyclopentene	ND	ND	ND	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	1.74	0.35	1.00		0.640
2,3-Dimethylbutane	2.27	0.38	1.34		1.60
2-Methylpentane	7.24	1.21	4.26		0.640
3-Methylpentane	4.42	0.74	2.60		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	ND	ND	ND	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	7.49	1.25	4.41		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	4.87	0.81	2.80		1.04
2,4-Dimethylpentane	1.08	0.15	0.63	U	1.92
Benzene	2.49	0.42	1.33		1.92
Cyclohexane	6.60	1.10	3.79		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER001 **Lab ID:** 8082101-09 **Sampled:** 08/09/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** ER001 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 20:38

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	4.59	0.66	2.69		1.44
2,3-Dimethylpentane	1.62	0.23	0.95	U	3.12
3-Methylhexane	2.51	0.36	1.47		1.84
1-Heptene	1.24	0.18	0.71	U	3.12
2,2,4-Trimethylpentane	ND	ND	ND	U	1.76
n-Heptane	4.40	0.63	2.58		1.60
Methylcyclohexane	12.9	1.84	7.42		1.20
2,2,3-Trimethylpentane	ND	ND	ND	U	2.48
2,3,4-Trimethylpentane	ND	ND	ND	U	1.44
Toluene	7.03	1.00	3.79		2.64
2-Methylheptane	1.57	0.20	0.92		1.44
3-Methylheptane	1.16	0.15	0.68	U	1.60
1-Octene	ND	ND	ND	U	2.48
n-Octane	4.39	0.55	2.57		1.92
Ethylbenzene	0.721	0.09	0.39	U	1.68
m-Xylene/p-Xylene	3.60	0.45	1.96		2.48
Styrene	ND	ND	ND	U	2.00
o-Xylene	1.02	0.13	0.56	U	1.36
1-Nonene	0.988	0.11	0.57	U	2.56
n-Nonane	3.00	0.33	1.75		1.36
Isopropylbenzene	ND	ND	ND	U	2.56
a-Pinene	ND	ND	ND	U	2.56
n-Propylbenzene	0.721	0.08	0.40	U	1.52
m-Ethyltoluene	ND	ND	ND	U	1.20
p-Ethyltoluene	0.786	0.09	0.43	U	2.08
1,3,5-Trimethylbenzene	ND	ND	ND	U	1.60
o-Ethyltoluene	ND	ND	ND	U	2.32
b-Pinene	ND	ND	ND	U	1.60
1,2,4-Trimethylbenzene	1.69	0.19	0.93	U	1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	4.32	0.43	2.52		1.60
1,2,3-Trimethylbenzene	ND	ND	ND	U	1.76
m-Diethylbenzene	ND	ND	ND	U	1.44
p-Diethylbenzene	ND	ND	ND	U	0.960
1-Undecene	ND	ND	ND	U	1.36
n-Undecane	4.31	0.39	2.51		1.36
1-Dodecene	ND	ND	ND	U	3.36
n-Dodecane	2.96	0.25	1.72	U	3.36

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER001 **Lab ID:** 8082101-09 **Sampled:** 08/09/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** ER001 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 20:38

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
1-Tridecene	ND	ND	ND	U	3.36
n-Tridecane	1.26	0.10	0.73	U	3.36
SNMOC (Sum of Knowns)	235	ND	ND		
Sum of Unknowns	187	ND	ND		
TNMOC	422	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER047 **Lab ID:** 8082101-10 **Sampled:** 08/09/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** ER047 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 21:42

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	1.51	0.76	0.87		0.560
Acetylene	ND	ND	ND	U	0.880
Ethane	50.3	25.20	31.00		0.720
Propylene	1.06	0.35	0.61		0.560
Propane	30.5	10.20	18.40		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	19.5	4.88	11.60		0.640
Isobutene/1-Butene	ND	ND	ND	U	1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	31.5	7.88	18.80		0.880
trans-2-Butene	ND	ND	ND	U	1.04
cis-2-Butene	ND	ND	ND	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	43.9	8.78	26.00		1.36
1-Pentene	ND	ND	ND	U	0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	61.5	12.30	36.40		0.800
Isoprene	ND	ND	ND	U	1.60
trans-2-Pentene	ND	ND	ND	U	1.52
cis-2-Pentene	ND	ND	ND	U	1.52
2-Methyl-2-butene	ND	ND	ND	U	1.60
2,2-Dimethylbutane	6.01	1.00	3.54		1.12
Cyclopentene	ND	ND	ND	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	7.23	1.45	4.16		0.640
2,3-Dimethylbutane	15.4	2.57	9.07		1.60
2-Methylpentane	61.6	10.30	36.30		0.640
3-Methylpentane	38.5	6.42	22.70		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	ND	ND	ND	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	74.4	12.40	43.80		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	52.6	8.77	30.20		1.04
2,4-Dimethylpentane	6.13	0.88	3.60		1.92
Benzene	27.9	4.65	14.90		1.92
Cyclohexane	73.8	12.30	42.40		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER047 **Lab ID:** 8082101-10 **Sampled:** 08/09/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** ER047 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 21:42

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	31.7	4.53	18.60		1.44
2,3-Dimethylpentane	10.6	1.51	6.22		3.12
3-Methylhexane	32.9	4.70	19.30		1.84
1-Heptene	20.5	2.93	11.80		3.12
2,2,4-Trimethylpentane	ND	ND	ND	U	1.76
n-Heptane	69.6	9.94	40.80		1.60
Methylcyclohexane	245	35.00	141.00		1.20
2,2,3-Trimethylpentane	5.18	0.65	3.03		2.48
2,3,4-Trimethylpentane	ND	ND	ND	U	1.44
Toluene	79.5	11.40	42.90		2.64
2-Methylheptane	31.4	3.93	18.40		1.44
3-Methylheptane	23.8	2.98	13.90		1.60
1-Octene	ND	ND	ND	U	2.48
n-Octane	93.4	11.70	54.70		1.92
Ethylbenzene	5.80	0.73	3.15		1.68
m-Xylene/p-Xylene	78.9	9.86	42.90		2.48
Styrene	ND	ND	ND	U	2.00
o-Xylene	14.2	1.78	7.72		1.36
1-Nonene	4.55	0.51	2.62		2.56
n-Nonane	73.4	8.16	42.90		1.36
Isopropylbenzene	3.77	0.47	2.32		2.56
a-Pinene	11.0	1.38	7.68		2.56
n-Propylbenzene	4.31	0.48	2.36		1.52
m-Ethyltoluene	10.1	1.12	5.53		1.20
p-Ethyltoluene	10.0	1.11	5.47		2.08
1,3,5-Trimethylbenzene	27.3	3.03	14.90		1.60
o-Ethyltoluene	10.3	1.14	5.64		2.32
b-Pinene	ND	ND	ND	U	1.60
1,2,4-Trimethylbenzene	15.3	1.70	8.37		1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	68.9	6.89	40.20		1.60
1,2,3-Trimethylbenzene	3.88	0.43	2.12		1.76
m-Diethylbenzene	3.22	0.32	1.77		1.44
p-Diethylbenzene	2.79	0.28	1.53		0.960
1-Undecene	ND	ND	ND	U	1.36
n-Undecane	67.4	6.13	39.30		1.36
1-Dodecene	2.47	0.21	1.42	U	3.36
n-Dodecane	53.8	4.48	31.30		3.36
1-Tridecene	ND	ND	ND	U	3.36

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER047 **Lab ID:** 8082101-10 **Sampled:** 08/09/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** ER047 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/27/08 21:42

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
n-Tridecane	27.7	2.13	16.10		3.36
SNMOC (Sum of Knowns)	1750	ND	ND		
Sum of Unknowns	663	ND	ND		
TNMOC	2410	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 167604 **Lab ID:** 8082101-11 **Sampled:** 08/12/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** 167604 **Received:** 08/21/08 08:11
Comments: Col 1 w/659 - downwind **Analyzed:** 08/27/08 22:45

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	1.31	0.66	0.75		0.560
Acetylene	ND	ND	ND	U	0.880
Ethane	26.4	13.20	16.30		0.720
Propylene	0.914	0.31	0.53		0.560
Propane	17.5	5.83	10.50		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	9.90	2.48	5.90		0.640
Isobutene/1-Butene	ND	ND	ND	U	1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	13.1	3.28	7.80		0.880
trans-2-Butene	ND	ND	ND	U	1.04
cis-2-Butene	ND	ND	ND	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	11.8	2.36	6.98		1.36
1-Pentene	ND	ND	ND	U	0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	11.5	2.30	6.80		0.800
Isoprene	ND	ND	ND	U	1.60
trans-2-Pentene	ND	ND	ND	U	1.52
cis-2-Pentene	ND	ND	ND	U	1.52
2-Methyl-2-butene	ND	ND	ND	U	1.60
2,2-Dimethylbutane	1.38	0.23	0.81		1.12
Cyclopentene	ND	ND	ND	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	1.17	0.23	0.67		0.640
2,3-Dimethylbutane	2.14	0.36	1.26		1.60
2-Methylpentane	8.46	1.41	4.98		0.640
3-Methylpentane	4.47	0.75	2.63		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	ND	ND	ND	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	9.65	1.61	5.68		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	5.64	0.94	3.24		1.04
2,4-Dimethylpentane	1.14	0.16	0.67	U	1.92
Benzene	7.96	1.33	4.25		1.92
Cyclohexane	7.15	1.19	4.11		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 167604 **Lab ID:** 8082101-11 **Sampled:** 08/12/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** 167604 **Received:** 08/21/08 08:11
Comments: Col 1 w/659 - downwind **Analyzed:** 08/27/08 22:45

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	4.54	0.65	2.66		1.44
2,3-Dimethylpentane	1.36	0.19	0.80	U	3.12
3-Methylhexane	3.06	0.44	1.80		1.84
1-Heptene	1.80	0.26	1.03	U	3.12
2,2,4-Trimethylpentane	ND	ND	ND	U	1.76
n-Heptane	6.05	0.86	3.55		1.60
Methylcyclohexane	16.0	2.29	9.20		1.20
2,2,3-Trimethylpentane	ND	ND	ND	U	2.48
2,3,4-Trimethylpentane	ND	ND	ND	U	1.44
Toluene	18.6	2.66	10.00		2.64
2-Methylheptane	3.03	0.38	1.77		1.44
3-Methylheptane	1.88	0.24	1.10		1.60
1-Octene	ND	ND	ND	U	2.48
n-Octane	8.22	1.03	4.81		1.92
Ethylbenzene	2.12	0.27	1.15		1.68
m-Xylene/p-Xylene	11.9	1.49	6.47		2.48
Styrene	ND	ND	ND	U	2.00
o-Xylene	2.55	0.32	1.39		1.36
1-Nonene	ND	ND	ND	U	2.56
n-Nonane	6.80	0.76	3.97		1.36
Isopropylbenzene	ND	ND	ND	U	2.56
a-Pinene	1.35	0.17	0.94	U	2.56
n-Propylbenzene	0.786	0.09	0.43	U	1.52
m-Ethyltoluene	1.43	0.16	0.78		1.20
p-Ethyltoluene	1.43	0.16	0.78	U	2.08
1,3,5-Trimethylbenzene	2.93	0.33	1.60		1.60
o-Ethyltoluene	1.72	0.19	0.94	U	2.32
b-Pinene	ND	ND	ND	U	1.60
1,2,4-Trimethylbenzene	2.87	0.32	1.57		1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	6.44	0.64	3.76		1.60
1,2,3-Trimethylbenzene	0.838	0.09	0.46	U	1.76
m-Diethylbenzene	ND	ND	ND	U	1.44
p-Diethylbenzene	ND	ND	ND	U	0.960
1-Undecene	ND	ND	ND	U	1.36
n-Undecane	7.78	0.71	4.53		1.36
1-Dodecene	ND	ND	ND	U	3.36
n-Dodecane	6.92	0.58	4.03		3.36

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713
ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
REPORTED: 09/25/08 07:21
SUBMITTED: 08/21/08
AQS SITE CODE:
SITE CODE: Lagoon

Description: ARCADIS C1 167604 **Lab ID:** 8082101-11 **Sampled:** 08/12/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** 167604 **Received:** 08/21/08 08:11
Comments: Col 1 w/659 - downwind **Analyzed:** 08/27/08 22:45

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
1-Tridecene	ND	ND	ND	U	3.36
n-Tridecane	2.73	0.21	1.59	U	3.36
SNMOC (Sum of Knowns)	267	ND	ND		
Sum of Unknowns	191	ND	ND		
TNMOC	457	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 659 **Lab ID:** 8082101-12 **Sampled:** 08/12/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** 659 **Received:** 08/21/08 08:11
Comments: Col 2 w/167604 - downwind **Analyzed:** 08/28/08 00:51

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	1.28	0.64	0.74		0.560
Acetylene	ND	ND	ND	U	0.880
Ethane	26.7	13.40	16.50		0.720
Propylene	0.861	0.29	0.50		0.560
Propane	17.7	5.90	10.70		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	9.99	2.50	5.95		0.640
Isobutene/1-Butene	ND	ND	ND	U	1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	16.3	4.08	9.71		0.880
trans-2-Butene	ND	ND	ND	U	1.04
cis-2-Butene	ND	ND	ND	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	22.1	4.42	13.10		1.36
1-Pentene	0.833	0.17	0.48	U	0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	16.2	3.24	9.58		0.800
Isoprene	ND	ND	ND	U	1.60
trans-2-Pentene	1.64	0.33	0.94		1.52
cis-2-Pentene	1.08	0.22	0.62	U	1.52
2-Methyl-2-butene	1.97	0.39	1.13		1.60
2,2-Dimethylbutane	2.24	0.37	1.32		1.12
Cyclopentene	ND	ND	ND	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	2.44	0.49	1.40		0.640
2,3-Dimethylbutane	3.51	0.59	2.07		1.60
2-Methylpentane	14.1	2.35	8.30		0.640
3-Methylpentane	7.61	1.27	4.48		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	ND	ND	ND	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	11.9	1.98	7.01		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	7.76	1.29	4.46		1.04
2,4-Dimethylpentane	1.98	0.28	1.16		1.92
Benzene	9.46	1.58	5.05		1.92
Cyclohexane	7.42	1.24	4.27		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 659 **Lab ID:** 8082101-12 **Sampled:** 08/12/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** 659 **Received:** 08/21/08 08:11
Comments: Col 2 w/167604 - downwind **Analyzed:** 08/28/08 00:51

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	6.32	0.90	3.71		1.44
2,3-Dimethylpentane	2.64	0.38	1.55	U	3.12
3-Methylhexane	4.30	0.61	2.52		1.84
1-Heptene	2.24	0.32	1.29	U	3.12
2,2,4-Trimethylpentane	1.09	0.14	0.64	U	1.76
n-Heptane	7.44	1.06	4.37		1.60
Methylcyclohexane	16.9	2.41	9.72		1.20
2,2,3-Trimethylpentane	ND	ND	ND	U	2.48
2,3,4-Trimethylpentane	0.738	0.09	0.43	U	1.44
Toluene	22.7	3.24	12.20		2.64
2-Methylheptane	3.57	0.45	2.09		1.44
3-Methylheptane	2.87	0.36	1.68		1.60
1-Octene	ND	ND	ND	U	2.48
n-Octane	9.50	1.19	5.56		1.92
Ethylbenzene	2.57	0.32	1.40		1.68
m-Xylene/p-Xylene	15.0	1.88	8.16		2.48
Styrene	ND	ND	ND	U	2.00
o-Xylene	3.71	0.46	2.02		1.36
1-Nonene	ND	ND	ND	U	2.56
n-Nonane	7.99	0.89	4.67		1.36
Isopropylbenzene	ND	ND	ND	U	2.56
a-Pinene	1.43	0.18	1.00	U	2.56
n-Propylbenzene	0.662	0.07	0.36	U	1.52
m-Ethyltoluene	2.12	0.24	1.16		1.20
p-Ethyltoluene	1.75	0.19	0.96	U	2.08
1,3,5-Trimethylbenzene	3.79	0.42	2.07		1.60
o-Ethyltoluene	1.46	0.16	0.80	U	2.32
b-Pinene	ND	ND	ND	U	1.60
1,2,4-Trimethylbenzene	4.09	0.45	2.24		1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	7.74	0.77	4.51		1.60
1,2,3-Trimethylbenzene	0.790	0.09	0.43	U	1.76
m-Diethylbenzene	ND	ND	ND	U	1.44
p-Diethylbenzene	ND	ND	ND	U	0.960
1-Undecene	ND	ND	ND	U	1.36
n-Undecane	7.19	0.65	4.19		1.36
1-Dodecene	ND	ND	ND	U	3.36
n-Dodecane	4.98	0.42	2.90		3.36

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713
ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
REPORTED: 09/25/08 07:21
SUBMITTED: 08/21/08
AQS SITE CODE:
SITE CODE: Lagoon

Description: ARCADIS C2 659 **Lab ID:** 8082101-12 **Sampled:** 08/12/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** 659 **Received:** 08/21/08 08:11
Comments: Col 2 w/167604 - downwind **Analyzed:** 08/28/08 00:51

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
1-Tridecene	ND	ND	ND	U	3.36
n-Tridecane	1.89	0.15	1.10	U	3.36
SNMOC (Sum of Knowns)	333	ND	ND		
Sum of Unknowns	197	ND	ND		
TNMOC	529	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER029 **Lab ID:** 8082101-13 **Sampled:** 08/12/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** ER029 **Received:** 08/21/08 08:11
Comments: upwind canister **Analyzed:** 08/28/08 02:58

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	1.51	0.76	0.87		0.560
Acetylene	1.05	0.53	0.56		0.880
Ethane	21.0	10.50	12.90		0.720
Propylene	0.978	0.33	0.56		0.560
Propane	12.3	4.10	7.41		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	4.66	1.17	2.77		0.640
Isobutene/1-Butene	ND	ND	ND	U	1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	5.46	1.37	3.25		0.880
trans-2-Butene	ND	ND	ND	U	1.04
cis-2-Butene	ND	ND	ND	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	4.31	0.86	2.55		1.36
1-Pentene	ND	ND	ND	U	0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	4.38	0.88	2.59		0.800
Isoprene	ND	ND	ND	U	1.60
trans-2-Pentene	ND	ND	ND	U	1.52
cis-2-Pentene	ND	ND	ND	U	1.52
2-Methyl-2-butene	ND	ND	ND	U	1.60
2,2-Dimethylbutane	1.04	0.17	0.61	U	1.12
Cyclopentene	ND	ND	ND	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	1.11	0.22	0.64		0.640
2,3-Dimethylbutane	1.07	0.18	0.63	U	1.60
2-Methylpentane	5.27	0.88	3.10		0.640
3-Methylpentane	2.53	0.42	1.49		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	ND	ND	ND	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	4.56	0.76	2.68		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	2.84	0.47	1.63		1.04
2,4-Dimethylpentane	0.693	0.10	0.41	U	1.92
Benzene	2.38	0.40	1.27		1.92
Cyclohexane	4.28	0.71	2.46		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER029 **Lab ID:** 8082101-13 **Sampled:** 08/12/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** ER029 **Received:** 08/21/08 08:11
Comments: upwind canister **Analyzed:** 08/28/08 02:58

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	3.74	0.53	2.19		1.44
2,3-Dimethylpentane	1.48	0.21	0.87	U	3.12
3-Methylhexane	2.60	0.37	1.53		1.84
1-Heptene	1.41	0.20	0.81	U	3.12
2,2,4-Trimethylpentane	ND	ND	ND	U	1.76
n-Heptane	4.89	0.70	2.87		1.60
Methylcyclohexane	12.1	1.73	6.96		1.20
2,2,3-Trimethylpentane	ND	ND	ND	U	2.48
2,3,4-Trimethylpentane	ND	ND	ND	U	1.44
Toluene	6.29	0.90	3.39		2.64
2-Methylheptane	2.15	0.27	1.26		1.44
3-Methylheptane	1.72	0.22	1.01		1.60
1-Octene	ND	ND	ND	U	2.48
n-Octane	6.20	0.78	3.63		1.92
Ethylbenzene	1.05	0.13	0.57	U	1.68
m-Xylene/p-Xylene	7.52	0.94	4.09		2.48
Styrene	ND	ND	ND	U	2.00
o-Xylene	1.88	0.24	1.02		1.36
1-Nonene	ND	ND	ND	U	2.56
n-Nonane	4.14	0.46	2.42		1.36
Isopropylbenzene	ND	ND	ND	U	2.56
a-Pinene	0.680	0.09	0.48	U	2.56
n-Propylbenzene	ND	ND	ND	U	1.52
m-Ethyltoluene	0.984	0.11	0.54	U	1.20
p-Ethyltoluene	1.35	0.15	0.74	U	2.08
1,3,5-Trimethylbenzene	1.80	0.20	0.99		1.60
o-Ethyltoluene	0.978	0.11	0.54	U	2.32
b-Pinene	ND	ND	ND	U	1.60
1,2,4-Trimethylbenzene	1.92	0.21	1.05		1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	3.48	0.35	2.03		1.60
1,2,3-Trimethylbenzene	0.672	0.07	0.37	U	1.76
m-Diethylbenzene	ND	ND	ND	U	1.44
p-Diethylbenzene	ND	ND	ND	U	0.960
1-Undecene	ND	ND	ND	U	1.36
n-Undecane	3.72	0.34	2.17		1.36
1-Dodecene	ND	ND	ND	U	3.36
n-Dodecane	2.70	0.23	1.57	U	3.36

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER029 **Lab ID:** 8082101-13 **Sampled:** 08/12/08 00:00
Pressure @ Receipt: 8" Hg **Canister #:** ER029 **Received:** 08/21/08 08:11
Comments: upwind canister **Analyzed:** 08/28/08 02:58

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
1-Tridecene	ND	ND	ND	U	3.36
n-Tridecane	ND	ND	ND	U	3.36
SNMOC (Sum of Knowns)	157	ND	ND		
Sum of Unknowns	159	ND	ND		
TNMOC	316	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS 3255 **Lab ID:** 8082101-14 **Sampled:** 08/13/08 12:07
Pressure @ Receipt: 8" Hg **Canister #:** 3255 **Received:** 08/21/08 08:11
Comments: upwind **Analyzed:** 08/28/08 04:01

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	1.78	0.89	1.02		0.560
Acetylene	1.08	0.54	0.58		0.880
Ethane	36.9	18.50	22.70		0.720
Propylene	1.27	0.42	0.73		0.560
Propane	25.7	8.57	15.50		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	10.6	2.65	6.31		0.640
Isobutene/1-Butene	ND	ND	ND	U	1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	12.8	3.20	7.62		0.880
trans-2-Butene	ND	ND	ND	U	1.04
cis-2-Butene	ND	ND	ND	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	7.32	1.46	4.33		1.36
1-Pentene	ND	ND	ND	U	0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	7.92	1.58	4.68		0.800
Isoprene	ND	ND	ND	U	1.60
trans-2-Pentene	ND	ND	ND	U	1.52
cis-2-Pentene	ND	ND	ND	U	1.52
2-Methyl-2-butene	ND	ND	ND	U	1.60
2,2-Dimethylbutane	1.19	0.20	0.70		1.12
Cyclopentene	ND	ND	ND	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	1.37	0.27	0.79		0.640
2,3-Dimethylbutane	1.73	0.29	1.02		1.60
2-Methylpentane	6.59	1.10	3.88		0.640
3-Methylpentane	3.11	0.52	1.83		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	ND	ND	ND	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	6.10	1.02	3.59		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	3.11	0.52	1.79		1.04
2,4-Dimethylpentane	1.39	0.20	0.82	U	1.92
Benzene	2.07	0.35	1.10		1.92
Cyclohexane	3.88	0.65	2.23		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS 3255 **Lab ID:** 8082101-14 **Sampled:** 08/13/08 12:07
Pressure @ Receipt: 8" Hg **Canister #:** 3255 **Received:** 08/21/08 08:11
Comments: upwind **Analyzed:** 08/28/08 04:01

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	4.00	0.57	2.35		1.44
2,3-Dimethylpentane	1.13	0.16	0.66	U	3.12
3-Methylhexane	2.05	0.29	1.20		1.84
1-Heptene	1.34	0.19	0.77	U	3.12
2,2,4-Trimethylpentane	ND	ND	ND	U	1.76
n-Heptane	4.11	0.59	2.41		1.60
Methylcyclohexane	10.1	1.44	5.81		1.20
2,2,3-Trimethylpentane	ND	ND	ND	U	2.48
2,3,4-Trimethylpentane	ND	ND	ND	U	1.44
Toluene	4.71	0.67	2.54		2.64
2-Methylheptane	1.71	0.21	1.00		1.44
3-Methylheptane	1.39	0.17	0.81	U	1.60
1-Octene	ND	ND	ND	U	2.48
n-Octane	4.08	0.51	2.39		1.92
Ethylbenzene	0.856	0.11	0.47	U	1.68
m-Xylene/p-Xylene	3.80	0.48	2.07		2.48
Styrene	ND	ND	ND	U	2.00
o-Xylene	1.35	0.17	0.73	U	1.36
1-Nonene	ND	ND	ND	U	2.56
n-Nonane	2.86	0.32	1.67		1.36
Isopropylbenzene	ND	ND	ND	U	2.56
a-Pinene	ND	ND	ND	U	2.56
n-Propylbenzene	ND	ND	ND	U	1.52
m-Ethyltoluene	0.896	0.10	0.49	U	1.20
p-Ethyltoluene	ND	ND	ND	U	2.08
1,3,5-Trimethylbenzene	1.30	0.14	0.71	U	1.60
o-Ethyltoluene	ND	ND	ND	U	2.32
b-Pinene	ND	ND	ND	U	1.60
1,2,4-Trimethylbenzene	1.16	0.13	0.64	U	1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	2.29	0.23	1.34		1.60
1,2,3-Trimethylbenzene	ND	ND	ND	U	1.76
m-Diethylbenzene	ND	ND	ND	U	1.44
p-Diethylbenzene	ND	ND	ND	U	0.960
1-Undecene	ND	ND	ND	U	1.36
n-Undecane	0.896	0.08	0.52	U	1.36
1-Dodecene	ND	ND	ND	U	3.36
n-Dodecane	ND	ND	ND	U	3.36

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS 3255 **Lab ID:** 8082101-14 **Sampled:** 08/13/08 12:07
Pressure @ Receipt: 8" Hg **Canister #:** 3255 **Received:** 08/21/08 08:11
Comments: upwind **Analyzed:** 08/28/08 04:01

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
1-Tridecene	ND	ND	ND	U	3.36
n-Tridecane	ND	ND	ND	U	3.36
SNMOC (Sum of Knowns)	186	ND	ND		
Sum of Unknowns	126	ND	ND		
TNMOC	311	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS TNAPC20 **Lab ID:** 8082101-15 **Sampled:** 08/13/08 16:52
Pressure @ Receipt: 8" Hg **Canister #:** TNAPC20 **Received:** 08/21/08 08:11
Comments: upwind single summa canister **Analyzed:** 08/28/08 05:04

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	1.43	0.72	0.82		0.560
Acetylene	0.777	0.39	0.42	U	0.880
Ethane	52.0	26.00	32.00		0.720
Propylene	1.04	0.35	0.60		0.560
Propane	32.6	10.90	19.60		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	13.9	3.48	8.28		0.640
Isobutene/1-Butene	ND	ND	ND	U	1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	18.5	4.63	11.00		0.880
trans-2-Butene	ND	ND	ND	U	1.04
cis-2-Butene	ND	ND	ND	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	19.7	3.94	11.70		1.36
1-Pentene	ND	ND	ND	U	0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	21.0	4.20	12.40		0.800
Isoprene	ND	ND	ND	U	1.60
trans-2-Pentene	ND	ND	ND	U	1.52
cis-2-Pentene	ND	ND	ND	U	1.52
2-Methyl-2-butene	ND	ND	ND	U	1.60
2,2-Dimethylbutane	1.93	0.32	1.14		1.12
Cyclopentene	ND	ND	ND	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	2.25	0.45	1.29		0.640
2,3-Dimethylbutane	4.45	0.74	2.62		1.60
2-Methylpentane	19.3	3.22	11.40		0.640
3-Methylpentane	11.6	1.93	6.83		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	ND	ND	ND	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	29.4	4.90	17.30		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	16.2	2.70	9.31		1.04
2,4-Dimethylpentane	2.13	0.30	1.25		1.92
Benzene	6.23	1.04	3.32		1.92
Cyclohexane	23.2	3.87	13.30		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS TNAPC20 **Lab ID:** 8082101-15 **Sampled:** 08/13/08 16:52
Pressure @ Receipt: 8" Hg **Canister #:** TNAPC20 **Received:** 08/21/08 08:11
Comments: upwind single summa canister **Analyzed:** 08/28/08 05:04

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	11.1	1.59	6.51		1.44
2,3-Dimethylpentane	4.00	0.57	2.35		3.12
3-Methylhexane	9.43	1.35	5.53		1.84
1-Heptene	5.81	0.83	3.34		3.12
2,2,4-Trimethylpentane	ND	ND	ND	U	1.76
n-Heptane	24.2	3.46	14.20		1.60
Methylcyclohexane	65.3	9.33	37.50		1.20
2,2,3-Trimethylpentane	ND	ND	ND	U	2.48
2,3,4-Trimethylpentane	ND	ND	ND	U	1.44
Toluene	24.5	3.50	13.20		2.64
2-Methylheptane	7.98	1.00	4.67		1.44
3-Methylheptane	5.33	0.67	3.12		1.60
1-Octene	ND	ND	ND	U	2.48
n-Octane	23.6	2.95	13.80		1.92
Ethylbenzene	3.44	0.43	1.87		1.68
m-Xylene/p-Xylene	31.8	3.98	17.30		2.48
Styrene	ND	ND	ND	U	2.00
o-Xylene	5.52	0.69	3.00		1.36
1-Nonene	1.11	0.12	0.64	U	2.56
n-Nonane	12.7	1.41	7.42		1.36
Isopropylbenzene	ND	ND	ND	U	2.56
a-Pinene	1.64	0.21	1.14	U	2.56
n-Propylbenzene	1.40	0.16	0.77	U	1.52
m-Ethyltoluene	4.37	0.49	2.39		1.20
p-Ethyltoluene	2.95	0.33	1.61		2.08
1,3,5-Trimethylbenzene	7.44	0.83	4.07		1.60
o-Ethyltoluene	1.97	0.22	1.08	U	2.32
b-Pinene	ND	ND	ND	U	1.60
1,2,4-Trimethylbenzene	6.85	0.76	3.75		1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	8.82	0.88	5.14		1.60
1,2,3-Trimethylbenzene	0.976	0.11	0.53	U	1.76
m-Diethylbenzene	ND	ND	ND	U	1.44
p-Diethylbenzene	ND	ND	ND	U	0.960
1-Undecene	ND	ND	ND	U	1.36
n-Undecane	7.36	0.67	4.29		1.36
1-Dodecene	ND	ND	ND	U	3.36
n-Dodecane	7.57	0.63	4.40		3.36

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS TNAPC20 **Lab ID:** 8082101-15 **Sampled:** 08/13/08 16:52
Pressure @ Receipt: 8" Hg **Canister #:** TNAPC20 **Received:** 08/21/08 08:11
Comments: upwind single summa canister **Analyzed:** 08/28/08 05:04

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
1-Tridecene	ND	ND	ND	U	3.36
n-Tridecane	5.12	0.39	2.98		3.36
SNMOC (Sum of Knowns)	570	ND	ND		
Sum of Unknowns	216	ND	ND		
TNMOC	786	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 ER043 **Lab ID:** 8082101-16 **Sampled:** 08/13/08 12:07
Pressure @ Receipt: 10" Hg **Canister #:** ER043 **Received:** 08/21/08 08:11
Comments: Col 1 w/444 - downwind **Analyzed:** 08/28/08 06:07

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	2.11	1.06	1.21		0.560
Acetylene	1.19	0.60	0.64		0.880
Ethane	40.2	20.10	24.80		0.720
Propylene	1.10	0.37	0.63		0.560
Propane	28.9	9.63	17.40		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	13.3	3.33	7.92		0.640
Isobutene/1-Butene	ND	ND	ND	U	1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	17.8	4.45	10.60		0.880
trans-2-Butene	ND	ND	ND	U	1.04
cis-2-Butene	ND	ND	ND	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	14.9	2.98	8.81		1.36
1-Pentene	ND	ND	ND	U	0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	18.3	3.66	10.80		0.800
Isoprene	ND	ND	ND	U	1.60
trans-2-Pentene	ND	ND	ND	U	1.52
cis-2-Pentene	ND	ND	ND	U	1.52
2-Methyl-2-butene	ND	ND	ND	U	1.60
2,2-Dimethylbutane	1.83	0.31	1.08		1.12
Cyclopentene	ND	ND	ND	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	2.53	0.51	1.45		0.640
2,3-Dimethylbutane	3.91	0.65	2.30		1.60
2-Methylpentane	16.0	2.67	9.42		0.640
3-Methylpentane	9.23	1.54	5.43		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	ND	ND	ND	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	20.2	3.37	11.90		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	13.7	2.28	7.88		1.04
2,4-Dimethylpentane	2.16	0.31	1.27		1.92
Benzene	8.38	1.40	4.47		1.92
Cyclohexane	19.7	3.28	11.30		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 ER043 **Lab ID:** 8082101-16 **Sampled:** 08/13/08 12:07
Pressure @ Receipt: 10" Hg **Canister #:** ER043 **Received:** 08/21/08 08:11
Comments: Col 1 w/444 - downwind **Analyzed:** 08/28/08 06:07

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	9.34	1.33	5.48		1.44
2,3-Dimethylpentane	3.56	0.51	2.09		3.12
3-Methylhexane	7.38	1.05	4.33		1.84
1-Heptene	1.68	0.24	0.97	U	3.12
2,2,4-Trimethylpentane	2.90	0.36	1.70		1.76
n-Heptane	17.5	2.50	10.30		1.60
Methylcyclohexane	50.0	7.14	28.70		1.20
2,2,3-Trimethylpentane	ND	ND	ND	U	2.48
2,3,4-Trimethylpentane	1.11	0.14	0.65	U	1.44
Toluene	33.0	4.71	17.80		2.64
2-Methylheptane	7.12	0.89	4.17		1.44
3-Methylheptane	5.48	0.69	3.21		1.60
1-Octene	ND	ND	ND	U	2.48
n-Octane	21.9	2.74	12.80		1.92
Ethylbenzene	3.75	0.47	2.04		1.68
m-Xylene/p-Xylene	39.9	4.99	21.70		2.48
Styrene	ND	ND	ND	U	2.00
o-Xylene	7.37	0.92	4.01		1.36
1-Nonene	ND	ND	ND	U	2.56
n-Nonane	17.6	1.96	10.30		1.36
Isopropylbenzene	0.966	0.12	0.60	U	2.56
a-Pinene	3.00	0.38	2.09		2.56
n-Propylbenzene	1.43	0.16	0.78	U	1.52
m-Ethyltoluene	5.41	0.60	2.96		1.20
p-Ethyltoluene	3.72	0.41	2.04		2.08
1,3,5-Trimethylbenzene	8.48	0.94	4.64		1.60
o-Ethyltoluene	2.95	0.33	1.61		2.32
b-Pinene	ND	ND	ND	U	1.60
1,2,4-Trimethylbenzene	9.63	1.07	5.27		1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	16.7	1.67	9.74		1.60
1,2,3-Trimethylbenzene	1.94	0.22	1.06		1.76
m-Diethylbenzene	1.24	0.12	0.68	U	1.44
p-Diethylbenzene	ND	ND	ND	U	0.960
1-Undecene	ND	ND	ND	U	1.36
n-Undecane	18.9	1.72	11.00		1.36
1-Dodecene	ND	ND	ND	U	3.36
n-Dodecane	15.7	1.31	9.13		3.36

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 ER043 **Lab ID:** 8082101-16 **Sampled:** 08/13/08 12:07
Pressure @ Receipt: 10" Hg **Canister #:** ER043 **Received:** 08/21/08 08:11
Comments: Col 1 w/444 - downwind **Analyzed:** 08/28/08 06:07

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
1-Tridecene	ND	ND	ND	U	3.36
n-Tridecane	9.34	0.72	5.43		3.36
SNMOC (Sum of Knowns)	564	ND	ND		
Sum of Unknowns	304	ND	ND		
TNMOC	868	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 444 **Lab ID:** 8082101-17 **Sampled:** 08/13/08 12:07
Pressure @ Receipt: 10" Hg **Canister #:** 444 **Received:** 08/21/08 08:11
Comments: Col 2 w/ER043 - downwind **Analyzed:** 08/28/08 08:13

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	1.70	0.85	0.98		0.560
Acetylene	1.15	0.58	0.61		0.880
Ethane	41.0	20.50	25.30		0.720
Propylene	0.946	0.32	0.54		0.560
Propane	29.3	9.77	17.70		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	13.2	3.30	7.86		0.640
Isobutene/1-Butene	ND	ND	ND	U	1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	17.9	4.48	10.70		0.880
trans-2-Butene	ND	ND	ND	U	1.04
cis-2-Butene	ND	ND	ND	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	16.0	3.20	9.46		1.36
1-Pentene	ND	ND	ND	U	0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	18.4	3.68	10.90		0.800
Isoprene	ND	ND	ND	U	1.60
trans-2-Pentene	ND	ND	ND	U	1.52
cis-2-Pentene	ND	ND	ND	U	1.52
2-Methyl-2-butene	ND	ND	ND	U	1.60
2,2-Dimethylbutane	1.82	0.30	1.07		1.12
Cyclopentene	ND	ND	ND	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	2.11	0.42	1.21		0.640
2,3-Dimethylbutane	3.46	0.58	2.04		1.60
2-Methylpentane	15.0	2.50	8.83		0.640
3-Methylpentane	9.40	1.57	5.53		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	ND	ND	ND	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	20.0	3.33	11.80		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	12.8	2.13	7.36		1.04
2,4-Dimethylpentane	2.34	0.33	1.37		1.92
Benzene	8.99	1.50	4.80		1.92
Cyclohexane	19.3	3.22	11.10		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 444 **Lab ID:** 8082101-17 **Sampled:** 08/13/08 12:07
Pressure @ Receipt: 10" Hg **Canister #:** 444 **Received:** 08/21/08 08:11
Comments: Col 2 w/ER043 - downwind **Analyzed:** 08/28/08 08:13

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	8.65	1.24	5.08		1.44
2,3-Dimethylpentane	3.21	0.46	1.88		3.12
3-Methylhexane	7.99	1.14	4.69		1.84
1-Heptene	1.77	0.25	1.02	U	3.12
2,2,4-Trimethylpentane	2.48	0.31	1.45		1.76
n-Heptane	17.8	2.54	10.40		1.60
Methylcyclohexane	49.8	7.11	28.60		1.20
2,2,3-Trimethylpentane	ND	ND	ND	U	2.48
2,3,4-Trimethylpentane	ND	ND	ND	U	1.44
Toluene	32.2	4.60	17.40		2.64
2-Methylheptane	7.63	0.95	4.47		1.44
3-Methylheptane	4.93	0.62	2.89		1.60
1-Octene	ND	ND	ND	U	2.48
n-Octane	21.9	2.74	12.80		1.92
Ethylbenzene	3.73	0.47	2.03		1.68
m-Xylene/p-Xylene	38.2	4.78	20.80		2.48
Styrene	ND	ND	ND	U	2.00
o-Xylene	6.99	0.87	3.80		1.36
1-Nonene	1.36	0.15	0.78	U	2.56
n-Nonane	16.6	1.84	9.70		1.36
Isopropylbenzene	ND	ND	ND	U	2.56
a-Pinene	2.80	0.35	1.95		2.56
n-Propylbenzene	1.88	0.21	1.03		1.52
m-Ethyltoluene	4.76	0.53	2.61		1.20
p-Ethyltoluene	2.95	0.33	1.61		2.08
1,3,5-Trimethylbenzene	9.53	1.06	5.22		1.60
o-Ethyltoluene	2.88	0.32	1.58		2.32
b-Pinene	ND	ND	ND	U	1.60
1,2,4-Trimethylbenzene	8.95	0.99	4.90		1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	15.1	1.51	8.81		1.60
1,2,3-Trimethylbenzene	1.33	0.15	0.73	U	1.76
m-Diethylbenzene	1.11	0.11	0.61	U	1.44
p-Diethylbenzene	ND	ND	ND	U	0.960
1-Undecene	ND	ND	ND	U	1.36
n-Undecane	15.4	1.40	8.97		1.36
1-Dodecene	ND	ND	ND	U	3.36
n-Dodecane	11.1	0.93	6.46		3.36



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 444 **Lab ID:** 8082101-17 **Sampled:** 08/13/08 12:07
Pressure @ Receipt: 10" Hg **Canister #:** 444 **Received:** 08/21/08 08:11
Comments: Col 2 w/ER043 - downwind **Analyzed:** 08/28/08 08:13

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
1-Tridecene	ND	ND	ND	U	3.36
n-Tridecane	5.14	0.40	2.99		3.36
SNMOC (Sum of Knowns)	543	ND	ND		
Sum of Unknowns	248	ND	ND		
TNMOC	791	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 167601 **Lab ID:** 8082101-18 **Sampled:** 08/13/08 16:52
Pressure @ Receipt: 10" Hg **Canister #:** 167601 **Received:** 08/21/08 08:11
Comments: Col 1 w/3254 **Analyzed:** 08/29/08 11:37

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
Ethylene	1.33	0.67	0.76		0.560
Acetylene	ND	ND	ND	U	0.880
Ethane	11.8	5.90	7.27		0.720
Propylene	0.998	0.33	0.57		0.560
Propane	9.16	3.05	5.52		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	7.36	1.84	4.38		0.640
Isobutene/1-Butene	ND	ND	ND	U	1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	12.2	3.05	7.27		0.880
trans-2-Butene	ND	ND	ND	U	1.04
cis-2-Butene	ND	ND	ND	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	20.0	4.00	11.80		1.36
1-Pentene	ND	ND	ND	U	0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	22.9	4.58	13.50		0.800
Isoprene	ND	ND	ND	U	1.60
trans-2-Pentene	ND	ND	ND	U	1.52
cis-2-Pentene	ND	ND	ND	U	1.52
2-Methyl-2-butene	ND	ND	ND	U	1.60
2,2-Dimethylbutane	2.09	0.35	1.23		1.12
Cyclopentene	ND	ND	ND	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	2.56	0.51	1.47		0.640
2,3-Dimethylbutane	5.36	0.89	3.16		1.60
2-Methylpentane	23.0	3.83	13.50		0.640
3-Methylpentane	14.3	2.38	8.42		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	ND	ND	ND	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	32.0	5.33	18.80		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	20.6	3.43	11.80		1.04
2,4-Dimethylpentane	2.41	0.34	1.41		1.92
Benzene	7.07	1.18	3.77		1.92
Cyclohexane	28.9	4.82	16.60		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 167601 **Lab ID:** 8082101-18 **Sampled:** 08/13/08 16:52
Pressure @ Receipt: 10" Hg **Canister #:** 167601 **Received:** 08/21/08 08:11
Comments: Col 1 w/3254 **Analyzed:** 08/29/08 11:37

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	12.9	1.84	7.57		1.44
2,3-Dimethylpentane	4.06	0.58	2.38		3.12
3-Methylhexane	12.7	1.81	7.45		1.84
1-Heptene	7.84	1.12	4.51		3.12
2,2,4-Trimethylpentane	ND	ND	ND	U	1.76
n-Heptane	30.8	4.40	18.10		1.60
Methylcyclohexane	89.5	12.80	51.50		1.20
2,2,3-Trimethylpentane	ND	ND	ND	U	2.48
2,3,4-Trimethylpentane	1.58	0.20	0.93		1.44
Toluene	32.2	4.60	17.40		2.64
2-Methylheptane	11.1	1.39	6.50		1.44
3-Methylheptane	7.29	0.91	4.27		1.60
1-Octene	3.05	0.38	1.75		2.48
n-Octane	33.4	4.18	19.50		1.92
Ethylbenzene	4.78	0.60	2.60		1.68
m-Xylene/p-Xylene	53.6	6.70	29.20		2.48
Styrene	ND	ND	ND	U	2.00
o-Xylene	8.68	1.09	4.72		1.36
1-Nonene	1.53	0.17	0.88	U	2.56
n-Nonane	19.7	2.19	11.50		1.36
Isopropylbenzene	0.856	0.11	0.53	U	2.56
a-Pinene	2.82	0.35	1.97		2.56
n-Propylbenzene	2.56	0.28	1.40		1.52
m-Ethyltoluene	7.17	0.80	3.92		1.20
p-Ethyltoluene	4.32	0.48	2.36		2.08
1,3,5-Trimethylbenzene	12.7	1.41	6.95		1.60
o-Ethyltoluene	2.69	0.30	1.47		2.32
b-Pinene	ND	ND	ND	U	1.60
1,2,4-Trimethylbenzene	12.6	1.40	6.90		1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	14.4	1.44	8.40		1.60
1,2,3-Trimethylbenzene	2.28	0.25	1.25		1.76
m-Diethylbenzene	0.728	0.07	0.40	U	1.44
p-Diethylbenzene	ND	ND	ND	U	0.960
1-Undecene	ND	ND	ND	U	1.36
n-Undecane	13.4	1.22	7.80		1.36
1-Dodecene	ND	ND	ND	U	3.36
n-Dodecane	7.14	0.60	4.15		3.36

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 167601 **Lab ID:** 8082101-18 **Sampled:** 08/13/08 16:52
Pressure @ Receipt: 10" Hg **Canister #:** 167601 **Received:** 08/21/08 08:11
Comments: Col 1 w/3254 **Analyzed:** 08/29/08 11:37

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
1-Tridecene	ND	ND	ND	U	3.36
n-Tridecane	3.12	0.24	1.81	U	3.36
SNMOC (Sum of Knowns)	646	ND	ND		
Sum of Unknowns	264	ND	ND		
TNMOC	909	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 3254 **Lab ID:** 8082101-19 **Sampled:** 08/13/08 16:52
Pressure @ Receipt: 8" Hg **Canister #:** 3254 **Received:** 08/21/08 08:11
Comments: Col 2 w/167601 **Analyzed:** 08/29/08 13:42

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	2.95	1.48	1.70		0.560
Acetylene	1.15	0.58	0.61		0.880
Ethane	12.3	6.15	7.58		0.720
Propylene	2.59	0.86	1.49		0.560
Propane	9.98	3.33	6.01		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	7.78	1.95	4.63		0.640
Isobutene/1-Butene	ND	ND	ND	U	1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	12.8	3.20	7.62		0.880
trans-2-Butene	ND	ND	ND	U	1.04
cis-2-Butene	ND	ND	ND	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	15.9	3.18	9.40		1.36
1-Pentene	ND	ND	ND	U	0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	24.6	4.92	14.50		0.800
Isoprene	ND	ND	ND	U	1.60
trans-2-Pentene	ND	ND	ND	U	1.52
cis-2-Pentene	ND	ND	ND	U	1.52
2-Methyl-2-butene	ND	ND	ND	U	1.60
2,2-Dimethylbutane	2.63	0.44	1.55		1.12
Cyclopentene	ND	ND	ND	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	3.17	0.63	1.82		0.640
2,3-Dimethylbutane	5.98	1.00	3.52		1.60
2-Methylpentane	23.4	3.90	13.80		0.640
3-Methylpentane	14.1	2.35	8.30		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	ND	ND	ND	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	29.0	4.83	17.10		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	19.6	3.27	11.30		1.04
2,4-Dimethylpentane	2.28	0.33	1.34		1.92
Benzene	6.55	1.09	3.49		1.92
Cyclohexane	28.4	4.73	16.30		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 3254 **Lab ID:** 8082101-19 **Sampled:** 08/13/08 16:52
Pressure @ Receipt: 8" Hg **Canister #:** 3254 **Received:** 08/21/08 08:11
Comments: Col 2 w/167601 **Analyzed:** 08/29/08 13:42

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	14.9	2.13	8.74		1.44
2,3-Dimethylpentane	4.80	0.69	2.82		3.12
3-Methylhexane	11.9	1.70	6.98		1.84
1-Heptene	8.10	1.16	4.66		3.12
2,2,4-Trimethylpentane	ND	ND	ND	U	1.76
n-Heptane	29.4	4.20	17.20		1.60
Methylcyclohexane	84.9	12.10	48.80		1.20
2,2,3-Trimethylpentane	ND	ND	ND	U	2.48
2,3,4-Trimethylpentane	1.38	0.17	0.81	U	1.44
Toluene	30.0	4.29	16.20		2.64
2-Methylheptane	10.7	1.34	6.26		1.44
3-Methylheptane	6.79	0.85	3.97		1.60
1-Octene	3.01	0.38	1.73		2.48
n-Octane	31.6	3.95	18.50		1.92
Ethylbenzene	5.04	0.63	2.74		1.68
m-Xylene/p-Xylene	50.7	6.34	27.60		2.48
Styrene	ND	ND	ND	U	2.00
o-Xylene	9.03	1.13	4.91		1.36
1-Nonene	1.67	0.19	0.96	U	2.56
n-Nonane	19.3	2.14	11.30		1.36
Isopropylbenzene	1.33	0.17	0.82	U	2.56
a-Pinene	2.24	0.28	1.56	U	2.56
n-Propylbenzene	2.52	0.28	1.38		1.52
m-Ethyltoluene	7.78	0.86	4.26		1.20
p-Ethyltoluene	5.34	0.59	2.92		2.08
1,3,5-Trimethylbenzene	13.2	1.47	7.23		1.60
o-Ethyltoluene	3.66	0.41	2.00		2.32
b-Pinene	ND	ND	ND	U	1.60
1,2,4-Trimethylbenzene	13.3	1.48	7.28		1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	15.5	1.55	9.04		1.60
1,2,3-Trimethylbenzene	2.51	0.28	1.37		1.76
m-Diethylbenzene	1.96	0.20	1.08		1.44
p-Diethylbenzene	1.18	0.12	0.65		0.960
1-Undecene	ND	ND	ND	U	1.36
n-Undecane	14.5	1.32	8.44		1.36
1-Dodecene	1.20	0.10	0.69	U	3.36
n-Dodecane	11.4	0.95	6.63		3.36



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 3254 **Lab ID:** 8082101-19 **Sampled:** 08/13/08 16:52
Pressure @ Receipt: 8" Hg **Canister #:** 3254 **Received:** 08/21/08 08:11
Comments: Col 2 w/167601 **Analyzed:** 08/29/08 13:42

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
1-Tridecene	ND	ND	ND	U	3.36
n-Tridecane	7.24	0.56	4.21		3.36
SNMOC (Sum of Knowns)	653	ND	ND		
Sum of Unknowns	374	ND	ND		
TNMOC	1030	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER061 **Lab ID:** 8082101-20 **Sampled:** 08/14/08 11:32
Pressure @ Receipt: 10" Hg **Canister #:** ER061 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/29/08 15:47

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	3.04	1.52	1.75		0.560
Acetylene	1.16	0.58	0.62		0.880
Ethane	18.1	9.05	11.20		0.720
Propylene	2.43	0.81	1.40		0.560
Propane	13.8	4.60	8.31		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	5.91	1.48	3.52		0.640
Isobutene/1-Butene	1.73	0.43	1.00		1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	7.22	1.81	4.30		0.880
trans-2-Butene	ND	ND	ND	U	1.04
cis-2-Butene	ND	ND	ND	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	ND	ND	ND	U	1.36
1-Pentene	0.862	0.17	0.50	U	0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	4.63	0.93	2.74		0.800
Isoprene	ND	ND	ND	U	1.60
trans-2-Pentene	ND	ND	ND	U	1.52
cis-2-Pentene	ND	ND	ND	U	1.52
2-Methyl-2-butene	ND	ND	ND	U	1.60
2,2-Dimethylbutane	0.893	0.15	0.53	U	1.12
Cyclopentene	ND	ND	ND	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	0.870	0.17	0.50		0.640
2,3-Dimethylbutane	1.14	0.19	0.67	U	1.60
2-Methylpentane	3.69	0.62	2.17		0.640
3-Methylpentane	1.50	0.25	0.88		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	0.966	0.16	0.56	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	3.10	0.52	1.82		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	2.23	0.37	1.28		1.04
2,4-Dimethylpentane	0.865	0.12	0.51	U	1.92
Benzene	1.40	0.23	0.75	U	1.92
Cyclohexane	2.02	0.34	1.16		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER061 **Lab ID:** 8082101-20 **Sampled:** 08/14/08 11:32
Pressure @ Receipt: 10" Hg **Canister #:** ER061 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/29/08 15:47

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	5.08	0.73	2.98		1.44
2,3-Dimethylpentane	ND	ND	ND	U	3.12
3-Methylhexane	ND	ND	ND	U	1.84
1-Heptene	ND	ND	ND	U	3.12
2,2,4-Trimethylpentane	ND	ND	ND	U	1.76
n-Heptane	1.52	0.22	0.89	U	1.60
Methylcyclohexane	3.78	0.54	2.17		1.20
2,2,3-Trimethylpentane	ND	ND	ND	U	2.48
2,3,4-Trimethylpentane	0.671	0.08	0.39	U	1.44
Toluene	3.27	0.47	1.76		2.64
2-Methylheptane	ND	ND	ND	U	1.44
3-Methylheptane	ND	ND	ND	U	1.60
1-Octene	ND	ND	ND	U	2.48
n-Octane	1.63	0.20	0.95	U	1.92
Ethylbenzene	ND	ND	ND	U	1.68
m-Xylene/p-Xylene	1.80	0.23	0.98	U	2.48
Styrene	ND	ND	ND	U	2.00
o-Xylene	0.787	0.10	0.43	U	1.36
1-Nonene	ND	ND	ND	U	2.56
n-Nonane	1.56	0.17	0.91		1.36
Isopropylbenzene	ND	ND	ND	U	2.56
a-Pinene	ND	ND	ND	U	2.56
n-Propylbenzene	ND	ND	ND	U	1.52
m-Ethyltoluene	ND	ND	ND	U	1.20
p-Ethyltoluene	ND	ND	ND	U	2.08
1,3,5-Trimethylbenzene	ND	ND	ND	U	1.60
o-Ethyltoluene	ND	ND	ND	U	2.32
b-Pinene	ND	ND	ND	U	1.60
1,2,4-Trimethylbenzene	0.729	0.08	0.40	U	1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	1.04	0.10	0.61	U	1.60
1,2,3-Trimethylbenzene	0.666	0.07	0.37	U	1.76
m-Diethylbenzene	ND	ND	ND	U	1.44
p-Diethylbenzene	ND	ND	ND	U	0.960
1-Undecene	ND	ND	ND	U	1.36
n-Undecane	0.880	0.08	0.51	U	1.36
1-Dodecene	ND	ND	ND	U	3.36

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER061 **Lab ID:** 8082101-20 **Sampled:** 08/14/08 11:32
Pressure @ Receipt: 10" Hg **Canister #:** ER061 **Received:** 08/21/08 08:11
Comments: **Analyzed:** 08/29/08 15:47

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
n-Dodecane	ND	ND	ND	U	3.36
1-Tridecene	ND	ND	ND	U	3.36
n-Tridecane	ND	ND	ND	U	3.36
SNMOC (Sum of Knowns)	101	ND	ND		
Sum of Unknowns	208	ND	ND		
TNMOC	309	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS 15280 **Lab ID:** 8082101-21 **Sampled:** 08/14/08 17:09
Pressure @ Receipt: 8" Hg **Canister #:** 15280 **Received:** 08/21/08 08:11
Comments: Waypoint 207, upwind canister **Analyzed:** 08/29/08 16:50

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	1.05	0.53	0.60		0.560
Acetylene	ND	ND	ND	U	0.880
Ethane	48.3	24.20	29.80		0.720
Propylene	1.17	0.39	0.67		0.560
Propane	27.8	9.27	16.70		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	9.87	2.47	5.88		0.640
Isobutene/1-Butene	ND	ND	ND	U	1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	12.2	3.05	7.27		0.880
trans-2-Butene	ND	ND	ND	U	1.04
cis-2-Butene	ND	ND	ND	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	11.8	2.36	6.98		1.36
1-Pentene	ND	ND	ND	U	0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	9.66	1.93	5.71		0.800
Isoprene	ND	ND	ND	U	1.60
trans-2-Pentene	0.668	0.13	0.38	U	1.52
cis-2-Pentene	ND	ND	ND	U	1.52
2-Methyl-2-butene	0.708	0.14	0.41	U	1.60
2,2-Dimethylbutane	0.964	0.16	0.57	U	1.12
Cyclopentene	ND	ND	ND	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	2.07	0.41	1.19		0.640
2,3-Dimethylbutane	2.18	0.36	1.28		1.60
2-Methylpentane	7.57	1.26	4.46		0.640
3-Methylpentane	4.16	0.69	2.45		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	ND	ND	ND	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	7.58	1.26	4.46		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	4.56	0.76	2.62		1.04
2,4-Dimethylpentane	1.22	0.17	0.72	U	1.92
Benzene	5.33	0.89	2.84		1.92
Cyclohexane	5.71	0.95	3.28		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS 15280 **Lab ID:** 8082101-21 **Sampled:** 08/14/08 17:09
Pressure @ Receipt: 8" Hg **Canister #:** 15280 **Received:** 08/21/08 08:11
Comments: Waypoint 207, upwind canister **Analyzed:** 08/29/08 16:50

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	4.32	0.62	2.53		1.44
2,3-Dimethylpentane	2.13	0.30	1.25	U	3.12
3-Methylhexane	3.62	0.52	2.12		1.84
1-Heptene	1.17	0.17	0.67	U	3.12
2,2,4-Trimethylpentane	ND	ND	ND	U	1.76
n-Heptane	5.31	0.76	3.12		1.60
Methylcyclohexane	12.3	1.76	7.07		1.20
2,2,3-Trimethylpentane	ND	ND	ND	U	2.48
2,3,4-Trimethylpentane	ND	ND	ND	U	1.44
Toluene	13.5	1.93	7.28		2.64
2-Methylheptane	2.08	0.26	1.22		1.44
3-Methylheptane	1.41	0.18	0.83	U	1.60
1-Octene	0.745	0.09	0.43	U	2.48
n-Octane	5.14	0.64	3.01		1.92
Ethylbenzene	1.58	0.20	0.86	U	1.68
m-Xylene/p-Xylene	9.02	1.13	4.91		2.48
Styrene	ND	ND	ND	U	2.00
o-Xylene	2.14	0.27	1.16		1.36
1-Nonene	ND	ND	ND	U	2.56
n-Nonane	3.13	0.35	1.83		1.36
Isopropylbenzene	ND	ND	ND	U	2.56
a-Pinene	ND	ND	ND	U	2.56
n-Propylbenzene	ND	ND	ND	U	1.52
m-Ethyltoluene	1.17	0.13	0.64	U	1.20
p-Ethyltoluene	ND	ND	ND	U	2.08
1,3,5-Trimethylbenzene	1.46	0.16	0.80	U	1.60
o-Ethyltoluene	ND	ND	ND	U	2.32
b-Pinene	ND	ND	ND	U	1.60
1,2,4-Trimethylbenzene	2.01	0.22	1.10		1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	2.19	0.22	1.28		1.60
1,2,3-Trimethylbenzene	ND	ND	ND	U	1.76
m-Diethylbenzene	ND	ND	ND	U	1.44
p-Diethylbenzene	ND	ND	ND	U	0.960
1-Undecene	ND	ND	ND	U	1.36
n-Undecane	2.00	0.18	1.16		1.36
1-Dodecene	ND	ND	ND	U	3.36
n-Dodecane	2.82	0.24	1.64	U	3.36

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS 15280 **Lab ID:** 8082101-21 **Sampled:** 08/14/08 17:09
Pressure @ Receipt: 8" Hg **Canister #:** 15280 **Received:** 08/21/08 08:11
Comments: Waypoint 207, upwind canister **Analyzed:** 08/29/08 16:50

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
1-Tridecene	ND	ND	ND	U	3.36
n-Tridecane	ND	ND	ND	U	3.36
SNMOC (Sum of Knowns)	244	ND	ND		
Sum of Unknowns	104	ND	ND		
TNMOC	348	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 ER064 **Lab ID:** 8082101-22 **Sampled:** 08/14/08 11:32
Pressure @ Receipt: 8" Hg **Canister #:** ER064 **Received:** 08/21/08 08:11
Comments: Col 1 w/ER069 **Analyzed:** 08/29/08 17:52

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	2.05	1.03	1.18		0.560
Acetylene	0.710	0.36	0.38	U	0.880
Ethane	21.1	10.60	13.00		0.720
Propylene	1.29	0.43	0.74		0.560
Propane	16.1	5.37	9.70		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	7.28	1.82	4.34		0.640
Isobutene/1-Butene	ND	ND	ND	U	1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	9.47	2.37	5.64		0.880
trans-2-Butene	ND	ND	ND	U	1.04
cis-2-Butene	ND	ND	ND	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	6.07	1.21	3.59		1.36
1-Pentene	ND	ND	ND	U	0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	8.03	1.61	4.75		0.800
Isoprene	ND	ND	ND	U	1.60
trans-2-Pentene	ND	ND	ND	U	1.52
cis-2-Pentene	ND	ND	ND	U	1.52
2-Methyl-2-butene	ND	ND	ND	U	1.60
2,2-Dimethylbutane	0.951	0.16	0.56	U	1.12
Cyclopentene	ND	ND	ND	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	1.50	0.30	0.86		0.640
2,3-Dimethylbutane	1.62	0.27	0.95		1.60
2-Methylpentane	7.14	1.19	4.20		0.640
3-Methylpentane	3.44	0.57	2.02		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	ND	ND	ND	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	7.04	1.17	4.14		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	4.40	0.73	2.53		1.04
2,4-Dimethylpentane	1.06	0.15	0.62	U	1.92
Benzene	9.83	1.64	5.24		1.92
Cyclohexane	6.13	1.02	3.52		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 ER064 **Lab ID:** 8082101-22 **Sampled:** 08/14/08 11:32
Pressure @ Receipt: 8" Hg **Canister #:** ER064 **Received:** 08/21/08 08:11
Comments: Col 1 w/ER069 **Analyzed:** 08/29/08 17:52

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	3.77	0.54	2.21		1.44
2,3-Dimethylpentane	1.33	0.19	0.78	U	3.12
3-Methylhexane	2.31	0.33	1.36		1.84
1-Heptene	1.81	0.26	1.04	U	3.12
2,2,4-Trimethylpentane	ND	ND	ND	U	1.76
n-Heptane	5.55	0.79	3.26		1.60
Methylcyclohexane	15.0	2.14	8.62		1.20
2,2,3-Trimethylpentane	ND	ND	ND	U	2.48
2,3,4-Trimethylpentane	ND	ND	ND	U	1.44
Toluene	21.1	3.01	11.40		2.64
2-Methylheptane	2.11	0.26	1.23		1.44
3-Methylheptane	1.30	0.16	0.76	U	1.60
1-Octene	ND	ND	ND	U	2.48
n-Octane	5.43	0.68	3.18		1.92
Ethylbenzene	1.88	0.24	1.02		1.68
m-Xylene/p-Xylene	13.3	1.66	7.23		2.48
Styrene	ND	ND	ND	U	2.00
o-Xylene	3.10	0.39	1.69		1.36
1-Nonene	ND	ND	ND	U	2.56
n-Nonane	2.95	0.33	1.72		1.36
Isopropylbenzene	ND	ND	ND	U	2.56
a-Pinene	ND	ND	ND	U	2.56
n-Propylbenzene	ND	ND	ND	U	1.52
m-Ethyltoluene	1.44	0.16	0.79		1.20
p-Ethyltoluene	1.08	0.12	0.59	U	2.08
1,3,5-Trimethylbenzene	1.68	0.19	0.92		1.60
o-Ethyltoluene	1.12	0.12	0.61	U	2.32
b-Pinene	ND	ND	ND	U	1.60
1,2,4-Trimethylbenzene	2.26	0.25	1.24		1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	2.12	0.21	1.24		1.60
1,2,3-Trimethylbenzene	ND	ND	ND	U	1.76
m-Diethylbenzene	ND	ND	ND	U	1.44
p-Diethylbenzene	ND	ND	ND	U	0.960
1-Undecene	ND	ND	ND	U	1.36
n-Undecane	ND	ND	ND	U	1.36
1-Dodecene	ND	ND	ND	U	3.36
n-Dodecane	ND	ND	ND	U	3.36

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713
ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
REPORTED: 09/25/08 07:21
SUBMITTED: 08/21/08
AQS SITE CODE:
SITE CODE: Lagoon

Description: ARCADIS C1 ER064 **Lab ID:** 8082101-22 **Sampled:** 08/14/08 11:32
Pressure @ Receipt: 8" Hg **Canister #:** ER064 **Received:** 08/21/08 08:11
Comments: Col 1 w/ER069 **Analyzed:** 08/29/08 17:52

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
1-Tridecene	ND	ND	ND	U	3.36
n-Tridecane	ND	ND	ND	U	3.36
SNMOC (Sum of Knowns)	206	ND	ND		
Sum of Unknowns	76.2	ND	ND		
TNMOC	282	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 ER069 **Lab ID:** 8082101-23 **Sampled:** 08/14/08 11:32
Pressure @ Receipt: 8" Hg **Canister #:** ER069 **Received:** 08/21/08 08:11
Comments: Col 2 w/ER064 **Analyzed:** 08/29/08 19:57

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	1.93	0.97	1.11		0.560
Acetylene	ND	ND	ND	U	0.880
Ethane	20.8	10.40	12.80		0.720
Propylene	1.19	0.40	0.68		0.560
Propane	16.1	5.37	9.70		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	7.33	1.83	4.36		0.640
Isobutene/1-Butene	ND	ND	ND	U	1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	8.55	2.14	5.09		0.880
trans-2-Butene	ND	ND	ND	U	1.04
cis-2-Butene	ND	ND	ND	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	6.19	1.24	3.66		1.36
1-Pentene	ND	ND	ND	U	0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	7.80	1.56	4.61		0.800
Isoprene	ND	ND	ND	U	1.60
trans-2-Pentene	ND	ND	ND	U	1.52
cis-2-Pentene	ND	ND	ND	U	1.52
2-Methyl-2-butene	ND	ND	ND	U	1.60
2,2-Dimethylbutane	0.941	0.16	0.55	U	1.12
Cyclopentene	ND	ND	ND	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	1.46	0.29	0.84		0.640
2,3-Dimethylbutane	1.57	0.26	0.92	U	1.60
2-Methylpentane	6.82	1.14	4.01		0.640
3-Methylpentane	3.46	0.58	2.04		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	ND	ND	ND	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	7.79	1.30	4.59		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	4.32	0.72	2.48		1.04
2,4-Dimethylpentane	1.12	0.16	0.66	U	1.92
Benzene	8.69	1.45	4.64		1.92
Cyclohexane	6.42	1.07	3.69		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 ER069 **Lab ID:** 8082101-23 **Sampled:** 08/14/08 11:32
Pressure @ Receipt: 8" Hg **Canister #:** ER069 **Received:** 08/21/08 08:11
Comments: Col 2 w/ER064 **Analyzed:** 08/29/08 19:57

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	4.28	0.61	2.51		1.44
2,3-Dimethylpentane	1.92	0.27	1.13	U	3.12
3-Methylhexane	2.27	0.32	1.33		1.84
1-Heptene	1.77	0.25	1.02	U	3.12
2,2,4-Trimethylpentane	ND	ND	ND	U	1.76
n-Heptane	5.53	0.79	3.24		1.60
Methylcyclohexane	15.2	2.17	8.74		1.20
2,2,3-Trimethylpentane	ND	ND	ND	U	2.48
2,3,4-Trimethylpentane	ND	ND	ND	U	1.44
Toluene	19.8	2.83	10.70		2.64
2-Methylheptane	1.94	0.24	1.14		1.44
3-Methylheptane	1.06	0.13	0.62	U	1.60
1-Octene	ND	ND	ND	U	2.48
n-Octane	5.07	0.63	2.97		1.92
Ethylbenzene	1.64	0.21	0.89	U	1.68
m-Xylene/p-Xylene	12.7	1.59	6.91		2.48
Styrene	ND	ND	ND	U	2.00
o-Xylene	2.74	0.34	1.49		1.36
1-Nonene	ND	ND	ND	U	2.56
n-Nonane	2.86	0.32	1.67		1.36
Isopropylbenzene	ND	ND	ND	U	2.56
a-Pinene	ND	ND	ND	U	2.56
n-Propylbenzene	ND	ND	ND	U	1.52
m-Ethyltoluene	1.38	0.15	0.76		1.20
p-Ethyltoluene	1.09	0.12	0.60	U	2.08
1,3,5-Trimethylbenzene	2.16	0.24	1.18		1.60
o-Ethyltoluene	0.947	0.11	0.52	U	2.32
b-Pinene	ND	ND	ND	U	1.60
1,2,4-Trimethylbenzene	2.84	0.32	1.55		1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	2.34	0.23	1.36		1.60
1,2,3-Trimethylbenzene	ND	ND	ND	U	1.76
m-Diethylbenzene	ND	ND	ND	U	1.44
p-Diethylbenzene	ND	ND	ND	U	0.960
1-Undecene	ND	ND	ND	U	1.36
n-Undecane	1.62	0.15	0.94		1.36
1-Dodecene	ND	ND	ND	U	3.36
n-Dodecane	1.23	0.10	0.72	U	3.36

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 ER069 **Lab ID:** 8082101-23 **Sampled:** 08/14/08 11:32
Pressure @ Receipt: 8" Hg **Canister #:** ER069 **Received:** 08/21/08 08:11
Comments: Col 2 w/ER064 **Analyzed:** 08/29/08 19:57

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
1-Tridecene	ND	ND	ND	U	3.36
n-Tridecane	ND	ND	ND	U	3.36
SNMOC (Sum of Knowns)	205	ND	ND		
Sum of Unknowns	87.8	ND	ND		
TNMOC	293	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 988 **Lab ID:** 8082101-24 **Sampled:** 08/14/08 17:09
Pressure @ Receipt: 10" Hg **Canister #:** 988 **Received:** 08/21/08 08:11
Comments: Col 1 w/3248 - waypoint 208 **Analyzed:** 08/29/08 22:03

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	1.27	0.64	0.73		0.560
Acetylene	0.920	0.46	0.49		0.880
Ethane	12.7	6.35	7.83		0.720
Propylene	1.24	0.41	0.71		0.560
Propane	12.0	4.00	7.23		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	10.2	2.55	6.07		0.640
Isobutene/1-Butene	1.99	0.50	1.14		1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	17.6	4.40	10.50		0.880
trans-2-Butene	ND	ND	ND	U	1.04
cis-2-Butene	ND	ND	ND	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	18.0	3.60	10.60		1.36
1-Pentene	ND	ND	ND	U	0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	18.6	3.72	11.00		0.800
Isoprene	ND	ND	ND	U	1.60
trans-2-Pentene	ND	ND	ND	U	1.52
cis-2-Pentene	ND	ND	ND	U	1.52
2-Methyl-2-butene	ND	ND	ND	U	1.60
2,2-Dimethylbutane	1.84	0.31	1.08		1.12
Cyclopentene	ND	ND	ND	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	2.48	0.50	1.43		0.640
2,3-Dimethylbutane	3.31	0.55	1.95		1.60
2-Methylpentane	14.0	2.33	8.24		0.640
3-Methylpentane	8.05	1.34	4.74		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	ND	ND	ND	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	17.4	2.90	10.20		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	10.1	1.68	5.81		1.04
2,4-Dimethylpentane	1.49	0.21	0.87	U	1.92
Benzene	12.0	2.00	6.40		1.92
Cyclohexane	13.9	2.32	7.99		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 988 **Lab ID:** 8082101-24 **Sampled:** 08/14/08 17:09
Pressure @ Receipt: 10" Hg **Canister #:** 988 **Received:** 08/21/08 08:11
Comments: Col 1 w/3248 - waypoint 208 **Analyzed:** 08/29/08 22:03

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	6.54	0.93	3.84		1.44
2,3-Dimethylpentane	2.45	0.35	1.44	U	3.12
3-Methylhexane	5.62	0.80	3.30		1.84
1-Heptene	3.30	0.47	1.90		3.12
2,2,4-Trimethylpentane	ND	ND	ND	U	1.76
n-Heptane	11.2	1.60	6.57		1.60
Methylcyclohexane	31.4	4.49	18.10		1.20
2,2,3-Trimethylpentane	ND	ND	ND	U	2.48
2,3,4-Trimethylpentane	0.706	0.09	0.41	U	1.44
Toluene	30.1	4.30	16.20		2.64
2-Methylheptane	3.84	0.48	2.25		1.44
3-Methylheptane	2.61	0.33	1.53		1.60
1-Octene	0.883	0.11	0.51	U	2.48
n-Octane	11.1	1.39	6.50		1.92
Ethylbenzene	2.09	0.26	1.14		1.68
m-Xylene/p-Xylene	18.6	2.33	10.10		2.48
Styrene	ND	ND	ND	U	2.00
o-Xylene	3.73	0.47	2.03		1.36
1-Nonene	ND	ND	ND	U	2.56
n-Nonane	6.40	0.71	3.74		1.36
Isopropylbenzene	ND	ND	ND	U	2.56
a-Pinene	1.36	0.17	0.95	U	2.56
n-Propylbenzene	0.964	0.11	0.53	U	1.52
m-Ethyltoluene	1.70	0.19	0.93		1.20
p-Ethyltoluene	1.36	0.15	0.74	U	2.08
1,3,5-Trimethylbenzene	3.44	0.38	1.88		1.60
o-Ethyltoluene	0.983	0.11	0.54	U	2.32
b-Pinene	ND	ND	ND	U	1.60
1,2,4-Trimethylbenzene	2.99	0.33	1.64		1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	4.45	0.45	2.60		1.60
1,2,3-Trimethylbenzene	0.693	0.08	0.38	U	1.76
m-Diethylbenzene	ND	ND	ND	U	1.44
p-Diethylbenzene	ND	ND	ND	U	0.960
1-Undecene	ND	ND	ND	U	1.36
n-Undecane	3.82	0.35	2.22		1.36
1-Dodecene	ND	ND	ND	U	3.36
n-Dodecane	3.22	0.27	1.87	U	3.36

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 988 **Lab ID:** 8082101-24 **Sampled:** 08/14/08 17:09
Pressure @ Receipt: 10" Hg **Canister #:** 988 **Received:** 08/21/08 08:11
Comments: Col 1 w/3248 - waypoint 208 **Analyzed:** 08/29/08 22:03

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
1-Tridecene	ND	ND	ND	U	3.36
n-Tridecane	ND	ND	ND	U	3.36
SNMOC (Sum of Knowns)	345	ND	ND		
Sum of Unknowns	138	ND	ND		
TNMOC	482	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 3248 **Lab ID:** 8082101-25 **Sampled:** 08/14/08 17:09
Pressure @ Receipt: 8" Hg **Canister #:** 3248 **Received:** 08/21/08 08:11
Comments: Col 2 w/988 - waypoint 209 **Analyzed:** 08/30/08 00:08

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	1.51	0.76	0.87		0.560
Acetylene	1.65	0.83	0.88		0.880
Ethane	12.4	6.20	7.64		0.720
Propylene	1.38	0.46	0.79		0.560
Propane	12.1	4.03	7.29		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	10.5	2.63	6.25		0.640
Isobutene/1-Butene	ND	ND	ND	U	1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	16.5	4.13	9.83		0.880
trans-2-Butene	ND	ND	ND	U	1.04
cis-2-Butene	ND	ND	ND	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	16.0	3.20	9.46		1.36
1-Pentene	ND	ND	ND	U	0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	18.7	3.74	11.10		0.800
Isoprene	0.936	0.19	0.52	U	1.60
trans-2-Pentene	ND	ND	ND	U	1.52
cis-2-Pentene	ND	ND	ND	U	1.52
2-Methyl-2-butene	ND	ND	ND	U	1.60
2,2-Dimethylbutane	1.84	0.31	1.08		1.12
Cyclopentene	ND	ND	ND	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	2.87	0.57	1.65		0.640
2,3-Dimethylbutane	3.54	0.59	2.08		1.60
2-Methylpentane	15.4	2.57	9.07		0.640
3-Methylpentane	8.20	1.37	4.83		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	ND	ND	ND	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	18.0	3.00	10.60		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	11.0	1.83	6.32		1.04
2,4-Dimethylpentane	1.88	0.27	1.10	U	1.92
Benzene	12.1	2.02	6.46		1.92
Cyclohexane	14.5	2.42	8.34		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 3248 **Lab ID:** 8082101-25 **Sampled:** 08/14/08 17:09
Pressure @ Receipt: 8" Hg **Canister #:** 3248 **Received:** 08/21/08 08:11
Comments: Col 2 w/988 - waypoint 209 **Analyzed:** 08/30/08 00:08

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	7.19	1.03	4.22		1.44
2,3-Dimethylpentane	2.60	0.37	1.53	U	3.12
3-Methylhexane	6.48	0.93	3.80		1.84
1-Heptene	3.84	0.55	2.21		3.12
2,2,4-Trimethylpentane	ND	ND	ND	U	1.76
n-Heptane	11.8	1.69	6.92		1.60
Methylcyclohexane	32.7	4.67	18.80		1.20
2,2,3-Trimethylpentane	ND	ND	ND	U	2.48
2,3,4-Trimethylpentane	ND	ND	ND	U	1.44
Toluene	31.0	4.43	16.70		2.64
2-Methylheptane	4.47	0.56	2.62		1.44
3-Methylheptane	3.15	0.39	1.84		1.60
1-Octene	1.03	0.13	0.59	U	2.48
n-Octane	11.4	1.43	6.67		1.92
Ethylbenzene	2.05	0.26	1.12		1.68
m-Xylene/p-Xylene	18.2	2.28	9.90		2.48
Styrene	ND	ND	ND	U	2.00
o-Xylene	3.64	0.46	1.98		1.36
1-Nonene	ND	ND	ND	U	2.56
n-Nonane	6.05	0.67	3.53		1.36
Isopropylbenzene	0.644	0.08	0.40	U	2.56
a-Pinene	1.15	0.14	0.80	U	2.56
n-Propylbenzene	ND	ND	ND	U	1.52
m-Ethyltoluene	1.91	0.21	1.05		1.20
p-Ethyltoluene	1.52	0.17	0.83	U	2.08
1,3,5-Trimethylbenzene	2.16	0.24	1.18		1.60
o-Ethyltoluene	1.70	0.19	0.93	U	2.32
b-Pinene	ND	ND	ND	U	1.60
1,2,4-Trimethylbenzene	2.76	0.31	1.51		1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	4.12	0.41	2.40		1.60
1,2,3-Trimethylbenzene	ND	ND	ND	U	1.76
m-Diethylbenzene	ND	ND	ND	U	1.44
p-Diethylbenzene	ND	ND	ND	U	0.960
1-Undecene	ND	ND	ND	U	1.36
n-Undecane	1.34	0.12	0.78	U	1.36
1-Dodecene	ND	ND	ND	U	3.36
n-Dodecane	ND	ND	ND	U	3.36

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713
ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
REPORTED: 09/25/08 07:21
SUBMITTED: 08/21/08
AQS SITE CODE:
SITE CODE: Lagoon

Description: ARCADIS C2 3248 **Lab ID:** 8082101-25 **Sampled:** 08/14/08 17:09
Pressure @ Receipt: 8" Hg **Canister #:** 3248 **Received:** 08/21/08 08:11
Comments: Col 2 w/988 - waypoint 209 **Analyzed:** 08/30/08 00:08

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
1-Tridecene	ND	ND	ND	U	3.36
n-Tridecane	ND	ND	ND	U	3.36
SNMOC (Sum of Knowns)	344	ND	ND		
Sum of Unknowns	160	ND	ND		
TNMOC	504	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER021 **Lab ID:** 8082101-26 **Sampled:** 08/15/08 12:09
Pressure @ Receipt: 8" Hg **Canister #:** ER021 **Received:** 08/21/08 08:11
Comments: Waypoint 212, upwind canister **Analyzed:** 08/30/08 02:13

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	2.88	1.44	1.66		0.560
Acetylene	1.07	0.54	0.57		0.880
Ethane	153	76.50	94.30		0.720
Propylene	2.23	0.74	1.28		0.560
Propane	99.6	33.20	60.00		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	47.7	11.90	28.40		0.640
Isobutene/1-Butene	ND	ND	ND	U	1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	64.3	16.10	38.30		0.880
trans-2-Butene	ND	ND	ND	U	1.04
cis-2-Butene	ND	ND	ND	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	ND	ND	ND	U	1.36
1-Pentene	1.14	0.23	0.66		0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	50.8	10.20	30.00		0.800
Isoprene	0.676	0.14	0.38	U	1.60
trans-2-Pentene	ND	ND	ND	U	1.52
cis-2-Pentene	ND	ND	ND	U	1.52
2-Methyl-2-butene	ND	ND	ND	U	1.60
2,2-Dimethylbutane	3.45	0.58	2.03		1.12
Cyclopentene	ND	ND	ND	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	4.60	0.92	2.64		0.640
2,3-Dimethylbutane	6.97	1.16	4.10		1.60
2-Methylpentane	29.0	4.83	17.10		0.640
3-Methylpentane	16.0	2.67	9.42		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	1.22	0.20	0.70	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	33.1	5.52	19.50		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	19.3	3.22	11.10		1.04
2,4-Dimethylpentane	2.24	0.32	1.31		1.92
Benzene	22.6	3.77	12.10		1.92
Cyclohexane	22.8	3.80	13.10		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS ER021 **Lab ID:** 8082101-26 **Sampled:** 08/15/08 12:09
Pressure @ Receipt: 8" Hg **Canister #:** ER021 **Received:** 08/21/08 08:11
Comments: Waypoint 212, upwind canister **Analyzed:** 08/30/08 02:13

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	9.98	1.43	5.86		1.44
2,3-Dimethylpentane	3.43	0.49	2.01		3.12
3-Methylhexane	7.18	1.03	4.21		1.84
1-Heptene	4.74	0.68	2.72		3.12
2,2,4-Trimethylpentane	ND	ND	ND	U	1.76
n-Heptane	13.3	1.90	7.80		1.60
Methylcyclohexane	34.2	4.89	19.70		1.20
2,2,3-Trimethylpentane	ND	ND	ND	U	2.48
2,3,4-Trimethylpentane	0.907	0.11	0.53	U	1.44
Toluene	46.0	6.57	24.80		2.64
2-Methylheptane	3.34	0.42	1.95		1.44
3-Methylheptane	2.01	0.25	1.18		1.60
1-Octene	1.27	0.16	0.73	U	2.48
n-Octane	7.94	0.99	4.65		1.92
Ethylbenzene	2.07	0.26	1.13		1.68
m-Xylene/p-Xylene	18.2	2.28	9.90		2.48
Styrene	ND	ND	ND	U	2.00
o-Xylene	3.99	0.50	2.17		1.36
1-Nonene	1.20	0.13	0.69	U	2.56
n-Nonane	3.31	0.37	1.93		1.36
Isopropylbenzene	ND	ND	ND	U	2.56
a-Pinene	2.24	0.28	1.56	U	2.56
n-Propylbenzene	ND	ND	ND	U	1.52
m-Ethyltoluene	1.34	0.15	0.73		1.20
p-Ethyltoluene	ND	ND	ND	U	2.08
1,3,5-Trimethylbenzene	2.16	0.24	1.18		1.60
o-Ethyltoluene	1.14	0.13	0.62	U	2.32
b-Pinene	ND	ND	ND	U	1.60
1,2,4-Trimethylbenzene	2.66	0.30	1.46		1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	1.90	0.19	1.11		1.60
1,2,3-Trimethylbenzene	ND	ND	ND	U	1.76
m-Diethylbenzene	ND	ND	ND	U	1.44
p-Diethylbenzene	ND	ND	ND	U	0.960
1-Undecene	ND	ND	ND	U	1.36
n-Undecane	1.69	0.15	0.98		1.36
1-Dodecene	ND	ND	ND	U	3.36
n-Dodecane	1.70	0.14	0.99	U	3.36

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713
ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
REPORTED: 09/25/08 07:21
SUBMITTED: 08/21/08
AQS SITE CODE:
SITE CODE: Lagoon

Description: ARCADIS ER021 **Lab ID:** 8082101-26 **Sampled:** 08/15/08 12:09
Pressure @ Receipt: 8" Hg **Canister #:** ER021 **Received:** 08/21/08 08:11
Comments: Waypoint 212, upwind canister **Analyzed:** 08/30/08 02:13

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
1-Tridecene	ND	ND	ND	U	3.36
n-Tridecane	ND	ND	ND	U	3.36
SNMOC (Sum of Knowns)	763	ND	ND		
Sum of Unknowns	246	ND	ND		
TNMOC	1010	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 ER114 **Lab ID:** 8082101-27 **Sampled:** 08/15/08 12:09
Pressure @ Receipt: 8" Hg **Canister #:** ER114 **Received:** 08/21/08 08:11
Comments: Col 1 w/ER085 - waypoint 210 **Analyzed:** 08/30/08 03:16

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	3.54	1.77	2.03		0.560
Acetylene	1.00	0.50	0.53		0.880
Ethane	15.6	7.80	9.61		0.720
Propylene	2.58	0.86	1.48		0.560
Propane	12.6	4.20	7.59		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	7.44	1.86	4.43		0.640
Isobutene/1-Butene	2.25	0.56	1.29		1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	10.1	2.53	6.01		0.880
trans-2-Butene	ND	ND	ND	U	1.04
cis-2-Butene	ND	ND	ND	U	1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	ND	ND	ND	U	1.36
1-Pentene	1.08	0.22	0.62		0.960
2-Methyl-1-butene	ND	ND	ND	U	1.60
n-Pentane	11.1	2.22	6.56		0.800
Isoprene	1.38	0.28	0.77	U	1.60
trans-2-Pentene	ND	ND	ND	U	1.52
cis-2-Pentene	ND	ND	ND	U	1.52
2-Methyl-2-butene	ND	ND	ND	U	1.60
2,2-Dimethylbutane	1.02	0.17	0.60	U	1.12
Cyclopentene	ND	ND	ND	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	1.36	0.27	0.78		0.640
2,3-Dimethylbutane	1.47	0.25	0.87	U	1.60
2-Methylpentane	7.09	1.18	4.17		0.640
3-Methylpentane	3.71	0.62	2.18		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	0.706	0.12	0.41	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	7.65	1.28	4.50		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	4.82	0.80	2.77		1.04
2,4-Dimethylpentane	0.990	0.14	0.58	U	1.92
Benzene	5.72	0.95	3.05		1.92
Cyclohexane	5.73	0.96	3.29		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 ER114 **Lab ID:** 8082101-27 **Sampled:** 08/15/08 12:09
Pressure @ Receipt: 8" Hg **Canister #:** ER114 **Received:** 08/21/08 08:11
Comments: Col 1 w/ER085 - waypoint 210 **Analyzed:** 08/30/08 03:16

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	5.16	0.74	3.03		1.44
2,3-Dimethylpentane	1.12	0.16	0.66	U	3.12
3-Methylhexane	2.22	0.32	1.30		1.84
1-Heptene	2.20	0.31	1.26	U	3.12
2,2,4-Trimethylpentane	ND	ND	ND	U	1.76
n-Heptane	4.14	0.59	2.43		1.60
Methylcyclohexane	11.6	1.66	6.67		1.20
2,2,3-Trimethylpentane	ND	ND	ND	U	2.48
2,3,4-Trimethylpentane	1.16	0.15	0.68	U	1.44
Toluene	13.6	1.94	7.34		2.64
2-Methylheptane	1.94	0.24	1.14		1.44
3-Methylheptane	0.966	0.12	0.57	U	1.60
1-Octene	0.716	0.09	0.41	U	2.48
n-Octane	4.09	0.51	2.39		1.92
Ethylbenzene	1.15	0.14	0.63	U	1.68
m-Xylene/p-Xylene	7.65	0.96	4.16		2.48
Styrene	ND	ND	ND	U	2.00
o-Xylene	1.70	0.21	0.93		1.36
1-Nonene	0.640	0.07	0.37	U	2.56
n-Nonane	2.21	0.25	1.29		1.36
Isopropylbenzene	ND	ND	ND	U	2.56
a-Pinene	1.42	0.18	0.99	U	2.56
n-Propylbenzene	ND	ND	ND	U	1.52
m-Ethyltoluene	0.780	0.09	0.43	U	1.20
p-Ethyltoluene	ND	ND	ND	U	2.08
1,3,5-Trimethylbenzene	1.22	0.14	0.67	U	1.60
o-Ethyltoluene	ND	ND	ND	U	2.32
b-Pinene	ND	ND	ND	U	1.60
1,2,4-Trimethylbenzene	1.44	0.16	0.79	U	1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	1.88	0.19	1.10		1.60
1,2,3-Trimethylbenzene	ND	ND	ND	U	1.76
m-Diethylbenzene	ND	ND	ND	U	1.44
p-Diethylbenzene	ND	ND	ND	U	0.960
1-Undecene	ND	ND	ND	U	1.36
n-Undecane	2.04	0.19	1.19		1.36
1-Dodecene	ND	ND	ND	U	3.36
n-Dodecane	1.82	0.15	1.06	U	3.36

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C1 ER114 **Lab ID:** 8082101-27 **Sampled:** 08/15/08 12:09
Pressure @ Receipt: 8" Hg **Canister #:** ER114 **Received:** 08/21/08 08:11
Comments: Col 1 w/ER085 - waypoint 210 **Analyzed:** 08/30/08 03:16

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
1-Tridecene	ND	ND	ND	U	3.36
n-Tridecane	ND	ND	ND	U	3.36
SNMOC (Sum of Knowns)	182	ND	ND		
Sum of Unknowns	186	ND	ND		
TNMOC	368	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 ER085 **Lab ID:** 8082101-28 **Sampled:** 08/15/08 12:09
Pressure @ Receipt: 10" Hg **Canister #:** ER085 **Received:** 08/21/08 08:11
Comments: Col 2 w/ER114 - waypoint 211 **Analyzed:** 08/30/08 05:21

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
Ethylene	2.14	1.07	1.23		0.560
Acetylene	1.42	0.71	0.76		0.880
Ethane	23.4	11.70	14.40		0.720
Propylene	1.47	0.49	0.85		0.560
Propane	19.2	6.40	11.60		1.44
Propyne	ND	ND	ND	U	1.44
Isobutane	14.0	3.50	8.34		0.640
Isobutene/1-Butene	1.83	0.46	1.05		1.12
1,3-Butadiene	ND	ND	ND	U	1.52
n-Butane	28.3	7.08	16.90		0.880
trans-2-Butene	1.45	0.36	0.83		1.04
cis-2-Butene	2.07	0.52	1.19		1.52
3-Methyl-1-butene	ND	ND	ND	U	1.60
Isopentane	ND	ND	ND	U	1.36
1-Pentene	2.71	0.54	1.56		0.960
2-Methyl-1-butene	5.54	1.11	3.19		1.60
n-Pentane	34.0	6.80	20.10		0.800
Isoprene	1.06	0.21	0.59	U	1.60
trans-2-Pentene	4.83	0.97	2.78		1.52
cis-2-Pentene	3.08	0.62	1.77		1.52
2-Methyl-2-butene	4.28	0.86	2.46		1.60
2,2-Dimethylbutane	5.83	0.97	3.43		1.12
Cyclopentene	1.50	0.30	0.84	U	1.60
4-Methyl-1-pentene	ND	ND	ND	U	3.44
Cyclopentane	4.53	0.91	2.60		0.640
2,3-Dimethylbutane	8.46	1.41	4.98		1.60
2-Methylpentane	29.1	4.85	17.10		0.640
3-Methylpentane	16.6	2.77	9.77		1.44
2-Methyl-1-pentene	ND	ND	ND	U	3.44
1-Hexene	2.01	0.34	1.16	U	3.44
2-Ethyl-1-butene	ND	ND	ND	U	3.44
n-Hexane	20.3	3.38	11.90		1.84
trans-2-Hexene	ND	ND	ND	U	3.44
cis-2-Hexene	ND	ND	ND	U	3.44
Methylcyclopentane	14.0	2.33	8.05		1.04
2,4-Dimethylpentane	3.31	0.47	1.94		1.92
Benzene	12.0	2.00	6.40		1.92
Cyclohexane	10.5	1.75	6.04		1.76

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Description: ARCADIS C2 ER085 **Lab ID:** 8082101-28 **Sampled:** 08/15/08 12:09
Pressure @ Receipt: 10" Hg **Canister #:** ER085 **Received:** 08/21/08 08:11
Comments: Col 2 w/ER114 - waypoint 211 **Analyzed:** 08/30/08 05:21

Speciated Non-Methane Organic Compounds by GC/FID

Analyte	Results			Flag	MDL
	ppbC	ppbv	ug/m ³		ppbC
2-Methylhexane	8.04	1.15	4.72		1.44
2,3-Dimethylpentane	4.32	0.62	2.53		3.12
3-Methylhexane	6.98	1.00	4.10		1.84
1-Heptene	1.67	0.24	0.96	U	3.12
2,2,4-Trimethylpentane	4.96	0.62	2.90		1.76
n-Heptane	8.84	1.26	5.19		1.60
Methylcyclohexane	17.7	2.53	10.20		1.20
2,2,3-Trimethylpentane	ND	ND	ND	U	2.48
2,3,4-Trimethylpentane	1.92	0.24	1.12		1.44
Toluene	32.9	4.70	17.70		2.64
2-Methylheptane	3.48	0.44	2.04		1.44
3-Methylheptane	3.21	0.40	1.88		1.60
1-Octene	0.779	0.10	0.45	U	2.48
n-Octane	6.65	0.83	3.89		1.92
Ethylbenzene	4.07	0.51	2.21		1.68
m-Xylene/p-Xylene	18.9	2.36	10.30		2.48
Styrene	0.925	0.12	0.49	U	2.00
o-Xylene	5.62	0.70	3.06		1.36
1-Nonene	ND	ND	ND	U	2.56
n-Nonane	3.77	0.42	2.20		1.36
Isopropylbenzene	1.46	0.18	0.90	U	2.56
a-Pinene	ND	ND	ND	U	2.56
n-Propylbenzene	1.28	0.14	0.70	U	1.52
m-Ethyltoluene	2.64	0.29	1.45		1.20
p-Ethyltoluene	1.95	0.22	1.07	U	2.08
1,3,5-Trimethylbenzene	2.21	0.25	1.21		1.60
o-Ethyltoluene	1.52	0.17	0.83	U	2.32
b-Pinene	ND	ND	ND	U	1.60
1,2,4-Trimethylbenzene	4.13	0.46	2.26		1.92
1-Decene	ND	ND	ND	U	1.60
n-Decane	2.38	0.24	1.39		1.60
1,2,3-Trimethylbenzene	1.07	0.12	0.59	U	1.76
m-Diethylbenzene	ND	ND	ND	U	1.44
p-Diethylbenzene	ND	ND	ND	U	0.960
1-Undecene	ND	ND	ND	U	1.36
n-Undecane	2.32	0.21	1.35		1.36
1-Dodecene	ND	ND	ND	U	3.36
n-Dodecane	ND	ND	ND	U	3.36

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713
ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
REPORTED: 09/25/08 07:21
SUBMITTED: 08/21/08
AQS SITE CODE:
SITE CODE: Lagoon

Description: ARCADIS C2 ER085 **Lab ID:** 8082101-28 **Sampled:** 08/15/08 12:09
Pressure @ Receipt: 10" Hg **Canister #:** ER085 **Received:** 08/21/08 08:11
Comments: Col 2 w/ER114 - waypoint 211 **Analyzed:** 08/30/08 05:21

Speciated Non-Methane Organic Compounds by GC/FID

<u>Analyte</u>	<u>Results</u>			<u>Flag</u>	<u>MDL</u>
	<u>ppbC</u>	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbC</u>
1-Tridecene	ND	ND	ND	U	3.36
n-Tridecane	ND	ND	ND	U	3.36
SNMOC (Sum of Knowns)	435	ND	ND		
Sum of Unknowns	198	ND	ND		
TNMOC	633	ND	ND		



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8H2903 - Summa Canister Prep

Duplicate (B8H2903-DUP1)

Source: 8082101-11

Prepared: 08/12/08

Analyzed: 08/27/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
Ethylene	1.21	ppbC	1.31	8.10	30	
Acetylene	ND	ppbC	ND		30	U
Ethane	26.3	ppbC	26.40	0.330	30	
Propylene	1.14	ppbC	0.91	22.0	30	
Propane	17.8	ppbC	17.50	2.02	30	
Propyne	ND	ppbC	ND		30	U
Isobutane	9.63	ppbC	9.90	2.73	30	
Isobutene/1-Butene	ND	ppbC	ND		30	U
1,3-Butadiene	ND	ppbC	ND		30	U
n-Butane	13.4	ppbC	13.10	2.32	30	
trans-2-Butene	ND	ppbC	ND		30	U
cis-2-Butene	ND	ppbC	ND		30	U
3-Methyl-1-butene	ND	ppbC	ND		30	U
Isopentane	11.4	ppbC	11.80	3.35	30	
1-Pentene	ND	ppbC	ND		30	U
2-Methyl-1-butene	ND	ppbC	ND		30	U
n-Pentane	11.5	ppbC	11.50	0.0174	30	
Isoprene	ND	ppbC	ND		30	U
trans-2-Pentene	ND	ppbC	ND		30	U
cis-2-Pentene	ND	ppbC	ND		30	U
2-Methyl-2-butene	ND	ppbC	ND		30	U
2,2-Dimethylbutane	1.13	ppbC	1.38	20.0	30	
Cyclopentene	ND	ppbC	ND		30	U
4-Methyl-1-pentene	ND	ppbC	ND		30	U
Cyclopentane	1.68	ppbC	1.17	35.8	30	
2,3-Dimethylbutane	2.03	ppbC	2.14	5.47	30	
2-Methylpentane	8.33	ppbC	8.46	1.58	30	
3-Methylpentane	4.32	ppbC	4.47	3.41	30	
2-Methyl-1-pentene	ND	ppbC	ND		30	U
1-Hexene	ND	ppbC	ND		30	U
2-Ethyl-1-butene	ND	ppbC	ND		30	U
n-Hexane	9.18	ppbC	9.65	5.03	30	
trans-2-Hexene	ND	ppbC	ND		30	U
cis-2-Hexene	ND	ppbC	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8H2903 - Summa Canister Prep

Duplicate (B8H2903-DUP1) Continued Source: 8082101-11 Prepared: 08/12/08 Analyzed: 08/27/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
Methylcyclopentane	5.14	ppbC	5.64	9.18	30	
2,4-Dimethylpentane	ND	ppbC	ND		30	U
Benzene	7.88	ppbC	7.96	0.934	30	
Cyclohexane	7.15	ppbC	7.15	0.0699	30	
2-Methylhexane	4.48	ppbC	4.54	1.31	30	
2,3-Dimethylpentane	ND	ppbC	ND		30	U
3-Methylhexane	3.13	ppbC	3.06	2.07	30	
1-Heptene	ND	ppbC	ND		30	U
2,2,4-Trimethylpentane	ND	ppbC	ND		30	U
n-Heptane	5.91	ppbC	6.05	2.39	30	
Methylcyclohexane	16.4	ppbC	16.00	2.65	30	
2,2,3-Trimethylpentane	ND	ppbC	ND		30	U
2,3,4-Trimethylpentane	ND	ppbC	ND		30	U
Toluene	18.2	ppbC	18.60	2.04	30	
2-Methylheptane	3.24	ppbC	3.03	6.64	30	
3-Methylheptane	2.06	ppbC	1.88	9.22	30	
1-Octene	ND	ppbC	ND		30	U
n-Octane	8.25	ppbC	8.22	0.437	30	
Ethylbenzene	2.00	ppbC	2.12	5.68	30	
m-Xylene/p-Xylene	12.4	ppbC	11.90	3.91	30	
Styrene	ND	ppbC	ND		30	U
o-Xylene	3.02	ppbC	2.55	16.9	30	
1-Nonene	ND	ppbC	ND		30	U
n-Nonane	7.10	ppbC	6.80	4.20	30	
Isopropylbenzene	ND	ppbC	ND		30	U
a-Pinene	ND	ppbC	ND		30	U
n-Propylbenzene	ND	ppbC	ND		30	U
m-Ethyltoluene	1.48	ppbC	1.43	3.51	30	
p-Ethyltoluene	ND	ppbC	ND		30	U
1,3,5-Trimethylbenzene	2.50	ppbC	2.93	16.0	30	
o-Ethyltoluene	ND	ppbC	ND		30	U
b-Pinene	ND	ppbC	ND		30	U
1,2,4-Trimethylbenzene	2.96	ppbC	2.87	3.26	30	
1-Decene	ND	ppbC	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8H2903 - Summa Canister Prep

Duplicate (B8H2903-DUP1) Continued Source: 8082101-11 Prepared: 08/12/08 Analyzed: 08/27/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
n-Decane	6.73	ppbC	6.44	4.42	30	
1,2,3-Trimethylbenzene	ND	ppbC	ND		30	U
m-Diethylbenzene	ND	ppbC	ND		30	U
p-Diethylbenzene	ND	ppbC	ND		30	U
1-Undecene	ND	ppbC	ND		30	U
n-Undecane	7.35	ppbC	7.78	5.62	30	
1-Dodecene	ND	ppbC	ND		30	U
n-Dodecane	6.56	ppbC	6.92	5.46	30	
1-Tridecene	ND	ppbC	ND		30	U
n-Tridecane	ND	ppbC	ND		30	U
SNMOC (Sum of Knowns)	267	ppbC	267.00	0.255	200	
Sum of Unknowns	188	ppbC	191.00	1.30	30	
TNMOC	456	ppbC	457.00	0.388	200	

Duplicate (B8H2903-DUP2) Source: 8082101-12 Prepared: 08/12/08 Analyzed: 08/28/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
Ethylene	1.58	ppbC	1.28	21.0	30	
Acetylene	ND	ppbC	ND		30	U
Ethane	26.2	ppbC	26.70	1.86	30	
Propylene	1.22	ppbC	0.86	34.9	30	
Propane	17.2	ppbC	17.70	3.08	30	
Propyne	ND	ppbC	ND		30	U
Isobutane	9.79	ppbC	9.99	2.04	30	
Isobutene/1-Butene	ND	ppbC	ND		30	U
1,3-Butadiene	ND	ppbC	ND		30	U
n-Butane	16.2	ppbC	16.30	0.548	30	
trans-2-Butene	ND	ppbC	ND		30	U
cis-2-Butene	ND	ppbC	ND		30	U
3-Methyl-1-butene	ND	ppbC	ND		30	U
Isopentane	21.7	ppbC	22.10	1.61	30	
1-Pentene	1.22	ppbC	ND		30	
2-Methyl-1-butene	ND	ppbC	ND		30	U
n-Pentane	15.9	ppbC	16.20	2.47	30	
Isoprene	ND	ppbC	ND		30	U
trans-2-Pentene	ND	ppbC	1.64		30	U
cis-2-Pentene	ND	ppbC	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8H2903 - Summa Canister Prep

Duplicate (B8H2903-DUP2) Continued Source: 8082101-12 Prepared: 08/12/08 Analyzed: 08/28/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
2-Methyl-2-butene	ND	ppbC	1.97		30	U
2,2-Dimethylbutane	2.25	ppbC	2.24	0.223	30	
Cyclopentene	ND	ppbC	ND		30	U
4-Methyl-1-pentene	ND	ppbC	ND		30	U
Cyclopentane	2.11	ppbC	2.44	14.5	30	
2,3-Dimethylbutane	3.52	ppbC	3.51	0.341	30	
2-Methylpentane	13.3	ppbC	14.10	6.34	30	
3-Methylpentane	7.36	ppbC	7.61	3.23	30	
2-Methyl-1-pentene	ND	ppbC	ND		30	U
1-Hexene	ND	ppbC	ND		30	U
2-Ethyl-1-butene	ND	ppbC	ND		30	U
n-Hexane	10.8	ppbC	11.90	9.53	30	
trans-2-Hexene	ND	ppbC	ND		30	U
cis-2-Hexene	ND	ppbC	ND		30	U
Methylcyclopentane	6.95	ppbC	7.76	11.0	30	
2,4-Dimethylpentane	ND	ppbC	1.98		30	U
Benzene	8.46	ppbC	9.46	11.1	30	
Cyclohexane	7.17	ppbC	7.42	3.37	30	
2-Methylhexane	5.04	ppbC	6.32	22.6	30	
2,3-Dimethylpentane	ND	ppbC	ND		30	U
3-Methylhexane	3.69	ppbC	4.30	15.1	30	
1-Heptene	ND	ppbC	ND		30	U
2,2,4-Trimethylpentane	ND	ppbC	ND		30	U
n-Heptane	6.58	ppbC	7.44	12.3	30	
Methylcyclohexane	15.5	ppbC	16.90	8.80	30	
2,2,3-Trimethylpentane	ND	ppbC	ND		30	U
2,3,4-Trimethylpentane	ND	ppbC	ND		30	U
Toluene	20.7	ppbC	22.70	9.05	30	
2-Methylheptane	3.37	ppbC	3.57	5.68	30	
3-Methylheptane	1.89	ppbC	2.87	41.0	30	
1-Octene	ND	ppbC	ND		30	U
n-Octane	8.37	ppbC	9.50	12.7	30	
Ethylbenzene	2.23	ppbC	2.57	14.1	30	
m-Xylene/p-Xylene	14.2	ppbC	15.00	5.28	30	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8H2903 - Summa Canister Prep

Duplicate (B8H2903-DUP2) Continued Source: 8082101-12 Prepared: 08/12/08 Analyzed: 08/28/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
Styrene	ND	ppbC	ND		30	U
o-Xylene	3.78	ppbC	3.71	1.95	30	
1-Nonene	ND	ppbC	ND		30	U
n-Nonane	7.33	ppbC	7.99	8.64	30	
Isopropylbenzene	ND	ppbC	ND		30	U
a-Pinene	ND	ppbC	ND		30	U
n-Propylbenzene	ND	ppbC	ND		30	U
m-Ethyltoluene	2.12	ppbC	2.12	0.283	30	
p-Ethyltoluene	ND	ppbC	ND		30	U
1,3,5-Trimethylbenzene	3.83	ppbC	3.79	0.945	30	
o-Ethyltoluene	ND	ppbC	ND		30	U
b-Pinene	ND	ppbC	ND		30	U
1,2,4-Trimethylbenzene	3.70	ppbC	4.09	10.0	30	
1-Decene	ND	ppbC	ND		30	U
n-Decane	7.26	ppbC	7.74	6.36	30	
1,2,3-Trimethylbenzene	ND	ppbC	ND		30	U
m-Diethylbenzene	ND	ppbC	ND		30	U
p-Diethylbenzene	ND	ppbC	ND		30	U
1-Undecene	ND	ppbC	ND		30	U
n-Undecane	6.93	ppbC	7.19	3.73	30	
1-Dodecene	ND	ppbC	ND		30	U
n-Dodecane	4.64	ppbC	4.98	7.19	30	
1-Tridecene	ND	ppbC	ND		30	U
n-Tridecane	ND	ppbC	ND		30	U
SNMOC (Sum of Knowns)	314	ppbC	333.00	5.61	200	
Sum of Unknowns	181	ppbC	197.00	8.12	30	
TNMOC	496	ppbC	529.00	6.53	200	

Duplicate (B8H2903-DUP3) Source: 8082101-16 Prepared: 08/13/08 Analyzed: 08/28/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
Ethylene	1.90	ppbC	2.11	10.7	30	
Acetylene	1.28	ppbC	1.19	7.84	30	
Ethane	39.2	ppbC	40.20	2.44	30	
Propylene	1.10	ppbC	1.10	0.0907	30	
Propane	28.5	ppbC	28.90	1.22	30	
Propyne	ND	ppbC	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8H2903 - Summa Canister Prep

Duplicate (B8H2903-DUP3) Continued Source: 8082101-16 Prepared: 08/13/08 Analyzed: 08/28/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
Isobutane	12.8	ppbC	13.30	3.59	30	
Isobutene/1-Butene	ND	ppbC	ND		30	U
1,3-Butadiene	ND	ppbC	ND		30	U
n-Butane	17.4	ppbC	17.80	2.08	30	
trans-2-Butene	ND	ppbC	ND		30	U
cis-2-Butene	ND	ppbC	ND		30	U
3-Methyl-1-butene	ND	ppbC	ND		30	U
Isopentane	15.1	ppbC	14.90	1.33	30	
1-Pentene	ND	ppbC	ND		30	U
2-Methyl-1-butene	ND	ppbC	ND		30	U
n-Pentane	18.1	ppbC	18.30	0.853	30	
Isoprene	ND	ppbC	ND		30	U
trans-2-Pentene	ND	ppbC	ND		30	U
cis-2-Pentene	ND	ppbC	ND		30	U
2-Methyl-2-butene	ND	ppbC	ND		30	U
2,2-Dimethylbutane	2.09	ppbC	1.83	13.2	30	
Cyclopentene	ND	ppbC	ND		30	U
4-Methyl-1-pentene	ND	ppbC	ND		30	U
Cyclopentane	2.40	ppbC	2.53	5.23	30	
2,3-Dimethylbutane	3.54	ppbC	3.91	10.2	30	
2-Methylpentane	15.9	ppbC	16.00	0.958	30	
3-Methylpentane	9.04	ppbC	9.23	2.06	30	
2-Methyl-1-pentene	ND	ppbC	ND		30	U
1-Hexene	ND	ppbC	ND		30	U
2-Ethyl-1-butene	ND	ppbC	ND		30	U
n-Hexane	20.4	ppbC	20.20	0.881	30	
trans-2-Hexene	ND	ppbC	ND		30	U
cis-2-Hexene	ND	ppbC	ND		30	U
Methylcyclopentane	13.4	ppbC	13.70	2.23	30	
2,4-Dimethylpentane	ND	ppbC	2.16		30	U
Benzene	8.72	ppbC	8.38	3.94	30	
Cyclohexane	19.7	ppbC	19.70	0.167	30	
2-Methylhexane	9.14	ppbC	9.34	2.14	30	
2,3-Dimethylpentane	3.58	ppbC	3.56	0.308	30	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8H2903 - Summa Canister Prep

Duplicate (B8H2903-DUP3) Continued Source: 8082101-16 Prepared: 08/13/08 Analyzed: 08/28/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
3-Methylhexane	7.45	ppbC	7.38	1.07	30	
1-Heptene	ND	ppbC	ND		30	U
2,2,4-Trimethylpentane	2.84	ppbC	2.90	2.09	30	
n-Heptane	17.7	ppbC	17.50	1.22	30	
Methylcyclohexane	50.8	ppbC	50.00	1.59	30	
2,2,3-Trimethylpentane	ND	ppbC	ND		30	U
2,3,4-Trimethylpentane	ND	ppbC	ND		30	U
Toluene	32.8	ppbC	33.00	0.662	30	
2-Methylheptane	7.33	ppbC	7.12	2.92	30	
3-Methylheptane	5.60	ppbC	5.48	2.19	30	
1-Octene	ND	ppbC	ND		30	U
n-Octane	21.3	ppbC	21.90	2.43	30	
Ethylbenzene	4.07	ppbC	3.75	8.24	30	
m-Xylene/p-Xylene	38.6	ppbC	39.90	3.42	30	
Styrene	ND	ppbC	ND		30	U
o-Xylene	7.04	ppbC	7.37	4.57	30	
1-Nonene	ND	ppbC	ND		30	U
n-Nonane	17.2	ppbC	17.60	2.28	30	
Isopropylbenzene	ND	ppbC	ND		30	U
a-Pinene	ND	ppbC	3.00		30	U
n-Propylbenzene	ND	ppbC	ND		30	U
m-Ethyltoluene	5.04	ppbC	5.41	7.20	30	
p-Ethyltoluene	3.40	ppbC	3.72	9.08	30	
1,3,5-Trimethylbenzene	8.04	ppbC	8.48	5.34	30	
o-Ethyltoluene	2.88	ppbC	2.95	2.36	30	
b-Pinene	ND	ppbC	ND		30	U
1,2,4-Trimethylbenzene	9.15	ppbC	9.63	5.13	30	
1-Decene	ND	ppbC	ND		30	U
n-Decane	16.1	ppbC	16.70	3.66	30	
1,2,3-Trimethylbenzene	ND	ppbC	1.94		30	U
m-Diethylbenzene	ND	ppbC	ND		30	U
p-Diethylbenzene	ND	ppbC	ND		30	U
1-Undecene	ND	ppbC	ND		30	U
n-Undecane	18.3	ppbC	18.90	3.49	30	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8H2903 - Summa Canister Prep

Duplicate (B8H2903-DUP3) Continued Source: 8082101-16 Prepared: 08/13/08 Analyzed: 08/28/08

1-Dodecene	ND	ppbC	ND		30	U
n-Dodecane	15.5	ppbC	15.70	1.14	30	
1-Tridecene	ND	ppbC	ND		30	U
n-Tridecane	9.05	ppbC	9.34	3.11	30	
SNMOC (Sum of Knowns)	554	ppbC	564.00	1.85	200	
Sum of Unknowns	299	ppbC	304.00	1.65	30	
TNMOC	853	ppbC	868.00	1.78	200	

Duplicate (B8H2903-DUP4) Source: 8082101-17 Prepared: 08/13/08 Analyzed: 08/28/08

Ethylene	1.65	ppbC	1.70	3.46	30	
Acetylene	ND	ppbC	1.15		30	U
Ethane	40.0	ppbC	41.00	2.65	30	
Propylene	1.11	ppbC	0.95	15.7	30	
Propane	29.1	ppbC	29.30	0.643	30	
Propyne	ND	ppbC	ND		30	U
Isobutane	12.9	ppbC	13.20	2.31	30	
Isobutene/1-Butene	ND	ppbC	ND		30	U
1,3-Butadiene	ND	ppbC	ND		30	U
n-Butane	17.5	ppbC	17.90	2.17	30	
trans-2-Butene	ND	ppbC	ND		30	U
cis-2-Butene	ND	ppbC	ND		30	U
3-Methyl-1-butene	ND	ppbC	ND		30	U
Isopentane	16.1	ppbC	16.00	0.535	30	
1-Pentene	ND	ppbC	ND		30	U
2-Methyl-1-butene	ND	ppbC	ND		30	U
n-Pentane	18.1	ppbC	18.40	1.85	30	
Isoprene	ND	ppbC	ND		30	U
trans-2-Pentene	ND	ppbC	ND		30	U
cis-2-Pentene	ND	ppbC	ND		30	U
2-Methyl-2-butene	ND	ppbC	ND		30	U
2,2-Dimethylbutane	1.69	ppbC	1.82	7.07	30	
Cyclopentene	ND	ppbC	ND		30	U
4-Methyl-1-pentene	ND	ppbC	ND		30	U
Cyclopentane	2.66	ppbC	2.11	22.9	30	
2,3-Dimethylbutane	3.74	ppbC	3.46	7.76	30	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8H2903 - Summa Canister Prep

Duplicate (B8H2903-DUP4) Continued Source: 8082101-17 Prepared: 08/13/08 Analyzed: 08/28/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
2-Methylpentane	15.0	ppbC	15.00	0.540	30	
3-Methylpentane	8.93	ppbC	9.40	5.09	30	
2-Methyl-1-pentene	ND	ppbC	ND		30	U
1-Hexene	ND	ppbC	ND		30	U
2-Ethyl-1-butene	ND	ppbC	ND		30	U
n-Hexane	19.9	ppbC	20.00	0.912	30	
trans-2-Hexene	ND	ppbC	ND		30	U
cis-2-Hexene	ND	ppbC	ND		30	U
Methylcyclopentane	12.9	ppbC	12.80	0.745	30	
2,4-Dimethylpentane	1.99	ppbC	2.34	16.2	30	
Benzene	8.75	ppbC	8.99	2.69	30	
Cyclohexane	18.9	ppbC	19.30	2.52	30	
2-Methylhexane	8.57	ppbC	8.65	0.941	30	
2,3-Dimethylpentane	3.23	ppbC	3.21	0.528	30	
3-Methylhexane	7.63	ppbC	7.99	4.57	30	
1-Heptene	ND	ppbC	ND		30	U
2,2,4-Trimethylpentane	2.63	ppbC	2.48	5.83	30	
n-Heptane	17.4	ppbC	17.80	1.97	30	
Methylcyclohexane	49.4	ppbC	49.80	0.897	30	
2,2,3-Trimethylpentane	ND	ppbC	ND		30	U
2,3,4-Trimethylpentane	ND	ppbC	ND		30	U
Toluene	32.0	ppbC	32.20	0.722	30	
2-Methylheptane	6.90	ppbC	7.63	9.96	30	
3-Methylheptane	4.88	ppbC	4.93	1.02	30	
1-Octene	ND	ppbC	ND		30	U
n-Octane	21.3	ppbC	21.90	2.88	30	
Ethylbenzene	3.52	ppbC	3.73	5.74	30	
m-Xylene/p-Xylene	37.3	ppbC	38.20	2.44	30	
Styrene	ND	ppbC	ND		30	U
o-Xylene	6.85	ppbC	6.99	1.98	30	
1-Nonene	ND	ppbC	ND		30	U
n-Nonane	16.5	ppbC	16.60	0.779	30	
Isopropylbenzene	ND	ppbC	ND		30	U
a-Pinene	ND	ppbC	2.80		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8H2903 - Summa Canister Prep

Duplicate (B8H2903-DUP4) Continued Source: 8082101-17 Prepared: 08/13/08 Analyzed: 08/28/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
n-Propylbenzene	ND	ppbC	1.88		30	U
m-Ethyltoluene	4.78	ppbC	4.76	0.336	30	
p-Ethyltoluene	3.60	ppbC	2.95	20.1	30	
1,3,5-Trimethylbenzene	9.80	ppbC	9.53	2.81	30	
o-Ethyltoluene	2.88	ppbC	2.88	0.0694	30	
b-Pinene	ND	ppbC	ND		30	U
1,2,4-Trimethylbenzene	8.20	ppbC	8.95	8.71	30	
1-Decene	ND	ppbC	ND		30	U
n-Decane	15.3	ppbC	15.10	1.30	30	
1,2,3-Trimethylbenzene	ND	ppbC	ND		30	U
m-Diethylbenzene	ND	ppbC	ND		30	U
p-Diethylbenzene	ND	ppbC	ND		30	U
1-Undecene	ND	ppbC	ND		30	U
n-Undecane	14.7	ppbC	15.40	4.72	30	
1-Dodecene	ND	ppbC	ND		30	U
n-Dodecane	11.1	ppbC	11.10	0.576	30	
1-Tridecene	ND	ppbC	ND		30	U
n-Tridecane	4.59	ppbC	5.14	11.1	30	
SNMOC (Sum of Knowns)	533	ppbC	543.00	1.90	200	
Sum of Unknowns	245	ppbC	248.00	1.10	30	
TNMOC	778	ppbC	791.00	1.64	200	

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP1) Source: 8082101-18 Prepared: 08/13/08 Analyzed: 08/29/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
Ethylene	1.43	ppbC	1.33	7.11	30	
Acetylene	1.11	ppbC	ND		30	
Ethane	12.6	ppbC	11.80	6.76	30	
Propylene	0.961	ppbC	1.00	3.78	30	
Propane	9.67	ppbC	9.16	5.43	30	
Propyne	ND	ppbC	ND		30	U
Isobutane	8.35	ppbC	7.36	12.7	30	
Isobutene/1-Butene	ND	ppbC	ND		30	U
1,3-Butadiene	ND	ppbC	ND		30	U
n-Butane	13.2	ppbC	12.20	7.59	30	
trans-2-Butene	ND	ppbC	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP1) Continued Source: 8082101-18 Prepared: 08/13/08 Analyzed: 08/29/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
cis-2-Butene	ND	ppbC	ND		30	U
3-Methyl-1-butene	ND	ppbC	ND		30	U
Isopentane	21.4	ppbC	20.00	6.74	30	
1-Pentene	ND	ppbC	ND		30	U
2-Methyl-1-butene	ND	ppbC	ND		30	U
n-Pentane	24.0	ppbC	22.90	4.52	30	
Isoprene	ND	ppbC	ND		30	U
trans-2-Pentene	ND	ppbC	ND		30	U
cis-2-Pentene	ND	ppbC	ND		30	U
2-Methyl-2-butene	ND	ppbC	ND		30	U
2,2-Dimethylbutane	2.69	ppbC	2.09	24.9	30	
Cyclopentene	ND	ppbC	ND		30	U
4-Methyl-1-pentene	ND	ppbC	ND		30	U
Cyclopentane	2.85	ppbC	2.56	10.8	30	
2,3-Dimethylbutane	6.02	ppbC	5.36	11.7	30	
2-Methylpentane	24.0	ppbC	23.00	4.14	30	
3-Methylpentane	14.9	ppbC	14.30	3.91	30	
2-Methyl-1-pentene	ND	ppbC	ND		30	U
1-Hexene	ND	ppbC	ND		30	U
2-Ethyl-1-butene	ND	ppbC	ND		30	U
n-Hexane	32.2	ppbC	32.00	0.420	30	
trans-2-Hexene	ND	ppbC	ND		30	U
cis-2-Hexene	ND	ppbC	ND		30	U
Methylcyclopentane	20.8	ppbC	20.60	1.06	30	
2,4-Dimethylpentane	2.60	ppbC	2.41	7.62	30	
Benzene	7.08	ppbC	7.07	0.141	30	
Cyclohexane	29.5	ppbC	28.90	1.89	30	
2-Methylhexane	13.6	ppbC	12.90	5.01	30	
2,3-Dimethylpentane	4.98	ppbC	4.06	20.5	30	
3-Methylhexane	12.8	ppbC	12.70	0.732	30	
1-Heptene	8.26	ppbC	7.84	5.33	30	
2,2,4-Trimethylpentane	ND	ppbC	ND		30	U
n-Heptane	31.5	ppbC	30.80	2.17	30	
Methylcyclohexane	90.8	ppbC	89.50	1.51	30	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP1) Continued Source: 8082101-18 Prepared: 08/13/08 Analyzed: 08/29/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
2,2,3-Trimethylpentane	ND	ppbC	ND		30	U
2,3,4-Trimethylpentane	1.74	ppbC	1.58	10.0	30	
Toluene	32.6	ppbC	32.20	1.20	30	
2-Methylheptane	11.5	ppbC	11.10	3.27	30	
3-Methylheptane	7.27	ppbC	7.29	0.247	30	
1-Octene	3.23	ppbC	3.05	5.80	30	
n-Octane	34.3	ppbC	33.40	2.77	30	
Ethylbenzene	5.30	ppbC	4.78	10.4	30	
m-Xylene/p-Xylene	54.3	ppbC	53.60	1.28	30	
Styrene	ND	ppbC	ND		30	U
o-Xylene	9.58	ppbC	8.68	9.79	30	
1-Nonene	ND	ppbC	ND		30	U
n-Nonane	20.0	ppbC	19.70	1.53	30	
Isopropylbenzene	ND	ppbC	ND		30	U
a-Pinene	2.57	ppbC	2.82	9.43	30	
n-Propylbenzene	3.07	ppbC	2.56	18.4	30	
m-Ethyltoluene	7.52	ppbC	7.17	4.67	30	
p-Ethyltoluene	4.76	ppbC	4.32	9.83	30	
1,3,5-Trimethylbenzene	12.8	ppbC	12.70	1.39	30	
o-Ethyltoluene	3.68	ppbC	2.69	31.0	30	
b-Pinene	ND	ppbC	ND		30	U
1,2,4-Trimethylbenzene	13.4	ppbC	12.60	6.13	30	
1-Decene	ND	ppbC	ND		30	U
n-Decane	15.1	ppbC	14.40	4.99	30	
1,2,3-Trimethylbenzene	2.17	ppbC	2.28	4.86	30	
m-Diethylbenzene	ND	ppbC	ND		30	U
p-Diethylbenzene	1.10	ppbC	ND		30	
1-Undecene	ND	ppbC	ND		30	U
n-Undecane	13.7	ppbC	13.40	1.53	30	
1-Dodecene	ND	ppbC	ND		30	U
n-Dodecane	9.78	ppbC	7.14	31.2	30	
1-Tridecene	ND	ppbC	ND		30	U
n-Tridecane	ND	ppbC	ND		30	U
SNMOC (Sum of Knowns)	675	ppbC	646.00	4.48	200	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP1) Continued

Source: 8082101-18

Prepared: 08/13/08 Analyzed: 08/29/08

Sum of Unknowns	277	ppbC	264.00	5.08	30	
TNMOC	953	ppbC	909.00	4.66	200	

Duplicate (B8I0101-DUP2)

Source: 8082101-19

Prepared: 08/13/08 Analyzed: 08/29/08

Ethylene	2.90	ppbC	2.95	1.54	30	
Acetylene	ND	ppbC	1.15		30	U
Ethane	11.9	ppbC	12.30	3.60	30	
Propylene	2.55	ppbC	2.59	1.75	30	
Propane	9.28	ppbC	9.98	7.30	30	
Propyne	ND	ppbC	ND		30	U
Isobutane	7.55	ppbC	7.78	2.99	30	
Isobutene/1-Butene	ND	ppbC	ND		30	U
1,3-Butadiene	ND	ppbC	ND		30	U
n-Butane	11.9	ppbC	12.80	7.00	30	
trans-2-Butene	ND	ppbC	ND		30	U
cis-2-Butene	ND	ppbC	ND		30	U
3-Methyl-1-butene	ND	ppbC	ND		30	U
Isopentane	13.5	ppbC	15.90	16.1	30	
1-Pentene	ND	ppbC	ND		30	U
2-Methyl-1-butene	ND	ppbC	ND		30	U
n-Pentane	23.6	ppbC	24.60	4.06	30	
Isoprene	ND	ppbC	ND		30	U
trans-2-Pentene	ND	ppbC	ND		30	U
cis-2-Pentene	ND	ppbC	ND		30	U
2-Methyl-2-butene	ND	ppbC	ND		30	U
2,2-Dimethylbutane	2.33	ppbC	2.63	12.1	30	
Cyclopentene	ND	ppbC	ND		30	U
4-Methyl-1-pentene	ND	ppbC	ND		30	U
Cyclopentane	3.12	ppbC	3.17	1.72	30	
2,3-Dimethylbutane	5.57	ppbC	5.98	7.02	30	
2-Methylpentane	23.5	ppbC	23.40	0.515	30	
3-Methylpentane	14.0	ppbC	14.10	0.916	30	
2-Methyl-1-pentene	ND	ppbC	ND		30	U
1-Hexene	ND	ppbC	ND		30	U
2-Ethyl-1-butene	ND	ppbC	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP2) Continued Source: 8082101-19 Prepared: 08/13/08 Analyzed: 08/29/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
n-Hexane	30.5	ppbC	29.00	4.80	30	
trans-2-Hexene	ND	ppbC	ND		30	U
cis-2-Hexene	ND	ppbC	ND		30	U
Methylcyclopentane	20.6	ppbC	19.60	4.99	30	
2,4-Dimethylpentane	2.38	ppbC	2.28	4.43	30	
Benzene	6.78	ppbC	6.55	3.45	30	
Cyclohexane	28.8	ppbC	28.40	1.40	30	
2-Methylhexane	14.8	ppbC	14.90	1.02	30	
2,3-Dimethylpentane	4.69	ppbC	4.80	2.44	30	
3-Methylhexane	12.2	ppbC	11.90	2.38	30	
1-Heptene	8.29	ppbC	8.10	2.25	30	
2,2,4-Trimethylpentane	ND	ppbC	ND		30	U
n-Heptane	29.9	ppbC	29.40	1.66	30	
Methylcyclohexane	87.7	ppbC	84.90	3.22	30	
2,2,3-Trimethylpentane	ND	ppbC	ND		30	U
2,3,4-Trimethylpentane	1.47	ppbC	ND		30	
Toluene	30.0	ppbC	30.00	0.113	30	
2-Methylheptane	10.3	ppbC	10.70	3.82	30	
3-Methylheptane	7.48	ppbC	6.79	9.57	30	
1-Octene	3.50	ppbC	3.01	14.9	30	
n-Octane	31.9	ppbC	31.60	0.835	30	
Ethylbenzene	4.98	ppbC	5.04	1.14	30	
m-Xylene/p-Xylene	50.7	ppbC	50.70	0.0493	30	
Styrene	ND	ppbC	ND		30	U
o-Xylene	9.03	ppbC	9.03	0.0886	30	
1-Nonene	ND	ppbC	ND		30	U
n-Nonane	19.8	ppbC	19.30	2.25	30	
Isopropylbenzene	ND	ppbC	ND		30	U
a-Pinene	ND	ppbC	ND		30	U
n-Propylbenzene	2.69	ppbC	2.52	6.53	30	
m-Ethyltoluene	7.75	ppbC	7.78	0.348	30	
p-Ethyltoluene	5.62	ppbC	5.34	5.20	30	
1,3,5-Trimethylbenzene	13.2	ppbC	13.20	0.190	30	
o-Ethyltoluene	3.69	ppbC	3.66	0.761	30	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP2) Continued

Source: 8082101-19

Prepared: 08/13/08 Analyzed: 08/29/08

b-Pinene	ND	ppbC	ND		30	U
1,2,4-Trimethylbenzene	13.5	ppbC	13.30	0.888	30	
1-Decene	ND	ppbC	ND		30	U
n-Decane	14.7	ppbC	15.50	4.94	30	
1,2,3-Trimethylbenzene	2.55	ppbC	2.51	1.42	30	
m-Diethylbenzene	2.22	ppbC	1.96	12.6	30	
p-Diethylbenzene	1.50	ppbC	1.18	23.6	30	
1-Undecene	ND	ppbC	ND		30	U
n-Undecane	14.5	ppbC	14.50	0.352	30	
1-Dodecene	ND	ppbC	ND		30	U
n-Dodecane	10.8	ppbC	11.40	5.18	30	
1-Tridecene	ND	ppbC	ND		30	U
n-Tridecane	7.10	ppbC	7.24	1.87	30	
SNMOC (Sum of Knowns)	654	ppbC	653.00	0.139	200	
Sum of Unknowns	362	ppbC	374.00	3.30	30	
TNMOC	1020	ppbC	1,030.00	1.10	200	

Duplicate (B8I0101-DUP3)

Source: 8082101-22

Prepared: 08/14/08 Analyzed: 08/29/08

Ethylene	1.86	ppbC	2.05	9.31	30	
Acetylene	ND	ppbC	ND		30	U
Ethane	20.6	ppbC	21.10	2.64	30	
Propylene	1.07	ppbC	1.29	18.3	30	
Propane	15.7	ppbC	16.10	2.26	30	
Propyne	ND	ppbC	ND		30	U
Isobutane	6.94	ppbC	7.28	4.70	30	
Isobutene/1-Butene	1.38	ppbC	ND		30	
1,3-Butadiene	ND	ppbC	ND		30	U
n-Butane	9.38	ppbC	9.47	0.987	30	
trans-2-Butene	ND	ppbC	ND		30	U
cis-2-Butene	ND	ppbC	ND		30	U
3-Methyl-1-butene	ND	ppbC	ND		30	U
Isopentane	6.30	ppbC	6.07	3.75	30	
1-Pentene	ND	ppbC	ND		30	U
2-Methyl-1-butene	ND	ppbC	ND		30	U
n-Pentane	8.19	ppbC	8.03	1.95	30	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP3) Continued Source: 8082101-22 Prepared: 08/14/08 Analyzed: 08/29/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
Isoprene	ND	ppbC	ND		30	U
trans-2-Pentene	ND	ppbC	ND		30	U
cis-2-Pentene	ND	ppbC	ND		30	U
2-Methyl-2-butene	ND	ppbC	ND		30	U
2,2-Dimethylbutane	1.25	ppbC	ND		30	
Cyclopentene	ND	ppbC	ND		30	U
4-Methyl-1-pentene	ND	ppbC	ND		30	U
Cyclopentane	1.73	ppbC	1.50	13.9	30	
2,3-Dimethylbutane	1.88	ppbC	1.62	14.9	30	
2-Methylpentane	7.03	ppbC	7.14	1.53	30	
3-Methylpentane	3.45	ppbC	3.44	0.349	30	
2-Methyl-1-pentene	ND	ppbC	ND		30	U
1-Hexene	ND	ppbC	ND		30	U
2-Ethyl-1-butene	ND	ppbC	ND		30	U
n-Hexane	8.15	ppbC	7.04	14.7	30	
trans-2-Hexene	ND	ppbC	ND		30	U
cis-2-Hexene	ND	ppbC	ND		30	U
Methylcyclopentane	4.80	ppbC	4.40	8.74	30	
2,4-Dimethylpentane	ND	ppbC	ND		30	U
Benzene	9.68	ppbC	9.83	1.58	30	
Cyclohexane	6.31	ppbC	6.13	2.80	30	
2-Methylhexane	3.66	ppbC	3.77	2.93	30	
2,3-Dimethylpentane	ND	ppbC	ND		30	U
3-Methylhexane	3.58	ppbC	2.31	43.2	30	
1-Heptene	ND	ppbC	ND		30	U
2,2,4-Trimethylpentane	2.35	ppbC	ND		30	
n-Heptane	5.78	ppbC	5.55	4.01	30	
Methylcyclohexane	15.1	ppbC	15.00	0.864	30	
2,2,3-Trimethylpentane	ND	ppbC	ND		30	U
2,3,4-Trimethylpentane	ND	ppbC	ND		30	U
Toluene	20.2	ppbC	21.10	4.38	30	
2-Methylheptane	1.72	ppbC	2.11	20.0	30	
3-Methylheptane	ND	ppbC	ND		30	U
1-Octene	ND	ppbC	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP3) Continued Source: 8082101-22 Prepared: 08/14/08 Analyzed: 08/29/08

n-Octane	5.37	ppbC	5.43	1.02	30	
Ethylbenzene	1.99	ppbC	1.88	5.58	30	
m-Xylene/p-Xylene	12.4	ppbC	13.30	6.31	30	
Styrene	ND	ppbC	ND		30	U
o-Xylene	2.61	ppbC	3.10	17.3	30	
1-Nonene	ND	ppbC	ND		30	U
n-Nonane	3.06	ppbC	2.95	3.86	30	
Isopropylbenzene	ND	ppbC	ND		30	U
a-Pinene	ND	ppbC	ND		30	U
n-Propylbenzene	ND	ppbC	ND		30	U
m-Ethyltoluene	ND	ppbC	1.44		30	U
p-Ethyltoluene	ND	ppbC	ND		30	U
1,3,5-Trimethylbenzene	1.92	ppbC	1.68	13.7	30	
o-Ethyltoluene	ND	ppbC	ND		30	U
b-Pinene	ND	ppbC	ND		30	U
1,2,4-Trimethylbenzene	1.98	ppbC	2.26	13.2	30	
1-Decene	ND	ppbC	ND		30	U
n-Decane	ND	ppbC	2.12		30	U
1,2,3-Trimethylbenzene	ND	ppbC	ND		30	U
m-Diethylbenzene	ND	ppbC	ND		30	U
p-Diethylbenzene	ND	ppbC	ND		30	U
1-Undecene	ND	ppbC	ND		30	U
n-Undecane	ND	ppbC	ND		30	U
1-Dodecene	ND	ppbC	ND		30	U
n-Dodecane	ND	ppbC	ND		30	U
1-Tridecene	ND	ppbC	ND		30	U
n-Tridecane	ND	ppbC	ND		30	U
SNMOC (Sum of Knowns)	208	ppbC	206.00	0.856	200	
Sum of Unknowns	70.8	ppbC	76.20	7.44	30	
TNMOC	278	ppbC	282.00	1.32	200	

Duplicate (B8I0101-DUP4) Source: 8082101-23 Prepared: 08/14/08 Analyzed: 08/29/08

Ethylene	1.60	ppbC	1.93	18.9	30	
Acetylene	ND	ppbC	ND		30	U
Ethane	20.9	ppbC	20.80	0.777	30	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP4) Continued Source: 8082101-23 Prepared: 08/14/08 Analyzed: 08/29/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
Propylene	1.61	ppbC	1.19	30.2	30	
Propane	15.5	ppbC	16.10	3.55	30	
Propyne	ND	ppbC	ND		30	U
Isobutane	6.74	ppbC	7.33	8.33	30	
Isobutene/1-Butene	ND	ppbC	ND		30	U
1,3-Butadiene	ND	ppbC	ND		30	U
n-Butane	8.74	ppbC	8.55	2.15	30	
trans-2-Butene	ND	ppbC	ND		30	U
cis-2-Butene	ND	ppbC	ND		30	U
3-Methyl-1-butene	ND	ppbC	ND		30	U
Isopentane	5.85	ppbC	6.19	5.68	30	
1-Pentene	ND	ppbC	ND		30	U
2-Methyl-1-butene	ND	ppbC	ND		30	U
n-Pentane	7.67	ppbC	7.80	1.69	30	
Isoprene	ND	ppbC	ND		30	U
trans-2-Pentene	ND	ppbC	ND		30	U
cis-2-Pentene	ND	ppbC	ND		30	U
2-Methyl-2-butene	ND	ppbC	ND		30	U
2,2-Dimethylbutane	ND	ppbC	ND		30	U
Cyclopentene	ND	ppbC	ND		30	U
4-Methyl-1-pentene	ND	ppbC	ND		30	U
Cyclopentane	2.06	ppbC	1.46	34.0	30	
2,3-Dimethylbutane	1.76	ppbC	ND		30	
2-Methylpentane	6.69	ppbC	6.82	1.95	30	
3-Methylpentane	3.36	ppbC	3.46	3.20	30	
2-Methyl-1-pentene	ND	ppbC	ND		30	U
1-Hexene	ND	ppbC	ND		30	U
2-Ethyl-1-butene	ND	ppbC	ND		30	U
n-Hexane	7.96	ppbC	7.79	2.16	30	
trans-2-Hexene	ND	ppbC	ND		30	U
cis-2-Hexene	ND	ppbC	ND		30	U
Methylcyclopentane	4.74	ppbC	4.32	9.09	30	
2,4-Dimethylpentane	ND	ppbC	ND		30	U
Benzene	8.44	ppbC	8.69	2.92	30	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP4) Continued Source: 8082101-23 Prepared: 08/14/08 Analyzed: 08/29/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
Cyclohexane	6.51	ppbC	6.42	1.27	30	
2-Methylhexane	4.27	ppbC	4.28	0.257	30	
2,3-Dimethylpentane	ND	ppbC	ND		30	U
3-Methylhexane	2.62	ppbC	2.27	14.3	30	
1-Heptene	ND	ppbC	ND		30	U
2,2,4-Trimethylpentane	ND	ppbC	ND		30	U
n-Heptane	5.32	ppbC	5.53	3.95	30	
Methylcyclohexane	15.3	ppbC	15.20	0.236	30	
2,2,3-Trimethylpentane	ND	ppbC	ND		30	U
2,3,4-Trimethylpentane	ND	ppbC	ND		30	U
Toluene	20.7	ppbC	19.80	4.34	30	
2-Methylheptane	2.34	ppbC	1.94	18.8	30	
3-Methylheptane	ND	ppbC	ND		30	U
1-Octene	ND	ppbC	ND		30	U
n-Octane	5.17	ppbC	5.07	2.01	30	
Ethylbenzene	1.88	ppbC	ND		30	
m-Xylene/p-Xylene	12.7	ppbC	12.70	0.0550	30	
Styrene	ND	ppbC	ND		30	U
o-Xylene	2.77	ppbC	2.74	0.798	30	
1-Nonene	ND	ppbC	ND		30	U
n-Nonane	2.85	ppbC	2.86	0.630	30	
Isopropylbenzene	ND	ppbC	ND		30	U
a-Pinene	ND	ppbC	ND		30	U
n-Propylbenzene	ND	ppbC	ND		30	U
m-Ethyltoluene	1.48	ppbC	1.38	7.11	30	
p-Ethyltoluene	ND	ppbC	ND		30	U
1,3,5-Trimethylbenzene	1.89	ppbC	2.16	13.4	30	
o-Ethyltoluene	ND	ppbC	ND		30	U
b-Pinene	ND	ppbC	ND		30	U
1,2,4-Trimethylbenzene	2.58	ppbC	2.84	9.41	30	
1-Decene	ND	ppbC	ND		30	U
n-Decane	2.04	ppbC	2.34	13.9	30	
1,2,3-Trimethylbenzene	ND	ppbC	ND		30	U
m-Diethylbenzene	ND	ppbC	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP4) Continued

Source: 8082101-23

Prepared: 08/14/08 Analyzed: 08/29/08

p-Diethylbenzene	ND	ppbC	ND		30	U
1-Undecene	ND	ppbC	ND		30	U
n-Undecane	1.57	ppbC	1.62	3.19	30	
1-Dodecene	ND	ppbC	ND		30	U
n-Dodecane	ND	ppbC	ND		30	U
1-Tridecene	ND	ppbC	ND		30	U
n-Tridecane	ND	ppbC	ND		30	U
SNMOC (Sum of Knowns)	208	ppbC	205.00	1.34	200	
Sum of Unknowns	83.6	ppbC	87.80	4.93	30	
TNMOC	291	ppbC	293.00	0.504	200	

Duplicate (B8I0101-DUP5)

Source: 8082101-24

Prepared: 08/14/08 Analyzed: 08/29/08

Ethylene	1.26	ppbC	1.27	0.395	30	
Acetylene	0.953	ppbC	0.92	3.52	30	
Ethane	12.5	ppbC	12.70	1.79	30	
Propylene	1.55	ppbC	1.24	22.7	30	
Propane	12.0	ppbC	12.00	0.326	30	
Propyne	ND	ppbC	ND		30	U
Isobutane	10.1	ppbC	10.20	0.858	30	
Isobutene/1-Butene	1.39	ppbC	1.99	35.3	30	
1,3-Butadiene	ND	ppbC	ND		30	U
n-Butane	16.8	ppbC	17.60	4.35	30	
trans-2-Butene	ND	ppbC	ND		30	U
cis-2-Butene	ND	ppbC	ND		30	U
3-Methyl-1-butene	ND	ppbC	ND		30	U
Isopentane	17.7	ppbC	18.00	1.78	30	
1-Pentene	ND	ppbC	ND		30	U
2-Methyl-1-butene	ND	ppbC	ND		30	U
n-Pentane	18.2	ppbC	18.60	2.10	30	
Isoprene	ND	ppbC	ND		30	U
trans-2-Pentene	ND	ppbC	ND		30	U
cis-2-Pentene	ND	ppbC	ND		30	U
2-Methyl-2-butene	ND	ppbC	ND		30	U
2,2-Dimethylbutane	2.02	ppbC	1.84	9.39	30	
Cyclopentene	ND	ppbC	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP5) Continued Source: 8082101-24 Prepared: 08/14/08 Analyzed: 08/29/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
4-Methyl-1-pentene	ND	ppbC	ND		30	U
Cyclopentane	2.27	ppbC	2.48	8.68	30	
2,3-Dimethylbutane	3.17	ppbC	3.31	4.32	30	
2-Methylpentane	14.7	ppbC	14.00	4.52	30	
3-Methylpentane	8.19	ppbC	8.05	1.66	30	
2-Methyl-1-pentene	ND	ppbC	ND		30	U
1-Hexene	ND	ppbC	ND		30	U
2-Ethyl-1-butene	ND	ppbC	ND		30	U
n-Hexane	19.4	ppbC	17.40	11.2	30	
trans-2-Hexene	ND	ppbC	ND		30	U
cis-2-Hexene	ND	ppbC	ND		30	U
Methylcyclopentane	10.9	ppbC	10.10	7.40	30	
2,4-Dimethylpentane	ND	ppbC	ND		30	U
Benzene	13.1	ppbC	12.00	8.40	30	
Cyclohexane	14.9	ppbC	13.90	6.96	30	
2-Methylhexane	6.99	ppbC	6.54	6.56	30	
2,3-Dimethylpentane	ND	ppbC	ND		30	U
3-Methylhexane	5.98	ppbC	5.62	6.10	30	
1-Heptene	3.87	ppbC	3.30	16.1	30	
2,2,4-Trimethylpentane	ND	ppbC	ND		30	U
n-Heptane	12.6	ppbC	11.20	11.8	30	
Methylcyclohexane	35.9	ppbC	31.40	13.2	30	
2,2,3-Trimethylpentane	ND	ppbC	ND		30	U
2,3,4-Trimethylpentane	ND	ppbC	ND		30	U
Toluene	31.8	ppbC	30.10	5.44	30	
2-Methylheptane	4.46	ppbC	3.84	15.1	30	
3-Methylheptane	3.01	ppbC	2.61	14.1	30	
1-Octene	ND	ppbC	ND		30	U
n-Octane	11.5	ppbC	11.10	3.23	30	
Ethylbenzene	2.47	ppbC	2.09	16.4	30	
m-Xylene/p-Xylene	19.3	ppbC	18.60	3.96	30	
Styrene	ND	ppbC	ND		30	U
o-Xylene	4.17	ppbC	3.73	11.3	30	
1-Nonene	ND	ppbC	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP5) Continued

Source: 8082101-24

Prepared: 08/14/08

Analyzed: 08/29/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
n-Nonane	6.36	ppbC	6.40	0.580	30	
Isopropylbenzene	ND	ppbC	ND		30	U
a-Pinene	ND	ppbC	ND		30	U
n-Propylbenzene	ND	ppbC	ND		30	U
m-Ethyltoluene	1.90	ppbC	1.70	11.5	30	
p-Ethyltoluene	ND	ppbC	ND		30	U
1,3,5-Trimethylbenzene	3.35	ppbC	3.44	2.62	30	
o-Ethyltoluene	ND	ppbC	ND		30	U
b-Pinene	ND	ppbC	ND		30	U
1,2,4-Trimethylbenzene	3.30	ppbC	2.99	9.78	30	
1-Decene	ND	ppbC	ND		30	U
n-Decane	4.50	ppbC	4.45	1.18	30	
1,2,3-Trimethylbenzene	ND	ppbC	ND		30	U
m-Diethylbenzene	ND	ppbC	ND		30	U
p-Diethylbenzene	ND	ppbC	ND		30	U
1-Undecene	ND	ppbC	ND		30	U
n-Undecane	3.85	ppbC	3.82	0.860	30	
1-Dodecene	ND	ppbC	ND		30	U
n-Dodecane	ND	ppbC	ND		30	U
1-Tridecene	ND	ppbC	ND		30	U
n-Tridecane	ND	ppbC	ND		30	U
SNMOC (Sum of Knowns)	363	ppbC	345.00	5.11	200	
Sum of Unknowns	142	ppbC	138.00	3.28	30	
TNMOC	505	ppbC	482.00	4.59	200	

Duplicate (B8I0101-DUP6)

Source: 8082101-25

Prepared: 08/14/08

Analyzed: 08/30/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
Ethylene	1.71	ppbC	1.51	12.6	30	
Acetylene	1.33	ppbC	1.65	21.1	30	
Ethane	12.3	ppbC	12.40	1.08	30	
Propylene	0.868	ppbC	1.38	45.9	30	
Propane	12.4	ppbC	12.10	2.17	30	
Propyne	ND	ppbC	ND		30	U
Isobutane	10.5	ppbC	10.50	0.390	30	
Isobutene/1-Butene	ND	ppbC	ND		30	U
1,3-Butadiene	ND	ppbC	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP6) Continued Source: 8082101-25 Prepared: 08/14/08 Analyzed: 08/30/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
n-Butane	17.6	ppbC	16.50	6.47	30	
trans-2-Butene	ND	ppbC	ND		30	U
cis-2-Butene	ND	ppbC	ND		30	U
3-Methyl-1-butene	ND	ppbC	ND		30	U
Isopentane	16.0	ppbC	16.00	0.263	30	
1-Pentene	ND	ppbC	ND		30	U
2-Methyl-1-butene	ND	ppbC	ND		30	U
n-Pentane	19.0	ppbC	18.70	1.53	30	
Isoprene	ND	ppbC	ND		30	U
trans-2-Pentene	ND	ppbC	ND		30	U
cis-2-Pentene	ND	ppbC	ND		30	U
2-Methyl-2-butene	ND	ppbC	ND		30	U
2,2-Dimethylbutane	1.82	ppbC	1.84	0.765	30	
Cyclopentene	ND	ppbC	ND		30	U
4-Methyl-1-pentene	ND	ppbC	ND		30	U
Cyclopentane	2.46	ppbC	2.87	15.4	30	
2,3-Dimethylbutane	3.60	ppbC	3.54	1.57	30	
2-Methylpentane	14.8	ppbC	15.40	3.68	30	
3-Methylpentane	8.20	ppbC	8.20	0.0122	30	
2-Methyl-1-pentene	ND	ppbC	ND		30	U
1-Hexene	ND	ppbC	ND		30	U
2-Ethyl-1-butene	ND	ppbC	ND		30	U
n-Hexane	18.2	ppbC	18.00	1.36	30	
trans-2-Hexene	ND	ppbC	ND		30	U
cis-2-Hexene	ND	ppbC	ND		30	U
Methylcyclopentane	11.0	ppbC	11.00	0.245	30	
2,4-Dimethylpentane	ND	ppbC	ND		30	U
Benzene	13.0	ppbC	12.10	7.30	30	
Cyclohexane	14.8	ppbC	14.50	1.93	30	
2-Methylhexane	7.18	ppbC	7.19	0.139	30	
2,3-Dimethylpentane	ND	ppbC	ND		30	U
3-Methylhexane	6.10	ppbC	6.48	6.03	30	
1-Heptene	3.68	ppbC	3.84	4.26	30	
2,2,4-Trimethylpentane	ND	ppbC	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP6) Continued Source: 8082101-25 Prepared: 08/14/08 Analyzed: 08/30/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
n-Heptane	12.5	ppbC	11.80	5.24	30	
Methylcyclohexane	34.3	ppbC	32.70	4.68	30	
2,2,3-Trimethylpentane	ND	ppbC	ND		30	U
2,3,4-Trimethylpentane	ND	ppbC	ND		30	U
Toluene	32.4	ppbC	31.00	4.26	30	
2-Methylheptane	4.40	ppbC	4.47	1.67	30	
3-Methylheptane	3.48	ppbC	3.15	9.89	30	
1-Octene	ND	ppbC	ND		30	U
n-Octane	11.8	ppbC	11.40	3.29	30	
Ethylbenzene	2.25	ppbC	2.05	9.11	30	
m-Xylene/p-Xylene	18.9	ppbC	18.20	3.87	30	
Styrene	ND	ppbC	ND		30	U
o-Xylene	3.94	ppbC	3.64	8.13	30	
1-Nonene	ND	ppbC	ND		30	U
n-Nonane	6.17	ppbC	6.05	1.96	30	
Isopropylbenzene	ND	ppbC	ND		30	U
a-Pinene	ND	ppbC	ND		30	U
n-Propylbenzene	ND	ppbC	ND		30	U
m-Ethyltoluene	1.63	ppbC	1.91	15.7	30	
p-Ethyltoluene	ND	ppbC	ND		30	U
1,3,5-Trimethylbenzene	1.79	ppbC	2.16	18.9	30	
o-Ethyltoluene	ND	ppbC	ND		30	U
b-Pinene	ND	ppbC	ND		30	U
1,2,4-Trimethylbenzene	2.37	ppbC	2.76	15.3	30	
1-Decene	ND	ppbC	ND		30	U
n-Decane	3.86	ppbC	4.12	6.50	30	
1,2,3-Trimethylbenzene	ND	ppbC	ND		30	U
m-Diethylbenzene	ND	ppbC	ND		30	U
p-Diethylbenzene	ND	ppbC	ND		30	U
1-Undecene	ND	ppbC	ND		30	U
n-Undecane	1.40	ppbC	ND		30	
1-Dodecene	ND	ppbC	ND		30	U
n-Dodecane	ND	ppbC	ND		30	U
1-Tridecene	ND	ppbC	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP6) Continued

Source: 8082101-25

Prepared: 08/14/08 Analyzed: 08/30/08

n-Tridecane	ND	ppbC	ND		30	U
SNMOC (Sum of Knowns)	349	ppbC	344.00	1.53	200	
Sum of Unknowns	161	ppbC	160.00	0.846	30	
TNMOC	511	ppbC	504.00	1.32	200	

Duplicate (B8I0101-DUP7)

Source: 8082101-27

Prepared: 08/15/08 Analyzed: 08/30/08

Ethylene	4.07	ppbC	3.54	14.1	30	
Acetylene	ND	ppbC	1.00		30	U
Ethane	15.7	ppbC	15.60	0.691	30	
Propylene	2.54	ppbC	2.58	1.52	30	
Propane	13.1	ppbC	12.60	3.42	30	
Propyne	ND	ppbC	ND		30	U
Isobutane	7.19	ppbC	7.44	3.49	30	
Isobutene/1-Butene	2.45	ppbC	2.25	8.60	30	
1,3-Butadiene	ND	ppbC	ND		30	U
n-Butane	10.5	ppbC	10.10	3.39	30	
trans-2-Butene	ND	ppbC	ND		30	U
cis-2-Butene	ND	ppbC	ND		30	U
3-Methyl-1-butene	ND	ppbC	ND		30	U
Isopentane	ND	ppbC	ND		30	U
1-Pentene	ND	ppbC	1.08		30	U
2-Methyl-1-butene	ND	ppbC	ND		30	U
n-Pentane	10.4	ppbC	11.10	6.21	30	
Isoprene	ND	ppbC	ND		30	U
trans-2-Pentene	ND	ppbC	ND		30	U
cis-2-Pentene	ND	ppbC	ND		30	U
2-Methyl-2-butene	ND	ppbC	ND		30	U
2,2-Dimethylbutane	1.20	ppbC	ND		30	
Cyclopentene	ND	ppbC	ND		30	U
4-Methyl-1-pentene	ND	ppbC	ND		30	U
Cyclopentane	1.46	ppbC	1.36	7.51	30	
2,3-Dimethylbutane	1.62	ppbC	ND		30	
2-Methylpentane	6.92	ppbC	7.09	2.38	30	
3-Methylpentane	3.64	ppbC	3.71	1.93	30	
2-Methyl-1-pentene	ND	ppbC	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP7) Continued Source: 8082101-27 Prepared: 08/15/08 Analyzed: 08/30/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
1-Hexene	ND	ppbC	ND		30	U
2-Ethyl-1-butene	ND	ppbC	ND		30	U
n-Hexane	7.64	ppbC	7.65	0.0523	30	
trans-2-Hexene	ND	ppbC	ND		30	U
cis-2-Hexene	ND	ppbC	ND		30	U
Methylcyclopentane	4.93	ppbC	4.82	2.22	30	
2,4-Dimethylpentane	ND	ppbC	ND		30	U
Benzene	5.76	ppbC	5.72	0.610	30	
Cyclohexane	5.86	ppbC	5.73	2.28	30	
2-Methylhexane	5.14	ppbC	5.16	0.369	30	
2,3-Dimethylpentane	ND	ppbC	ND		30	U
3-Methylhexane	2.31	ppbC	2.22	3.88	30	
1-Heptene	ND	ppbC	ND		30	U
2,2,4-Trimethylpentane	ND	ppbC	ND		30	U
n-Heptane	4.34	ppbC	4.14	4.57	30	
Methylcyclohexane	11.6	ppbC	11.60	0.570	30	
2,2,3-Trimethylpentane	ND	ppbC	ND		30	U
2,3,4-Trimethylpentane	ND	ppbC	ND		30	U
Toluene	13.7	ppbC	13.60	0.337	30	
2-Methylheptane	1.47	ppbC	1.94	27.8	30	
3-Methylheptane	ND	ppbC	ND		30	U
1-Octene	ND	ppbC	ND		30	U
n-Octane	3.49	ppbC	4.09	15.9	30	
Ethylbenzene	ND	ppbC	ND		30	U
m-Xylene/p-Xylene	7.79	ppbC	7.65	1.80	30	
Styrene	ND	ppbC	ND		30	U
o-Xylene	1.95	ppbC	1.70	13.7	30	
1-Nonene	ND	ppbC	ND		30	U
n-Nonane	2.05	ppbC	2.21	7.66	30	
Isopropylbenzene	ND	ppbC	ND		30	U
a-Pinene	ND	ppbC	ND		30	U
n-Propylbenzene	ND	ppbC	ND		30	U
m-Ethyltoluene	ND	ppbC	ND		30	U
p-Ethyltoluene	ND	ppbC	ND		30	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP7) Continued Source: 8082101-27 Prepared: 08/15/08 Analyzed: 08/30/08

1,3,5-Trimethylbenzene	ND	ppbC	ND		30	U
o-Ethyltoluene	ND	ppbC	ND		30	U
b-Pinene	ND	ppbC	ND		30	U
1,2,4-Trimethylbenzene	ND	ppbC	ND		30	U
1-Decene	ND	ppbC	ND		30	U
n-Decane	ND	ppbC	1.88		30	U
1,2,3-Trimethylbenzene	ND	ppbC	ND		30	U
m-Diethylbenzene	ND	ppbC	ND		30	U
p-Diethylbenzene	ND	ppbC	ND		30	U
1-Undecene	ND	ppbC	ND		30	U
n-Undecane	1.83	ppbC	2.04	10.9	30	
1-Dodecene	ND	ppbC	ND		30	U
n-Dodecane	ND	ppbC	ND		30	U
1-Tridecene	ND	ppbC	ND		30	U
n-Tridecane	ND	ppbC	ND		30	U
SNMOC (Sum of Knowns)	179	ppbC	182.00	1.57	200	
Sum of Unknowns	185	ppbC	186.00	0.614	30	
TNMOC	364	ppbC	368.00	1.09	200	

Duplicate (B8I0101-DUP8) Source: 8082101-28 Prepared: 08/15/08 Analyzed: 08/30/08

Ethylene	2.29	ppbC	2.14	6.81	30	
Acetylene	1.29	ppbC	1.42	9.52	30	
Ethane	23.8	ppbC	23.40	1.81	30	
Propylene	1.63	ppbC	1.47	10.0	30	
Propane	19.0	ppbC	19.20	0.727	30	
Propyne	ND	ppbC	ND		30	U
Isobutane	14.1	ppbC	14.00	0.527	30	
Isobutene/1-Butene	1.80	ppbC	1.83	1.82	30	
1,3-Butadiene	ND	ppbC	ND		30	U
n-Butane	28.2	ppbC	28.30	0.357	30	
trans-2-Butene	1.44	ppbC	1.45	0.763	30	
cis-2-Butene	1.71	ppbC	2.07	18.7	30	
3-Methyl-1-butene	ND	ppbC	ND		30	U
Isopentane	ND	ppbC	ND		30	U
1-Pentene	2.48	ppbC	2.71	8.87	30	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B810101 - Summa Canister Prep

Duplicate (B810101-DUP8) Continued Source: 8082101-28 Prepared: 08/15/08 Analyzed: 08/30/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
2-Methyl-1-butene	6.10	ppbC	5.54	9.62	30	
n-Pentane	33.6	ppbC	34.00	1.22	30	
Isoprene	ND	ppbC	ND		30	U
trans-2-Pentene	5.56	ppbC	4.83	14.0	30	
cis-2-Pentene	2.78	ppbC	3.08	10.4	30	
2-Methyl-2-butene	5.02	ppbC	4.28	16.0	30	
2,2-Dimethylbutane	5.85	ppbC	5.83	0.205	30	
Cyclopentene	ND	ppbC	ND		30	U
4-Methyl-1-pentene	ND	ppbC	ND		30	U
Cyclopentane	4.18	ppbC	4.53	7.94	30	
2,3-Dimethylbutane	7.98	ppbC	8.46	5.82	30	
2-Methylpentane	28.6	ppbC	29.10	1.46	30	
3-Methylpentane	16.7	ppbC	16.60	0.0901	30	
2-Methyl-1-pentene	ND	ppbC	ND		30	U
1-Hexene	ND	ppbC	ND		30	U
2-Ethyl-1-butene	21.4	ppbC	ND		30	
n-Hexane	21.4	ppbC	20.30	5.31	30	
trans-2-Hexene	ND	ppbC	ND		30	U
cis-2-Hexene	4.14	ppbC	ND		30	
Methylcyclopentane	13.9	ppbC	14.00	0.603	30	
2,4-Dimethylpentane	3.25	ppbC	3.31	2.01	30	
Benzene	12.6	ppbC	12.00	5.22	30	
Cyclohexane	10.9	ppbC	10.50	3.74	30	
2-Methylhexane	8.86	ppbC	8.04	9.71	30	
2,3-Dimethylpentane	4.74	ppbC	4.32	9.47	30	
3-Methylhexane	9.15	ppbC	6.98	26.9	30	
1-Heptene	6.98	ppbC	ND		30	
2,2,4-Trimethylpentane	6.98	ppbC	4.96	33.9	30	
n-Heptane	8.91	ppbC	8.84	0.823	30	
Methylcyclohexane	18.1	ppbC	17.70	2.40	30	
2,2,3-Trimethylpentane	ND	ppbC	ND		30	U
2,3,4-Trimethylpentane	1.80	ppbC	1.92	6.24	30	
Toluene	33.1	ppbC	32.90	0.406	30	
2-Methylheptane	3.26	ppbC	3.48	6.62	30	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Speciated Non-Methane Organic Compounds by GC/FID - Quality Control

Batch B8I0101 - Summa Canister Prep

Duplicate (B8I0101-DUP8) Continued Source: 8082101-28 Prepared: 08/15/08 Analyzed: 08/30/08

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
3-Methylheptane	2.96	ppbC	3.21	7.94	30	
1-Octene	ND	ppbC	ND		30	U
n-Octane	6.67	ppbC	6.65	0.255	30	
Ethylbenzene	4.28	ppbC	4.07	5.13	30	
m-Xylene/p-Xylene	19.3	ppbC	18.90	2.14	30	
Styrene	ND	ppbC	ND		30	U
o-Xylene	5.70	ppbC	5.62	1.39	30	
1-Nonene	ND	ppbC	ND		30	U
n-Nonane	3.48	ppbC	3.77	8.03	30	
Isopropylbenzene	ND	ppbC	ND		30	U
a-Pinene	ND	ppbC	ND		30	U
n-Propylbenzene	ND	ppbC	ND		30	U
m-Ethyltoluene	2.74	ppbC	2.64	3.87	30	
p-Ethyltoluene	ND	ppbC	ND		30	U
1,3,5-Trimethylbenzene	2.58	ppbC	2.21	15.4	30	
o-Ethyltoluene	ND	ppbC	ND		30	U
b-Pinene	ND	ppbC	ND		30	U
1,2,4-Trimethylbenzene	3.63	ppbC	4.13	12.8	30	
1-Decene	ND	ppbC	ND		30	U
n-Decane	3.25	ppbC	2.38	30.9	30	
1,2,3-Trimethylbenzene	ND	ppbC	ND		30	U
m-Diethylbenzene	ND	ppbC	ND		30	U
p-Diethylbenzene	ND	ppbC	ND		30	U
1-Undecene	ND	ppbC	ND		30	U
n-Undecane	2.12	ppbC	2.32	9.01	30	
1-Dodecene	ND	ppbC	ND		30	U
n-Dodecane	ND	ppbC	ND		30	U
1-Tridecene	ND	ppbC	ND		30	U
n-Tridecane	204	ppbC	ND		30	
SNMOC (Sum of Knowns)	688	ppbC	435.00	45.2	200	
Sum of Unknowns	188	ppbC	198.00	5.39	30	
TNMOC	876	ppbC	633.00	32.3	200	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS

4915 Prospectus Drive

Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Notes and Definitions

- U Under Detection Limit
- E The concentration indicated for this analyte is an estimated value above the calibration range of the instrument. This value is considered an estimate (CLP E-flag).
- D-01 This result obtained by diluting and reanalyzing the sample.
- ND Analyte NOT DETECTED at or above the Method Detection Limit (MDL)
- NR Not Reported
- MDL Method Detection Limit
- RPD Relative Percent Difference



CERTIFICATE OF ANALYSIS

ARCADIS
 4915 Prospectus Drive
 Durham, NC 27713
 ATTN: Mark Modrak
 PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007
 REPORTED: 09/25/08 07:21
 SUBMITTED: 08/21/08
 AQS SITE CODE:
 SITE CODE: Lagoon

Items for Project Manager Review

LabNumber	Analysis	Analyte	Exception
8082101-04	SNMOC	n-Undecane	D-01: This result obtained by diluting and reanalyzing the sample. This is a modified report
8082101-04	SNMOC	2-Methylheptane	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	SNMOC	1,3,5-Trimethylbenzene	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	SNMOC	1,2,4-Trimethylbenzene	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-07	SNMOC	Toluene	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-05	SNMOC	Toluene	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	SNMOC	Toluene	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	SNMOC	3-Methylheptane	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	SNMOC	o-Xylene	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	SNMOC	3-Methylhexane	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	SNMOC	n-Octane	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	SNMOC	n-Nonane	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	SNMOC	n-Hexane	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	SNMOC	n-Heptane	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	SNMOC	n-Decane	D-01: This result obtained by diluting and reanalyzing the sample.
	SNMOC	(Air)	U-Flags used
	SNMOC	(Air)	Result calculations based on MDL VERSION 5.85:2863
8082101-04	SNMOC	p-Ethyltoluene	D-01: This result obtained by diluting and reanalyzing the sample.
B8H2903-DUP2	SNMOC	3-Methylheptane	Exceeds RPD control limit
B8I0101-DUP8	SNMOC	n-Decane	Exceeds RPD control limit
B8I0101-DUP6	SNMOC	Propylene	Exceeds RPD control limit

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

ARCADIS
4915 Prospectus Drive
Durham, NC 27713

ATTN: Mark Modrak

PHONE: (919) 544-4535 FAX: (919) 544-5690

FILE #: 3530.00.007

REPORTED: 09/25/08 07:21

SUBMITTED: 08/21/08

AQS SITE CODE:

SITE CODE: Lagoon

Items for Project Manager Review

LabNumber	Analysis	Analyte	Exception
B8I0101-DUP5	SNMOC	Isobutene/1-Butene	Exceeds RPD control limit
B8I0101-DUP4	SNMOC	Propylene	Exceeds RPD control limit
B8I0101-DUP4	SNMOC	Cyclopentane	Exceeds RPD control limit
B8I0101-DUP3	SNMOC	3-Methylhexane	Exceeds RPD control limit
B8I0101-DUP1	SNMOC	o-Ethyltoluene	Exceeds RPD control limit
8082101-04	SNMOC	2-Methylhexane	D-01: This result obtained by diluting and reanalyzing the sample.
B8H2903-DUP2	SNMOC	Propylene	Exceeds RPD control limit
B8I0101-DUP8	SNMOC	2,2,4-Trimethylpentane	Exceeds RPD control limit
B8H2903-DUP1	SNMOC	Cyclopentane	Exceeds RPD control limit
8082101-04	SNMOC	m-Xylene/p-Xylene	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	SNMOC	m-Ethyltoluene	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	SNMOC	Methylcyclohexane	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	SNMOC	Ethylbenzene	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	SNMOC	Cyclohexane	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	SNMOC	Benzene	D-01: This result obtained by diluting and reanalyzing the sample.
8082101-04	SNMOC	a-Pinene	D-01: This result obtained by diluting and reanalyzing the sample.
B8I0101-DUP1	SNMOC	n-Dodecane	Exceeds RPD control limit

Injection Log

Directory: g:\MASS SPEC 4 DATA\N8H~

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	N8h~001.d	1.	SNMOC	QC	27 Aug 2008 11:19
2	2	N8h~002.d	1.	5	QC	27 Aug 2008 13:01
3	3	N8h~003.d	1.	BLK	QC	27 Aug 2008 14:11
4	4	N8h~004.d	8.	8082101-04	TNAPC11 ARCADIS	27 Aug 2008 15:15
5	5	N8h~005.d	8.	8082101-05	926 ARCADIS	27 Aug 2008 16:19
6	6	N8h~006.d	2.	8082101-06	3639A ARCADIS	27 Aug 2008 17:26
7	7	N8h~007.d	8.	8082101-07	648 ARCADIS	27 Aug 2008 18:29
8	8	N8h~008.d	2.	8082101-08	ER038 ARCADIS	27 Aug 2008 19:35
9	9	N8h~009.d	8.	8082101-09	ER001 ARCADIS	27 Aug 2008 20:38
10	10	N8h~010.d	8.	8082101-10	ER047 ARCADIS	27 Aug 2008 21:42
11	11	N8h~011.d	8.	8082101-11	167604 ARCADIS DO...	27 Aug 2008 22:45
12	12	N8h~012.d	8.	8082101-11	167604 ARCADIS DO...	27 Aug 2008 23:48
13	13	N8h~013.d	8.	8082101-12	659 ARCADIS DOWNW...	28 Aug 2008 00:51
14	14	N8h~014.d	8.	8082101-12	659 ARCADIS DOWNW...	28 Aug 2008 01:54
15	15	N8h~015.d	8.	8082101-13	ER029 ARCADIS UPWIND	28 Aug 2008 02:58
16	16	N8h~016.d	8.	8082101-14	3255 ARCADIS UPWIND	28 Aug 2008 04:01
17	17	N8h~017.d	8.	8082101-15	TNAPC20 ARCADIS U...	28 Aug 2008 05:04
18	18	N8h~018.d	8.	8082101-16	ER043 ARCADIS DOW...	28 Aug 2008 06:07
19	19	N8h~019.d	8.	8082101-16	ER043 ARCADIS DOW...	28 Aug 2008 07:10
20	20	N8h~020.d	8.	8082101-17	444 ARCADIS DOWNW...	28 Aug 2008 08:13
21	21	N8h~021.d	8.	8082101-17	444 ARCADIS DOWNW...	28 Aug 2008 09:16

Evaluate Continuing Calibration Report

Data Path : C:\msdchem\1\DATA\
 Data File : N8H-002.D
 Acq On : 27 Aug 2008 1:01 pm
 Operator : RDL
 Sample : 5.00
 Misc : QC (Sig #1); (Sig #2)
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 27 13:56:31 2008
 Quant Method : C:\msdchem\1\METHODS\N8104.M
 Quant Title : TO-15 by Selective Ion Analysis
 QLast Update : Wed Aug 06 09:23:31 2008
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 1% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 500%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 IS	IS-HEXANE-d14	7.500	7.500	0.0	66	0.00
2	ACETYLENE	4.900	5.811	-18.6	74	0.00
3	PROPYLENE	5.010	5.893	-17.6	79	0.00
4	DICHLORODIFLUOROMETHANE	4.800	4.558	5.0	60	0.00
5	CHLOROMETHANE	4.810	5.662	-17.7	74	0.00
6	DICHLOROTETRAFLUOROETHA	4.880	4.581	6.1	59	0.00
7	VINYL CHLORIDE	4.930	4.767	3.3	59	0.00
8	1,3-BUTADIENE	5.050	5.234	-3.6	65	0.00
9	BROMOMETHANE	4.940	4.683	5.2	59	0.00
10	CHLOROETHANE	4.930	4.597	6.8	61	0.00
11	Ethanol					
12	ACETONITRILE	4.810	4.873	-1.3	58	0.00
13	Acrolien	4.660	3.681	21.0	53	0.00
14	TRICHLOROFLUOROMETHANE	4.900	4.861	0.8	62	0.00
15	ACRYLONITRILE	4.900	4.914	-0.3	54	0.00
16	1,1-DICHLOROETHENE	5.270	5.170	1.9	62	0.00
17	METHYLENE CHLORIDE	5.270	5.619	-6.6	72	0.00
18	CARBON DISULFIDE	4.900	5.169	-5.5	65	0.00
19	TRICHLOROTRIFLUOROETHANE	4.900	4.866	0.7	65	0.00
20	TRANS-1,2-DICHLOROETHYLEN	5.030	4.969	1.2	67	0.00
21	1,1-DICHLOROETHANE	5.070	4.942	2.5	61	0.00
22	METHYL TERT-BUTYL ETHER	4.800	3.963	17.4	47	0.00
23	METHYL ETHYL KETONE	4.960	3.926	20.8	49	0.00
24	CHLOROPRENE	5.180	5.127	1.0	64	0.00
25	CIS-1,2-DICHLOROETHYLENE	5.170	4.805	7.1	60	0.00
26	BROMOCHLOROMETHANE	5.080	4.708	7.3	59	0.00
27	CHLOROFORM	5.090	4.639	8.9	56	0.00
28	ETHYL TERT BUTYL ETHER	4.580	4.011	12.4	50	0.00
29	1,2-DICHLOROETHANE	5.040	5.027	0.3	61	0.00
30 IS	IS-1,4-DIFLUOROBENZENE	7.500	7.500	0.0	79	0.00
31	1,1,1-TRICHLOROETHANE	5.070	3.894	23.2	59	0.00
32	BENZENE	5.030	3.777	24.9	55	0.00
33	CARBON TETRACHLORIDE	5.040	4.001	20.6	62	0.00
34	TERT-AMYL METHYL ETHER	4.600	3.681	20.0	54	0.00
35	1,2-DICHLOROPROPANE	5.030	3.985	20.8	56	0.00
36	ETHYL ACRYLATE	4.650	3.808	18.1	48	0.00
37	BROMODICHLOROMETHANE	5.270	4.167	20.9	57	0.00
38	TRICHLOROETHYLENE	5.030	3.694	26.6	55	0.00
39	METHYL METHACRYLATE	4.620	4.031	12.7	62	0.00
40	CIS-1,3-DICHLOROPROPENE	5.270	3.711	29.6	49	0.00
41	METHYL ISOBUTYL KETONE	5.270	5.272	-0.0	65	0.00
42	TRANS-1,3-DICHLOROPROPENE	5.520	3.987	27.8	49	0.00
43	1,1,2-TRICHLOROETHANE	4.970	4.046	18.6	58	0.00
44 IS	IS-CHLOROBENZENE-d5	7.500	7.500	0.0	68	0.00

45	TOLUENE	5.110	3.979	22.1	52	0.00
46	DIBROMOCHLOROMETANE	5.210	4.808	7.7	57	0.00
47	1,2-DIBROMOETHANE	4.960	4.552	8.2	57	0.00
48	N-OCTANE	4.930	3.867	21.6	49	0.00
49	TETRACHLOROETHYLENE	5.000	4.441	11.2	57	0.00
50	CHLOROBENZENE	5.040	4.672	7.3	58	0.00
51	ETHYLBENZENE	5.090	4.281	15.9	50	0.00
52	M, P-XYLENE	10.030	8.634	13.9	51	0.00
53	BROMOFORM	5.020	4.716	6.1	57	0.00
54	STYRENE	5.060	4.041	20.1	44	0.00
55	1,1,2,2-TETRACHLOROETHANE	5.030	5.124	-1.9	59	0.00
56	o - XYLENE	5.030	4.307	14.4	51	0.00
57	1,3,5-TRIMETHYLBENZENE	5.080	4.105	19.2	45	0.00
58	1,2,4-TRIMETHYLBENZENE	5.010	4.017	19.8	45	0.00
59	m - DICHLOROBENZENE	5.180	4.849	6.4	57	0.00
60	CHLOROMETHYLBENZENE	5.180	4.922	5.0	52	0.00
61	p - DICHLOROBENZENE	5.080	4.668	8.1	55	0.00
62	o - DICHLOROBENZENE	4.940	4.622	6.4	56	0.00
63	Napthalene					
64	1,2,4-TRICHLOROBENZENE	5.110	4.326	15.3	59	0.00
65	HEXACHLORO-1,3-BUTADIENE	5.080	4.144	18.4	55	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0

0807005.M Wed Aug 27 13:57:47 2008

Data File Name N8H-003.D
 Operator RDL
 Date Acquired 8/27/2008 14:11
 Acq. Method File N8104.M
 Sample Name BLK
 Instrument Name MSD_4
 Sample Multiplier 1

#	Name	Target Response	Amount/ppbv	MDU/ppbv
1)	IS-HEXANE-d14	332778	7.500	N/A
2)	ACETYLENE	0	0.000	0.009
3)	PROPYLENE	0	0.000	0.019
4)	DICHLORODIFLUOROMETHANE	0	0.000	0.005
5)	CHLOROMETHANE	0	0.000	0.008
6)	DICHLOROTETRAFLUOROETHA	0	0.000	0.003
7)	VINYL CHLORIDE	0	0.000	0.005
8)	1,3-BUTADIENE	0	0.000	0.005
9)	BROMOMETHANE	0	0.000	0.004
10)	CHLOROETHANE	0	0.000	0.004
11)	Ethanol	0	0.000	N/A
12)	ACETONITRILE	0	0.000	0.022
13)	Acrolin	0	0.000	0.020
14)	TRICHLOROFLUOROMETHANE	0	0.000	0.003
15)	ACRYLONITRILE	0	0.000	0.009
16)	1,1-DICHLOROETHENE	0	0.000	0.005
17)	METHYLENE CHLORIDE	0	0.000	0.018
18)	CARBON DISULFIDE	0	0.000	0.004
19)	TRICHLOROTRIFLUOROETHANE	0	0.000	0.007
20)	TRANS-1,2-DICHLOROETHYLEN	0	0.000	0.005
21)	1,1-DICHLOROETHANE	0	0.000	0.007
22)	METHYL TERT-BUTYL ETHER	0	0.000	0.005
23)	METHYL ETHYL KETONE	0	0.000	0.028
24)	CHLOROPRENE	0	0.000	0.007
25)	CIS-1,2-DICHLOROETHYLENE	0	0.000	0.007
26)	BROMOCHLOROMETHANE	0	0.000	0.006
27)	CHLOROFORM	0	0.000	0.007
28)	ETHYL TERT BUTYL ETHER	0	0.000	0.005
29)	1,2-DICHLOROETHANE	0	0.000	0.009
30)	IS-1,4-DIFLUOROBENZENE	687008	7.500	N/A
31)	1,1,1-TRICHLOROETHANE	0	0.000	0.005
32)	BENZENE	0	0.000	0.010
33)	CARBON TETRACHLORIDE	0	0.000	0.004
34)	TERT-AMYL METHYL ETHER	0	0.000	0.013
35)	1,2-DICHLOROPROPANE	0	0.000	0.010
36)	ETHYL ACRYLATE	0	0.000	0.021
37)	BROMODICHLOROMETHANE	0	0.000	0.007
38)	TRICHLOROETHYLENE	0	0.000	0.004
39)	METHYL METHACRYLATE	0	0.000	0.012
40)	CIS-1,3-DICHLOROPROPENE	0	0.000	0.007
41)	METHYL ISOBUTYL KETONE	0	0.000	0.016
42)	TRANS-1,3-DICHLOROPROPENE	0	0.000	0.007
43)	1,1,2-TRICHLOROETHANE	0	0.000	0.008
44)	IS-CHLOROENZENE-d5	479345	7.500	N/A
45)	TOLUENE	0	0.000	0.023
46)	DIBROMOCHLOROMETAHNE	0	0.000	0.005
47)	1,2-DIBROMOETHANE	0	0.000	0.007
48)	N-OCTANE	0	0.000	0.005
49)	TETRACHLOROETHYLENE	0	0.000	0.006
50)	CHLOROENZENE	0	0.000	0.008
51)	ETHYLBENZENE	0	0.000	0.008
52)	M,P-XYLENE	0	0.000	0.019
53)	BROMOFORM	0	0.000	0.005
54)	STYRENE	0	0.000	0.021
55)	1,1,2,2-TETRACHLOROETHANE	0	0.000	0.009
56)	o - XYLENE	0	0.000	0.006
57)	1,3,5-TRIMETHYLBENZENE	0	0.000	0.016
58)	1,2,4-TRIMETHYLBENZENE	0	0.000	0.016
59)	m - DICHLOROENZENE	0	0.000	0.015
60)	CHLOROMETHYLBENZENE	0	0.000	0.011
61)	p - DICHLOROENZENE	0	0.000	0.012
62)	o - DICHLOROENZENE	0	0.000	0.015
63)	Napthalene	0	0.000	N/A
64)	1,2,4-TRICHLOROENZENE	0	0.000	0.030
65)	HEXACHLORO-1,3-BUTADIENE	0	0.000	0.017

First Review _____

Second Review _____

Data Path : C:\msdchem\1\DATA\
Data File : N8H-003.D
Signal(s) : FID1A.CH

CURRENT R.F.
13417

TOTAL AREA COUNT
111139

TOTAL PPBC
8.28

Total ppbC must be less than 20.

#	Name	Ret Time	Target Response	Conc. ppbC	Target Conc. ppbC	Cal %
1)	Ethylene	5.57	285482	22.31	20.00	111.54
2)	Acetylene	5.73	494784			
3)	Ethane	5.86	328804	25.69	25.00	102.78
4)	Propylene	8.05	298854			
5)	Propane	8.24	541225	42.29	40.00	105.73
6)	Propyne	0.00	0.00			
7)	Isobutane	10.80	341990			
8)	Isobutene/1-Butene	11.85	411207			
9)	1,3-Butadiene	11.99	1681			
10)	n-Butane	12.17	547182	42.76	40.00	106.90
11)	trans-2-Butene	12.61	337310			
12)	cis-2-Butene	13.16	481767			
13)	3-Methyl-1-Butene	0.00	0.00			
14)	Isopentane	15.11	330145			
15)	1-Pentene	15.73	330145			
16)	2-Methyl-1-Butene	16.01	5270			
17)	n-Pentane	16.19	344009	26.88	25.00	107.53
18)	Isoprene	16.37	477833			
19)	trans-2-Pentene	16.53	323370			
20)	cis-2-Pentene	16.84	456113			
21)	2-Methyl-2-Butene	0.00	0			
22)	2,2-Dimethylbutane	17.67	545970			
23)	Cyclopentene	0.00	0			
24)	4-Methyl-1-Pentene	0.00	0			
25)	Cyclopentane	18.86	276774			
26)	2,3-Dimethylbutane	18.97	53.69			
27)	2-Methylpentane	19.17	280738			
28)	3-Methylpentane	19.78	543658			
29)	2-Methyl-1-Pentene	20.04	767054			
30)	1-Hexene	20.04	767054			
31)	d14-Hexane	20.18	684234			
32)	2-Ethyl-1-Butene	0.00	0			
33)	n-Hexane	20.54	401042	31.34	30.00	104.46
34)	trans-2-Hexene	0.00	0			
35)	cis-2-Hexene	0.00	0			
36)	Methylcyclopentane	21.71	319957			
37)	2,4-Dimethylpentane	21.88	528874			
38)	Benzene	22.74	388564	30.36	30.00	101.21
39)	Cyclohexane	23.17	544709			
40)	1,4-Difluorobenzene	23.35	653535			
41)	2-Methylhexane	23.61	333835			
42)	2,3-Dimethylpentane	23.61	682381			
43)	3-Methylhexane	23.89	334853			
44)	1-Heptene	24.32	2528			
45)	2,2,4-Trimethylpentane	24.49	393890			
46)	n-Heptane	24.92	317944	24.85	25.00	99.38
47)	Methylcyclohexane	25.88	401870			
48)	2,2,3-Trimethylpentane	0.00	0			
49)	2,3,4-Trimethylpentane	27.10	321547			
50)	Toluene	27.30	489604	38.26	40.00	95.65
51)	2-Methylheptane	27.71	326753			
52)	3-Methylheptane	28.03	332590			
53)	1-Octene	0.00	0			
54)	n-Octane	29.07	383382	29.96	30.00	99.86
55)	d-5 Chlorobenzene	30.32	638674			
56)	Ethylbenzene	31.12	313389	24.49	25.00	97.96
57)	m/p-Xylene	31.45	494681			
58)	Styrene	32.14	409882			
59)	o-Xylene	32.35	319473			
60)	1-Nonene	32.72	1392			
61)	n-Nonane	32.92	316705	24.75	25.00	98.99
62)	BFB	33.23	588721			
63)	Isopropylbenzene	33.55	429504			
64)	alpha-Pinene	0.00	0			
65)	n-Propylbenzene	34.54	360584			
66)	m-Ethyltoluene	34.88	316657			
67)	p-Ethyltoluene	34.97	456261			
68)	1,3,5-Trimethylbenzene	35.16	305927.00			
69)	o-Ethyltoluene	35.55	416528			
70)	beta-Pinene	35.89	1782			
71)	1,2,4-Trimethylbenzene	36.08	470715			
72)	1-Decene	36.31	2454			
73)	n-Decane	36.49	351303	27.45	30.00	91.51
74)	1,2,3-Trimethylbenzene	37.03	298014			
75)	m-Diethylbenzene	37.93	435922			
76)	p-diethylbenzene	38.16	275036			
77)	1-Undecene	0.00	0			
78)	n-Undecane	39.55	334965	26.18	30.00	87.25
79)	1-Dodecene	0.00	0			
80)	n-Dodecane	41.41	427702			
81)	1-Tridecene	0.00	0			
82)	n-Tridecane	42.86	414409			

Injection Log

Directory: g:\MASS SPEC 4 DATA\N8H#

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	N8h#001.d	1.	SNMOC	QC	29 Aug 2008 08:14
2	2	N8h#002.d	1.	5	QC	29 Aug 2008 09:24
3	3	N8h#003.d	1.	BLK	QC	29 Aug 2008 10:35
4	4	N8h#004.d	8.	8082101-18	167601 Arcadis C1	29 Aug 2008 11:37
5	5	N8h#005.d	8.	8082101-18	167601 Arcadis R1	29 Aug 2008 12:40
6	6	N8h#006.d	8.	8082101-19	3254 Arcadis C2	29 Aug 2008 13:42
7	7	N8h#007.d	8.	8082101-19	3254 Arcadis R2	29 Aug 2008 14:45
8	8	N8h#008.d	8.	8082101-20	ER061 Arcadis	29 Aug 2008 15:47
9	9	N8h#009.d	8.	8082101-21	15280 Arcadis Upwind	29 Aug 2008 16:50
10	10	N8h#010.d	8.	8082101-22	ER064 Arcadis C1	29 Aug 2008 17:52
11	11	N8h#011.d	8.	8082101-22	ER064 Arcadis R1	29 Aug 2008 18:55
12	12	N8h#012.d	8.	8082101-23	ER069 Arcadis C2	29 Aug 2008 19:57
13	13	N8h#013.d	8.	8082101-23	ER069 Arcadis R2	29 Aug 2008 21:00
14	14	N8h#014.d	8.	8082101-24	988 Arcadis C1	29 Aug 2008 22:03
15	15	N8h#015.d	8.	8082101-24	988 Arcadis R1	29 Aug 2008 23:05
16	16	N8h#016.d	8.	8082101-25	3248 Arcadis C2	30 Aug 2008 00:08
17	17	N8h#017.d	8.	8082101-25	3248 Arcadis R2	30 Aug 2008 01:10
18	18	N8h#018.d	8.	8082101-26	ER021 Arcadis Upwind	30 Aug 2008 02:13
19	19	N8h#019.d	8.	8082101-27	ER114 Arcadis C1	30 Aug 2008 03:16
20	20	N8h#020.d	8.	8082101-27	ER114 Arcadis R1	30 Aug 2008 04:18
21	21	N8h#021.d	8.	8082101-28	ER085 Arcadis C2	30 Aug 2008 05:21
22	22	N8h#022.d	1.	8082101-28	ER085 Arcadis R2	30 Aug 2008 06:24

Evaluate Continuing Calibration Report

Data Path : C:\msdchem\1\DATA\
 Data File : N8H#002.D
 Acq On : 29 Aug 2008 9:24 am
 Operator : RDL
 Sample : 5.00
 Misc : QC (Sig #1); (Sig #2)
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 29 10:20:19 2008
 Quant Method : C:\MSDCHEM\1\METHODS\N8104.M
 Quant Title : TO-15 by Selective Ion Analysis
 QLast Update : Wed Aug 06 09:23:31 2008
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 1% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 500%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	IS IS-HEXANE-d14	7.500	7.500	0.0	79	0.00
2	ACETYLENE	4.900	5.699	-16.3	86	0.00
3	PROPYLENE	5.010	5.253	-4.9	84	0.00
4	DICHLORODIFLUOROMETHANE	4.800	5.714	-19.0	90	0.00
5	CHLOROMETHANE	4.810	5.894	-22.5	92	0.00
6	DICHLOROTETRAFLUOROETHA	4.880	5.455	-11.8	84	0.00
7	VINYL CHLORIDE	4.930	5.300	-7.5	79	0.00
8	1,3-BUTADIENE	5.050	5.729	-13.4	85	0.00
9	BROMOMETHANE	4.940	5.172	-4.7	78	0.00
10	CHLOROETHANE	4.930	4.813	2.4	76	0.00
11	Ethanol					
12	ACETONITRILE	4.810	5.880	-22.2	83	0.00
13	Acrolien	4.660	4.052	13.0	69	0.00
14	TRICHLOROFLUOROMETHANE	4.900	6.243	-27.4	95	0.00
15	ACRYLONITRILE	4.900	5.276	-7.7	69	0.00
16	1,1-DICHLOROETHENE	5.270	5.424	-2.9	78	0.00
17	METHYLENE CHLORIDE	5.270	5.966	-13.2	91	0.00
18	CARBON DISULFIDE	4.900	5.800	-18.4	87	0.00
19	TRICHLOROTRIFLUOROETHANE	4.900	5.897	-20.3	95	0.00
20	TRANS-1,2-DICHLOROETHYLEN	5.030	5.953	-18.3	96	0.00
21	1,1-DICHLOROETHANE	5.070	5.913	-16.6	87	0.00
22	METHYL TERT-BUTYL ETHER	4.800	4.062	15.4	58	0.00
23	METHYL ETHYL KETONE	4.960	4.120	16.9	61	0.00
24	CHLOROPRENE	5.180	6.350	-22.6	94	0.00
25	CIS-1,2-DICHLOROETHYLENE	5.170	5.876	-13.7	87	0.00
26	BROMOCHLOROMETHANE	5.080	5.816	-14.5	87	0.00
27	CHLOROFORM	5.090	5.853	-15.0	84	0.00
28	ETHYL TERT BUTYL ETHER	4.580	4.293	6.3	63	0.00
29	1,2-DICHLOROETHANE	5.040	6.169	-22.4	89	0.00
30	IS IS-1,4-DIFLUOROBENZENE	7.500	7.500	0.0	99	0.00
31	1,1,1-TRICHLOROETHANE	5.070	5.033	0.7	95	0.00
32	BENZENE	5.030	4.000	20.5	73	0.00
33	CARBON TETRACHLORIDE	5.040	5.464	-8.4	106	0.00
34	TERT-AMYL METHYL ETHER	4.600	3.608	21.6	66	0.00
35	1,2-DICHLOROPROPANE	5.030	4.475	11.0	78	0.00
36	ETHYL ACRYLATE	4.650	3.992	14.2	62	0.00
37	BROMODICHLOROMETHANE	5.270	4.990	5.3	84	0.00
38	TRICHLOROETHYLENE	5.030	4.241	15.7	78	0.00
39	METHYL METHACRYLATE	4.620	4.436	4.0	85	0.00
40	CIS-1,3-DICHLOROPROPENE	5.270	3.846	27.0	64	0.00
41	METHYL ISOBUTYL KETONE	5.270	6.011	-14.1	92	0.00
42	TRANS-1,3-DICHLOROPROPENE	5.520	4.308	22.0	66	0.00
43	1,1,2-TRICHLOROETHANE	4.970	4.702	5.4	83	0.00
44	IS IS-CHLOROBENZENE-d5	7.500	7.500	0.0	87	0.00

45	TOLUENE	5.110	4.046	20.8	68	0.00
46	DIBROMOCHLOROMETANE	5.210	5.594	-7.4	85	0.00
47	1,2-DIBROMOETHANE	4.960	4.965	-0.1	79	0.00
48	N-OCTANE	4.930	3.641	26.1	59	0.00
49	TETRACHLOROETHYLENE	5.000	5.231	-4.6	86	0.00
50	CHLOROBENZENE	5.040	5.144	-2.1	81	0.00
51	ETHYLBENZENE	5.090	4.314	15.2	64	0.00
52	M, P-XYLENE	10.030	9.126	9.0	68	0.00
53	BROMOFORM	5.020	5.539	-10.3	85	0.00
54	STYRENE	5.060	3.815	24.6	53	0.00
55	1,1,2,2-TETRACHLOROETHANE	5.030	5.909	-17.5	87	0.00
56	o - XYLENE	5.030	4.582	8.9	69	0.00
57	1,3,5-TRIMETHYLBENZENE	5.080	3.878	23.7	54	0.00
58	1,2,4-TRIMETHYLBENZENE	5.010	3.860	23.0	56	0.00
59	m - DICHLOROBENZENE	5.180	5.429	-4.8	81	0.00
60	CHLOROMETHYLBENZENE	5.180	5.127	1.0	69	0.00
61	p - DICHLOROBENZENE	5.080	5.078	0.0	77	0.00
62	o - DICHLOROBENZENE	4.940	4.958	-0.4	77	0.00
63	Napthalene					
64	1,2,4-TRICHLOROBENZENE	5.110	4.354	14.8	76	0.00
65	HEXACHLORO-1,3-BUTADIENE	5.080	5.054	0.5	85	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0

0807005.M Fri Aug 29 10:20:33 2008

Data File Name N8H#003.D
 Operator RDL
 Date Acquired 8/29/2008 10:35
 Acq. Method File N8104.M
 Sample Name BLK
 Instrument Name MSD_4
 Sample Multiplier 1

#	Name	Target Response	Amount/ppbv	MDL/ppbv
1)	IS-HEXANE-d14	451493	7.500	N/A
2)	ACETYLENE	0	0.000	0.009
3)	PROPYLENE	0	0.000	0.019
4)	DICHLORODIFLUOROMETHANE	0	0.000	0.005
5)	CHLOROMETHANE	0	0.000	0.008
6)	DICHLOROTETRAFLUOROETHA	0	0.000	0.003
7)	VINYL CHLORIDE	0	0.000	0.005
8)	1,3-BUTADIENE	0	0.000	0.005
9)	BROMOMETHANE	0	0.000	0.004
10)	CHLOROETHANE	0	0.000	0.004
11)	Ethanol	0	0.000	N/A
12)	ACETONITRILE	0	0.000	0.022
13)	Acrollen	0	0.000	0.020
14)	TRICHLOROFLUOROMETHANE	0	0.000	0.003
15)	ACRYLONITRILE	0	0.000	0.009
16)	1,1-DICHLOROETHENE	0	0.000	0.005
17)	METHYLENE CHLORIDE	0	0.000	0.018
18)	CARBON DISULFIDE	0	0.000	0.004
19)	TRICHLOROTRIFLUOROETHANE	0	0.000	0.007
20)	TRANS-1,2-DICHLOROETHYLEN	0	0.000	0.005
21)	1,1-DICHLOROETHANE	0	0.000	0.007
22)	METHYL TERT-BUTYL ETHER	0	0.000	0.005
23)	METHYL ETHYL KETONE	0	0.000	0.028
24)	CHLOROPRENE	0	0.000	0.007
25)	CIS-1,2-DICHLOROETHYLENE	0	0.000	0.007
26)	BROMOCHLOROMETHANE	0	0.000	0.006
27)	CHLOROFORM	0	0.000	0.007
28)	ETHYL TERT BUTYL ETHER	0	0.000	0.005
29)	1,2-DICHLOROETHANE	0	0.000	0.009
30)	IS-1,4-DIFLUOROBENZENE	995360	7.500	N/A
31)	1,1,1-TRICHLOROETHANE	0	0.000	0.005
32)	BENZENE	0	0.000	0.010
33)	CARBON TETRACHLORIDE	0	0.000	0.004
34)	TERT-AMYL METHYL ETHER	0	0.000	0.013
35)	1,2-DICHLOROPROPANE	0	0.000	0.010
36)	ETHYL ACRYLATE	0	0.000	0.021
37)	BROMODICHLOROMETHANE	0	0.000	0.007
38)	TRICHLOROETHYLENE	0	0.000	0.004
39)	METHYL METHACRYLATE	0	0.000	0.012
40)	CIS-1,3-DICHLOROPROPENE	0	0.000	0.007
41)	METHYL ISOBUTYL KETONE	0	0.000	0.016
42)	TRANS-1,3-DICHLOROPROPENE	0	0.000	0.007
43)	1,1,2-TRICHLOROETHANE	0	0.000	0.008
44)	IS-CHLOROBENZENE-d5	732873	7.500	N/A
45)	TOLUENE	0	0.000	0.023
46)	DIBROMOCHLOROMETAHNE	0	0.000	0.005
47)	1,2-DIBROMOETHANE	0	0.000	0.007
48)	N-OCTANE	0	0.000	0.005
49)	TETRACHLOROETHYLENE	0	0.000	0.006
50)	CHLOROBENZENE	0	0.000	0.008
51)	ETHYLBENZENE	0	0.000	0.008
52)	M,P-XYLENE	0	0.000	0.019
53)	BROMOFORM	0	0.000	0.005
54)	STYRENE	0	0.000	0.021
55)	1,1,2,2-TETRACHLOROETHANE	0	0.000	0.009
56)	o - XYLENE	0	0.000	0.008
57)	1,3,5-TRIMETHYLBENZENE	0	0.000	0.016
58)	1,2,4-TRIMETHYLBENZENE	0	0.000	0.016
59)	m - DICHLOROBENZENE	0	0.000	0.015
60)	CHLOROMETHYLBENZENE	0	0.000	0.011
61)	p - DICHLOROBENZENE	0	0.000	0.012
62)	o - DICHLOROBENZENE	0	0.000	0.015
63)	Napthalene	0	0.000	N/A
64)	1,2,4-TRICHLOROBENZENE	0	0.000	0.030
65)	HEXACHLORO-1,3-BUTADIENE	0	0.000	0.017

First Review _____

Second Review _____

Data Path : C:\msdchem\1\DATA\
Data File : N8H#003.D
Signal(s) : FID1A.CH

CURRENT R.F.
13417

TOTAL AREA COUNT
64284

TOTAL PPBC
4.79

Total ppbC must be less than 20.

#	Name	Ret Time	Target Response	Conc. ppbC	Target Conc. ppbC	Cal %
1)	Ethylene	5.58	282407	22.07	20.00	110.34
2)	Acetylene	5.74	490708			
3)	Ethane	5.87	326725	25.53	25.00	102.13
4)	Propylene	8.05	296417			
5)	Propane	8.25	537072	41.97	40.00	104.92
6)	Propyne	0.00	0.00			
7)	Isobutane	10.80	340459			
8)	Isobutene/1-Butene	11.85	412058			
9)	1,3-Butadiene	12.00	2860			
10)	n-Butane	12.18	545349	42.62	40.00	106.54
11)	trans-2-Butene	12.62	340229			
12)	cis-2-Butene	13.17	479269			
13)	3-Methyl-1-Butene	0.00	0.00			
14)	Isopentane	15.11	329940			
15)	1-Pentene	15.73	329940			
16)	2-Methyl-1-Butene	16.03	5745			
17)	n-Pentane	16.20	342193	26.74	25.00	106.96
18)	Isoprene	16.37	474955			
19)	trans-2-Pentene	16.54	320580			
20)	cis-2-Pentene	16.85	452208			
21)	2-Methyl-2-Butene	0.00	0			
22)	2,2-Dimethylbutane	17.67	542213			
23)	Cyclopentene	0.00	0			
24)	4-Methyl-1-Pentene	0.00	0			
25)	Cyclopentane	18.87	276043			
26)	2,3-Dimethylbutane	18.97	53.10			
27)	2-Methylpentane	19.18	277844			
28)	3-Methylpentane	19.79	535086			
29)	2-Methyl-1-Pentene	0.00	0			
30)	1-Hexene	20.05	731378			
31)	d14-Hexane	20.19	703081			
32)	2-Ethyl-1-Butene	0.00	0			
33)	n-Hexane	20.55	387894	30.31	30.00	101.04
34)	trans-2-Hexene	0.00	0			
35)	cis-2-Hexene	0.00	0			
36)	Methylcyclopentane	21.72	341566			
37)	2,4-Dimethylpentane	21.88	503331			
38)	Benzene	22.75	363280	28.39	30.00	94.63
39)	Cyclohexane	23.18	528499			
40)	1,4-Difluorobenzene	23.35	652781			
41)	2-Methylhexane	23.61	310686			
42)	2,3-Dimethylpentane	23.61	643016			
43)	3-Methylhexane	23.90	313771			
44)	1-Heptene	24.33	2314			
45)	2,2,4-Trimethylpentane	24.50	367136			
46)	n-Heptane	24.93	294391	23.00	25.00	92.02
47)	Methylcyclohexane	25.89	376546			
48)	2,2,3-Trimethylpentane	0.00	0			
49)	2,3,4-Trimethylpentane	27.11	305008			
50)	Toluene	27.30	461574	36.07	40.00	90.17
51)	2-Methylheptane	27.72	306823			
52)	3-Methylheptane	28.04	312301			
53)	1-Octene	28.62	1164			
54)	n-Octane	29.08	358815	28.04	30.00	93.46
55)	d-5 Chlorobenzene	30.33	639154			
56)	Ethylbenzene	31.14	292516	22.86	25.00	91.43
57)	m/p-Xylene	31.46	460278			
58)	Styrene	32.15	375058			
59)	o-Xylene	32.35	299139			
60)	1-Nonene	32.72	1388			
61)	n-Nonane	32.93	296040	23.13	25.00	92.53
62)	BFB	33.24	593353			
63)	Isopropylbenzene	33.56	405433			
64)	alpha-Pinene	0.00	0			
65)	n-Propylbenzene	34.65	333476			
66)	m-Ethyltoluene	34.89	294141			
67)	p-Ethyltoluene	34.98	422445			
68)	1,3,5-Trimethylbenzene	35.16	287015.00			
69)	o-Ethyltoluene	35.56	388708			
70)	beta-Pinene	35.89	1998			
71)	1,2,4-Trimethylbenzene	36.08	439078			
72)	1-Decene	36.31	1984			
73)	n-Decane	36.50	330145	25.80	30.00	86.00
74)	1,2,3-Trimethylbenzene	37.09	277697			
75)	m-Diethylbenzene	37.94	399518			
76)	p-diethylbenzene	38.17	249830			
77)	1-Undecane	0.00	0			
78)	n-Undecane	39.56	315347	24.64	30.00	82.14
79)	1-Dodecene	0.00	0			
80)	n-Dodecane	41.41	399844			
81)	1-Tridecene	0.00	0			
82)	n-Tridecane	0.00	0			

Injection Log

Directory: g:\MASS SPEC 4 DATA\N8IL

Line	Vial	FileName	Multiplier	SampleName	Misc Info	Injected
1	1	N8il001.d	1.	SNMOC	QC	12 Sep 2008 08:10
2	2	N8il002.d	1.	5	QC	12 Sep 2008 09:19
3	3	N8il003.d	1.	BLK	QC	12 Sep 2008 10:28
4	4	N8il004.d	142.8	8082101-04	Arcadis Dilution	12 Sep 2008 11:38
5	5	N8il005.d	87.6	8082101-07	Arcadis Dilution	12 Sep 2008 12:47
6	6	N8il006.d	104.4	8082101-05	Arcadis Dilution	12 Sep 2008 13:56

Evaluate Continuing Calibration Report

Data Path : C:\msdchem\1\DATA\
 Data File : N8IL002.D
 Acq On : 12 Sep 2008 9:19 am
 Operator : RDL
 Sample : 5.00
 Misc : QC (Sig #1); (Sig #2)
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 15 09:02:30 2008
 Quant Method : C:\msdchem\1\METHODS\N8104.M
 Quant Title : TO-15 by Selective Ion Analysis
 QLast Update : Wed Sep 03 14:52:00 2008
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 1% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 500%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 IS	IS-HEXANE-d14	7.500	7.500	0.0	81	0.00
2	ACETYLENE	4.900	6.075	-24.0	94	0.00
3	PROPYLENE	5.010	5.951	-18.8	97	0.00
4	DICHLORODIFLUOROMETHANE	4.800	5.988	-24.8	97	0.00
5	CHLOROMETHANE	4.810	4.926	-2.4	79	0.00
6	DICHLOROTETRAFLUROETHA	4.880	5.983	-22.6	95	0.00
7	VINYL CHLORIDE	4.930	6.010	-21.9	91	0.00
8	1,3-BUTADIENE	5.050	5.121	-1.4	78	0.00
9	BROMOMETHANE	4.940	6.044	-22.3	93	0.00
10	CHLOROETHANE	4.930	5.625	-14.1	92	0.00
11	Ethanol					
12	ACETONITRILE	4.810	5.295	-10.1	77	0.00
13	Acrolion	4.660	4.559	2.2	80	0.00
14	TRICHLOROFLUOROMETHANE	4.900	6.353	-29.7	100	0.00
15	ACRYLONITRILE	4.900	6.222	-27.0	84	0.00
16	1,1-DICHLOROETHENE	5.270	6.013	-14.1	89	0.00
17	METHYLENE CHLORIDE	5.270	4.616	12.4	72	0.00
18	CARBON DISULFIDE	4.900	4.747	3.1	73	0.00
19	TRICHLOROTRIFLUOROETHANE	4.900	5.227	-6.7	86	0.00
20	TRANS-1,2-DICHLOROETHYLEN	5.030	5.503	-9.4	91	0.00
21	1,1-DICHLOROETHANE	5.070	4.838	4.6	73	0.00
22	METHYL TERT-BUTYL ETHER	4.800	4.607	4.0	67	0.00
23	METHYL ETHYL KETONE	4.960	3.878	21.8	59	0.00
24	CHLOROPRENE	5.180	5.490	-6.0	83	0.00
25	CIS-1,2-DICHLOROETHYLENE	5.170	3.973	23.2	61	0.00
26	BROMOCHLOROMETHANE	5.080	4.783	5.8	73	0.00
27	CHLOROFORM	5.090	6.089	-19.6	90	0.00
28	ETHYL TERT BUTYL ETHER	4.580	4.821	-5.3	73	0.00
29	1,2-DICHLOROETHANE	5.040	5.934	-17.7	88	0.00
30 IS	IS-1,4-DIFLUOROBENZENE	7.500	7.500	0.0	108	0.00
31	1,1,1-TRICHLOROETHANE	5.070	5.010	1.2	103	0.00
32	BENZENE	5.030	4.040	19.7	81	0.00
33	CARBON TETRACHLORIDE	5.040	5.128	-1.7	108	0.00
34	TERT-AMYL METHYL ETHER	4.600	3.648	20.7	73	0.00
35	1,2-DICHLOROPROPANE	5.030	4.760	5.4	91	0.00
36	ETHYL ACRYLATE	4.650	4.100	11.8	70	0.00
37	BROMODICHLOROMETHANE	5.270	5.549	-5.3	103	0.00
38	TRICHLOROETHYLENE	5.030	4.738	5.8	95	0.00
39	METHYL METHACRYLATE	4.620	4.568	1.1	95	0.00
40	CIS-1,3-DICHLOROPROPENE	5.270	4.045	23.2	73	0.00
41	METHYL ISOBUTYL KETONE	5.270	5.606	-6.4	94	0.00
42	TRANS-1,3-DICHLOROPROPENE	5.520	4.965	10.1	83	0.00
43	1,1,2-TRICHLOROETHANE	4.970	5.339	-7.4	104	0.00
44 IS	IS-CHLOROBENZENE-d5	7.500	7.500	0.0	99	0.00

45	TOLUENE	5.110	3.906	23.6	75	0.00
46	DIBROMOCHLOROMETAHNE	5.210	6.173	-18.5	107	0.00
47	1,2-DIBROMOETHANE	4.960	5.449	-9.9	99	0.00
48	N-OCTANE	4.930	3.499	29.0	65	0.00
49	TETRACHLOROETHYLENE	5.000	5.997	-19.9	112	0.00
50	CHLOROBENZENE	5.040	5.582	-10.8	101	0.00
51	ETHYLBENZENE	5.090	4.330	14.9	74	0.00
52	M, P-XYLENE	10.030	10.059	-0.3	86	0.00
53	BROMOFORM	5.020	6.356	-26.6	111	0.00
54	STYRENE	5.060	4.003	20.9	63	0.00
55	1,1,2,2-TETRACHLOROETHANE	5.030	5.846	-16.2	98	0.00
56	o - XYLENE	5.030	4.972	1.2	85	0.00
57	1,3,5-TRIMETHYLBENZENE	5.080	4.316	15.0	69	0.00
58	1,2,4-TRIMETHYLBENZENE	5.010	4.240	15.4	70	0.00
59	m - DICHLOROBENZENE	5.180	6.130	-18.3	105	0.00
60	CHLOROMETHYLBENZENE	5.180	6.032	-16.4	93	0.00
61	p - DICHLOROBENZENE	5.080	5.966	-17.4	103	0.00
62	o - DICHLOROBENZENE	4.940	5.816	-17.7	103	0.00
63	Napthalene					
64	1,2,4-TRICHLOROBENZENE	5.110	5.371	-5.1	107	0.00
65	HEXACHLORO-1,3-BUTADIENE	5.080	5.466	-7.6	105	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0

0807005.M Mon Sep 15 09:02:42 2008

Data File Name N81L003.D
 Operator RDL
 Date Acquired 9/12/2008 10:28
 Acq. Method File N8104.M
 Sample Name BLK
 Instrument Name MSD_4
 Sample Multiplier 1

#	Name	Target Response	Amount/ppbv	MDL/ppbv
1)	IS-HEXANE-d14	479499	7.500	N/A
2)	ACETYLENE	0	0.000	0.009
3)	PROPYLENE	0	0.000	0.019
4)	DICHLORODIFLUOROMETHANE	0	0.000	0.005
5)	CHLOROMETHANE	0	0.000	0.008
6)	DICHLOROTETRAFLUROETHA	0	0.000	0.003
7)	VINYL CHLORIDE	0	0.000	0.005
8)	1,3-BUTADIENE	0	0.000	0.005
9)	BROMOMETHANE	0	0.000	0.004
10)	CHLOROETHANE	0	0.000	0.004
11)	Ethanol	0	0.000	N/A
12)	ACETONITRILE	0	0.000	0.022
13)	Acrollen	0	0.000	0.020
14)	TRICHLOROFLUOROMETHANE	0	0.000	0.003
15)	ACRYLONITRILE	0	0.000	0.009
16)	1,1-DICHLOROETHENE	0	0.000	0.005
17)	METHYLENE CHLORIDE	0	0.000	0.018
18)	CARBON DISULFIDE	0	0.000	0.004
19)	TRICHLOROTRIFLUOROETHANE	0	0.000	0.007
20)	TRANS-1,2-DICHLOROETHYLEN	0	0.000	0.005
21)	1,1-DICHLOROETHANE	0	0.000	0.007
22)	METHYL TERT-BUTYL ETHER	0	0.000	0.005
23)	METHYL ETHYL KETONE	0	0.000	0.028
24)	CHLOROPRENE	0	0.000	0.007
25)	CIS-1,2-DICHLOROETHYLENE	0	0.000	0.007
26)	BROMOCHLOROMETHANE	0	0.000	0.006
27)	CHLOROFORM	0	0.000	0.007
28)	ETHYL TERT BUTYL ETHER	0	0.000	0.005
29)	1,2-DICHLOROETHANE	0	0.000	0.009
30)	IS-1,4-DIFLUOROBENZENE	1093260	7.500	N/A
31)	1,1,1-TRICHLOROETHANE	0	0.000	0.005
32)	BENZENE	0	0.000	0.010
33)	CARBON TETRACHLORIDE	0	0.000	0.004
34)	TERT-AMYL METHYL ETHER	0	0.000	0.013
35)	1,2-DICHLOROPROPANE	0	0.000	0.010
36)	ETHYL ACRYLATE	0	0.000	0.021
37)	BROMODICHLOROMETHANE	0	0.000	0.007
38)	TRICHLOROETHYLENE	0	0.000	0.004
39)	METHYL METHACRYLATE	0	0.000	0.012
40)	CIS-1,3-DICHLOROPROPENE	0	0.000	0.007
41)	METHYL ISOBUTYL KETONE	0	0.000	0.016
42)	TRANS-1,3-DICHLOROPROPENE	0	0.000	0.007
43)	1,1,2-TRICHLOROETHANE	0	0.000	0.008
44)	IS-CHLOROBENZENE-d5	849888	7.500	N/A
45)	TOLUENE	0	0.000	0.023
46)	DIBROMOCHLOROMETAHNE	0	0.000	0.005
47)	1,2-DIBROMOETHANE	0	0.000	0.007
48)	N-OCTANE	0	0.000	0.005
49)	TETRACHLOROETHYLENE	0	0.000	0.006
50)	CHLOROBENZENE	0	0.000	0.008
51)	ETHYLBENZENE	0	0.000	0.008
52)	M,P-XYLENE	0	0.000	0.019
53)	BROMOFORM	0	0.000	0.005
54)	STYRENE	0	0.000	0.021
55)	1,1,2,2-TETRACHLOROETHANE	0	0.000	0.009
56)	o - XYLENE	0	0.000	0.008
57)	1,3,5-TRIMETHYLBENZENE	0	0.000	0.016
58)	1,2,4-TRIMETHYLBENZENE	0	0.000	0.016
59)	m - DICHLOROBENZENE	0	0.000	0.015
60)	CHLOROMETHYLBENZENE	0	0.000	0.011
61)	p - DICHLOROBENZENE	0	0.000	0.012
62)	o - DICHLOROBENZENE	0	0.000	0.015
63)	Napthalene	0	0.000	N/A
64)	1,2,4-TRICHLOROBENZENE	0	0.000	0.030
65)	HEXACHLORO-1,3-BUTADIENE	0	0.000	0.017

First Review _____

Second Review _____

Data Path : C:\msdchem\1\DATA\
Data File : N8IL003.D
Signal(s) : FID1A.CH

CURRENT R.F.
12797

TOTAL AREA COUNT
39664

TOTAL PPBC
3.10

Total ppbC must be less than 20.

#	Name	Ret Time	Target Response	Conc. ppbC	Target Conc. ppbC	Cal %
1)	Ethylene	5.58	302333	23.63	20.00	118.13
2)	Acetylene	5.74	183045			
3)	Ethane	5.87	310019	24.23	25.00	96.90
4)	Propylene	8.05	281921			
5)	Propane	8.25	508527	39.74	40.00	99.34
6)	Propyne	0.00	0.00			
7)	Isobutane	10.80	323837			
8)	Isobutene/1-Butene	11.85	393252			
9)	1,3-Butadiene	11.99	6255			
10)	n-Butane	12.17	518504	40.52	40.00	101.29
11)	trans-2-Butene	12.61	322254			
12)	cis-2-Butene	13.16	454606			
13)	3-Methyl-1-Butene	0.00	0.00			
14)	Isopentane	15.11	311583			
15)	1-Pentene	15.73	311583			
16)	2-Methyl-1-Butene	15.91	12685			
17)	n-Pentane	16.19	322773	25.22	25.00	100.89
18)	isoprene	16.37	444038			
19)	trans-2-Pentene	16.53	311248			
20)	cis-2-Pentene	16.84	408789			
21)	2-Methyl-2-Butene	0.00	0			
22)	2,2-Dimethylbutane	17.67	516885			
23)	Cyclopentene	0.00	0			
24)	4-Methyl-1-Pentene	0.00	0			
25)	Cyclopentane	18.86	259150			
26)	2,3-Dimethylbutane	18.97	48.11			
27)	2-Methylpentane	19.17	262762			
28)	3-Methylpentane	19.78	501224			
29)	2-Methyl-1-Pentene	0.00	0			
30)	1-Hexene	20.04	681965			
31)	d14-Hexane	20.18	672823			
32)	2-Ethyl-1-Butene	0.00	0			
33)	n-Hexane	20.54	363209	28.38	30.00	94.61
34)	trans-2-Hexene	20.93	1057			
35)	cis-2-Hexene	0.00	0			
36)	Methylcyclopentane	21.71	313866			
37)	2,4-Dimethylpentane	21.87	474494			
38)	Benzene	22.74	349591	27.32	30.00	91.06
39)	Cyclohexane	23.17	505208			
40)	1,4-Difluorobenzene	23.35	635643			
41)	2-Methylhexane	23.61	299099			
42)	2,3-Dimethylpentane	23.61	617384			
43)	3-Methylhexane	23.89	298591			
44)	1-Heptene	24.34	1755			
45)	2,2,4-Trimethylpentane	24.49	360821			
46)	n-Heptane	24.92	294411	23.01	25.00	92.03
47)	Methylcyclohexane	25.88	367954			
48)	2,2,3-Trimethylpentane	0.00	0			
49)	2,3,4-Trimethylpentane	27.10	297525			
50)	Toluene	27.29	463428	36.21	40.00	90.53
51)	2-Methylheptane	27.71	297134			
52)	3-Methylheptane	28.03	301844			
53)	1-Octene	28.61	2097			
54)	n-Octane	29.07	352301	27.53	30.00	91.77
55)	d-5 Chlorobenzene	30.32	620234			
56)	Ethylbenzene	31.13	292676	22.87	25.00	91.48
57)	m/p-Xylene	31.45	461786			
58)	Styrene	32.14	441905			
59)	o-Xylene	32.35	300582			
60)	1-Nonene	0.00	0			
61)	n-Nonane	32.92	289098	22.59	25.00	90.36
62)	BFB	33.23	569305			
63)	Isopropylbenzene	33.55	469596			
64)	alpha-Pinene	0.00	0			
65)	n-Propylbenzene	34.64	349981			
66)	m-Ethyltoluene	34.88	303002			
67)	p-Ethyltoluene	34.97	463935			
68)	1,3,5-Trimethylbenzene	35.16	297972.00			
69)	o-Ethyltoluene	35.55	374251			
70)	beta-Pinene	35.88	5933			
71)	1,2,4-Trimethylbenzene	36.08	461554			
72)	1-Decene	36.31	3271			
73)	n-Decane	36.49	332852	26.01	30.00	86.70
74)	1,2,3-Trimethylbenzene	37.08	302489			
75)	m-Diethylbenzene	37.93	456688			
76)	p-diethylbenzene	38.16	284494			
77)	1-Undecene	0.00	0			
78)	n-Undecane	39.55	331497	25.90	30.00	86.35
79)	1-Dodecene	0.00	0			
80)	n-Dodecane	41.41	446775			
81)	1-Tridecene	42.70	146509			
82)	n-Tridecane	43.00	13060			

Appendix C

Measurement of Emissions
from Produced Water Ponds

October 2009 (Rev. 0.6)

Appendix C: EPA R8 Water Analysis

Appendix C

Measurement of Emissions
from Produced Water Ponds

October 2009 (Rev. 0.6)

This page intentionally left blank.



U.S. Environmental Protection Agency
Region 8
Technical and Management Services

Ref: 8TMS-L

MEMORANDUM

SUBJECT: Analytical Results--- **Garfield County CBM / R8080111**

FROM: Vicente Marti, Organic and Inorganic Chemist
Steven Callio, Laboratory Quality Assurance Officer

THRU: Tony Medrano, Acting Director
Laboratory Services Program

TO: Michael Copeland, 1595 Wynkoop Street
Air Enforcement Program

Attached are the analytical results for Garfield County CBM R8080111. The table below shows the number of containers received , the work order number(s) assigned, and the date

	8808007	Total
12-Aug-2008	15	15

These samples were prepared, analyzed, and verified by the Technical and Management Services Laboratory according to the requirements of the Laboratory Services Request (LSR) and procedures found in the laboratory Quality Management Plan dated March 31, 2003.

Note: The laboratory herewith transmits this deliverable to the program/project partner for determination of "final data usability" to include data validation and data quality assessment per and in accordance with EPA QA/G-8, *Guidance on Environmental Data Verification and Data Validation*, November 2002, EPA/240/R-02/004.

Case Comments

Narrative Garfield County Samples

LSR R8080111

Analyst: Vicente C. Marti

Samples Received:

Two sets of fifteen water samples each were received. The first set on August 12, 2008 and the second set on August 15, 2008. Samples were to be analyzed for volatile organics by SW-846 method 8260. The samples were received iced at 2 ± 2 C.

Extraction and Analysis:

Samples were prepared and extracted according to SW-846 method 8260 for water samples. Five ml of the samples were analyzed by method 8260, "Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (capillary column technique)," from Test Methods for Evaluating Solid Waste, SW-846. The method was calibrated from 2.50 $\mu\text{g/L}$ to 100 $\mu\text{g/L}$. Samples were analyzed well within the 7 days holding time.

Analyst Notes:

The GC/MS system maintained a passing tune during the entire analysis. Continuing calibration standards (CCV) were determined at the beginning, during and end of the test, with greater than 90% of all 66 compounds within the QC limits.

Due to the high content of hydrocarbons, samples had to be diluted prior to analysis of the BTEX compounds. Since only two dilutions could be made (only two vials per station were received), some of the compounds that exceeded the calibration range will be J qualified. Surrogates recoveries were within limits for most samples. Hydrocarbons (alkanes) from C4 to C13 and with branches were observed in all samples and at high concentrations. No laboratory duplicate, matrix spike and matrix spike duplicates were supplied. The compound 1,2,3-trichloropropane had high recovery on the Laboratory Control Sample. This compound was not found in any of the samples. The compound acetone was a TIC (tentatively identified compound) on samples from stations S-1, E-1, W-2, S-2, Grass-3, W-3 dup, W-3 Low, and W-4 High.

Due to multiple instances of detection in blank samples the compounds benzene, toluene, ethylbenzene, m/p xylenes, o-xylene, 1,2,4-trimethylbenzene and naphthalene have been j-qualified as estimated values (did not effect samples 8808007-05, 8808007-06, 8808007-10, 8808007-11, 8808007-12, and 8808007-13 from the 8/12/08 sample set).

Values for analytes with low Q-values were not reported for some samples due to questionable identification. The values for these analytes were considered "non-detect".

For samples 8808009-10 from the 8/15/08 sample set (1,2-dichloroethane, 1,2-dichloropropane, 2-chlorotoluene, and tert-butylbenzene) and sample 8808009-06 of the same sample set (2-chlorotoluene), some analytes were detected in sample dilution analysis however, due to lack of detection in non-diluted samples and the low detection values obtained from the dilutions, these analytes were considered "non-detect".

For the QC samples associated with the 8/12/08 sample set, the CCV2 sample had low recovery for bromomethane and 2,2-dichloropropane (effected samples were j-qualified as estimated) and high recovery for chlorobenzene-d5 in CCV1 (did not effect data as this analyte was not detected in any of the samples).

For the QC samples associated with the 8/15/08 sample set, the CCV2 and CCV3 samples had low recovery for bromomethane and 2,2-dichloropropane and the CCV1 sample had low recovery for dichlorodifluoromethane, chloromethane, and trichlorofluoromethane. All effected data was j-qualified as estimated for these analytes. In addition, there was high recovery for 1,2,3-trichloropropane in the SRM2 sample, dichlorodifluoromethane in the blank spike, and low recovery in CCV3 for bromoform. However, this did not effect any of the reported data so no qualifications were necessary.

Volatile Organic Compounds by EPA Method 8260B

Station ID: SP-IN-1

Date / Time Sampled: 08/07/08 13:34

Workorder 8808007

EPA Tag No.: GF080408-9

Matrix: Water

Lab Number: 8808007-03 A

Method	Parameter	Results	Units	Qual-ifier	Report Limit	Dilution Factor	Analyzed	By	Batch
EPA 8260B	Dichlorodifluoromethane	< 2.50	ug/L	J	2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Chloromethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Vinyl chloride	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Bromomethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Chloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Trichlorofluoromethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Methylene chloride	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	trans-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	cis-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	2,2-Dichloropropane	5.57	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Bromochloromethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Chloroform	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Carbon tetrachloride	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1,1-Trichloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1-Dichloropropene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Benzene	19000	ug/L	J	2500	1000	08/12/2008	VCM	0800245
EPA 8260B	1,2-Dichloroethane	46.2	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Trichloroethene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Dibromomethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2-Dichloropropane	53.2	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Bromodichloromethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	cis-1,3-Dichloropropene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Toluene	50000	ug/L	J	2500	1000	08/12/2008	VCM	0800245
EPA 8260B	trans-1,3-Dichloropropene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Tetrachloroethene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1,2-Trichloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Chlorodibromomethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,3-Dichloropropane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2-Dibromoethane (EDB)	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Chlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Ethylbenzene	1170	ug/L	J	250	100	08/12/2008	VCM	0800245
EPA 8260B	1,1,1,2-Tetrachloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	m,p-Xylene	40400	ug/L	J	2500	1000	08/12/2008	VCM	0800245
EPA 8260B	o-Xylene	5810	ug/L	J	2500	1000	08/12/2008	VCM	0800245
EPA 8260B	Styrene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Bromoform	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Isopropylbenzene	71.4	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	n-Propyl Benzene	92.5	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Bromobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245

Project: Garfield County CBM LSR No: R8080111

Certificate of Analysis

EPA 8260B	1,1,2,2-Tetrachloroethane	9.38	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,3,5-Trimethylbenzene	77.9	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	2-Chlorotoluene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2,3-Trichloropropane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	4-Chlorotoluene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	tert-Butylbenzene	2.70	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2,4-Trimethylbenzene	1550	ug/L	J	250	100	08/12/2008	VCM	0800245
EPA 8260B	sec-Butylbenzene	15.2	ug/L	J	2.50	1	08/12/2008	VCM	0800245
EPA 8260B	p-Isopropyltoluene	28.1	ug/L	J	2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,3-Dichlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,4-Dichlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	n-Butyl Benzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2-Dichlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2-Dibromo-3-chloropropane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Hexachlorobutadiene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2,4-Trichlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Naphthalene	197	ug/L	J	250	100	08/12/2008	VCM	0800245
EPA 8260B	1,2,3-Trichlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
	<i>Surrogate: Dibromofluoromethane</i>	<i>74.5 %</i>	<i>Limit 70-130</i>			<i>1</i>	<i>08/12/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>94.5 %</i>	<i>Limit 70-130</i>			<i>1</i>	<i>08/12/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: Toluene-d8</i>	<i>106 %</i>	<i>Limit 70-130</i>			<i>1</i>	<i>08/12/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 4-Bromofluorobenzene</i>	<i>102 %</i>	<i>Limit 70-130</i>			<i>1</i>	<i>08/12/2008</i>	<i>VCM</i>	<i>0800245</i>

Station ID: SP-OUT-1

Date / Time Sampled: 08/07/08 13:45

Workorder 8808007

EPA Tag No.: GF080408-2

Matrix: Water

Lab Number: 8808007-04 A

Method	Parameter	Results	Units	Qual-ifier	Report Limit	Dilution Factor	Analyzed	By	Batch
EPA 8260B	Dichlorodifluoromethane	< 2.50	ug/L	J	2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Chloromethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Vinyl chloride	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Bromomethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Chloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Trichlorofluoromethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Methylene chloride	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	trans-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	cis-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	2,2-Dichloropropane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Bromochloromethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Chloroform	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Carbon tetrachloride	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1,1-Trichloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1-Dichloropropene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Benzene	15000	ug/L	J	500	200	08/12/2008	VCM	0800245
EPA 8260B	1,2-Dichloroethane	67.5	ug/L		2.50	1	08/12/2008	VCM	0800245

Project: Garfield County CBM LSR No: R8080111

Certificate of Analysis

EPA 8260B	Trichloroethene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Dibromomethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2-Dichloropropane	46.4	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Bromodichloromethane	4.98	ug/L	J	2.50	1	08/12/2008	VCM	0800245
EPA 8260B	cis-1,3-Dichloropropene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Toluene	33400	ug/L	J	1000	400	08/12/2008	VCM	0800245
EPA 8260B	trans-1,3-Dichloropropene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Tetrachloroethene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1,2-Trichloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Chlorodibromomethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,3-Dichloropropane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2-Dibromoethane (EDB)	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Chlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Ethylbenzene	1440	ug/L	J	500	200	08/12/2008	VCM	0800245
EPA 8260B	1,1,1,2-Tetrachloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	m,p-Xylene	24100	ug/L	J	1000	400	08/12/2008	VCM	0800245
EPA 8260B	o-Xylene	3420	ug/L	J	500	200	08/12/2008	VCM	0800245
EPA 8260B	Styrene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Bromoform	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Isopropylbenzene	70.9	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	n-Propyl Benzene	94.9	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Bromobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1,2,2-Tetrachloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,3,5-Trimethylbenzene	81.2	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	2-Chlorotoluene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2,3-Trichloropropane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	4-Chlorotoluene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	tert-Butylbenzene	2.61	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2,4-Trimethylbenzene	2700	ug/L	J	500	200	08/12/2008	VCM	0800245
EPA 8260B	sec-Butylbenzene	16.2	ug/L	J	2.50	1	08/12/2008	VCM	0800245
EPA 8260B	p-Isopropyltoluene	57.4	ug/L	J	2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,3-Dichlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,4-Dichlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	n-Butyl Benzene	31.1	ug/L	J	2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2-Dichlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2-Dibromo-3-chloropropane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Hexachlorobutadiene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2,4-Trichlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Naphthalene	276	ug/L	J	500	200	08/12/2008	VCM	0800245
EPA 8260B	1,2,3-Trichlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
	<i>Surrogate: Dibromofluoromethane</i>	<i>95.6 %</i>	<i>Limit 70-130</i>			<i>1</i>	<i>08/12/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>99.4 %</i>	<i>Limit 70-130</i>			<i>1</i>	<i>08/12/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: Toluene-d8</i>	<i>108 %</i>	<i>Limit 70-130</i>			<i>1</i>	<i>08/12/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 4-Bromofluorobenzene</i>	<i>88.0 %</i>	<i>Limit 70-130</i>			<i>1</i>	<i>08/12/2008</i>	<i>VCM</i>	<i>0800245</i>

Station ID: N-OUT-1

Date / Time Sampled: 08/07/08 13:54

Workorder 8808007

EPA Tag No.: GF080408-1

Matrix: Water

Lab Number: 8808007-05 A

Method	Parameter	Results	Units	Qual- ifier	Report Limit	Dilution Factor	Analyzed	By	Batch
EPA 8260B	Dichlorodifluoromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Vinyl chloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromomethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Trichlorofluoromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Methylene chloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	trans-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	cis-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	2,2-Dichloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromochloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloroform	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Carbon tetrachloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,1-Trichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloropropene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Benzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Trichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Dibromomethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromodichloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	cis-1,3-Dichloropropene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Toluene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	trans-1,3-Dichloropropene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Tetrachloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,2-Trichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chlorodibromomethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3-Dichloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dibromoethane (EDB)	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chlorobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Ethylbenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,1,2-Tetrachloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	m,p-Xylene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	o-Xylene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Styrene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromoform	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Isopropylbenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	n-Propyl Benzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,2,2-Tetrachloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245

Project: Garfield County CBM LSR No: R8080111

Certificate of Analysis

EPA 8260B	1,3,5-Trimethylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	2-Chlorotoluene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,3-Trichloropropane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	4-Chlorotoluene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	tert-Butylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,4-Trimethylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	sec-Butylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	p-Isopropyltoluene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3-Dichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,4-Dichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	n-Butyl Benzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dibromo-3-chloropropane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Hexachlorobutadiene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,4-Trichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Naphthalene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,3-Trichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
	<i>Surrogate: Dibromofluoromethane</i>	<i>95.3 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>100 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: Toluene-d8</i>	<i>101 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 4-Bromofluorobenzene</i>	<i>102 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>

Station ID: S-OUT-1

Date / Time Sampled: 08/07/08 14:04

Workorder: 8808007

EPA Tag No.: GF080408-5

Matrix: Water

Lab Number: 8808007-06 A

Method	Parameter	Results	Units	Qual-ifier	Report Limit	Dilution Factor	Analyzed	By	Batch
EPA 8260B	Dichlorodifluoromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Vinyl chloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromomethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Trichlorofluoromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Methylene chloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	trans-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	cis-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	2,2-Dichloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromochloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloroform	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Carbon tetrachloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,1-Trichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloropropene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Benzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245

Project: Garfield County CBM LSR No: R8080111

Certificate of Analysis

EPA 8260B	Trichloroethene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Dibromomethane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichloropropane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromodichloromethane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	cis-1,3-Dichloropropene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Toluene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	trans-1,3-Dichloropropene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Tetrachloroethene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,2-Trichloroethane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chlorodibromomethane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3-Dichloropropane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dibromoethane (EDB)	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Ethylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,1,2-Tetrachloroethane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	m,p-Xylene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	o-Xylene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Styrene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromoform	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Isopropylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	n-Propyl Benzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,2,2-Tetrachloroethane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3,5-Trimethylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	2-Chlorotoluene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,3-Trichloropropane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	4-Chlorotoluene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	tert-Butylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,4-Trimethylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	sec-Butylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	p-Isopropyltoluene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3-Dichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,4-Dichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	n-Butyl Benzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dibromo-3-chloropropane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Hexachlorobutadiene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,4-Trichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Naphthalene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,3-Trichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
	<i>Surrogate: Dibromofluoromethane</i>	<i>92.2 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>97.8 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: Toluene-d8</i>	<i>101 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 4-Bromofluorobenzene</i>	<i>105 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>

Station ID: SP-IN-2

Date / Time Sampled: 08/08/08 11:02

Workorder 8808007

EPA Tag No.: GF080408-4

Matrix: Water

Lab Number: 8808007-07 A

Method	Parameter	Results	Units	Qual- ifier	Report Limit	Dilution Factor	Analyzed	By	Batch
EPA 8260B	Dichlorodifluoromethane	< 2.50	ug/L	J	2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Chloromethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Vinyl chloride	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Bromomethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Chloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Trichlorofluoromethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Methylene chloride	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	trans-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	cis-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	2,2-Dichloropropane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Bromochloromethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Chloroform	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Carbon tetrachloride	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1,1-Trichloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1-Dichloropropene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Benzene	16200	ug/L	J	1000	400	08/12/2008	VCM	0800245
EPA 8260B	1,2-Dichloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Trichloroethene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Dibromomethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2-Dichloropropane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Bromodichloromethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	cis-1,3-Dichloropropene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Toluene	29400	ug/L	J	1000	400	08/12/2008	VCM	0800245
EPA 8260B	trans-1,3-Dichloropropene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Tetrachloroethene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1,2-Trichloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Chlorodibromomethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,3-Dichloropropane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2-Dibromoethane (EDB)	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Chlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Ethylbenzene	1100	ug/L	J	1000	400	08/12/2008	VCM	0800245
EPA 8260B	1,1,1,2-Tetrachloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	m,p-Xylene	16300	ug/L	J	1000	400	08/12/2008	VCM	0800245
EPA 8260B	o-Xylene	2640	ug/L	J	1000	400	08/12/2008	VCM	0800245
EPA 8260B	Styrene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Bromoform	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Isopropylbenzene	77.2	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	n-Propyl Benzene	95.9	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Bromobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1,2,2-Tetrachloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245

Project: Garfield County CBM LSR No: R8080111

Certificate of Analysis

EPA 8260B	1,3,5-Trimethylbenzene	82.7	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	2-Chlorotoluene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2,3-Trichloropropane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	4-Chlorotoluene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	tert-Butylbenzene	3.10	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2,4-Trimethylbenzene	1820	ug/L	J	1000	400	08/12/2008	VCM	0800245
EPA 8260B	sec-Butylbenzene	16.1	ug/L	J	2.50	1	08/12/2008	VCM	0800245
EPA 8260B	p-Isopropyltoluene	63.0	ug/L	J	2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,3-Dichlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,4-Dichlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	n-Butyl Benzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2-Dichlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2-Dibromo-3-chloropropane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Hexachlorobutadiene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2,4-Trichlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Naphthalene	158	ug/L	J	2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2,3-Trichlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
	<i>Surrogate: Dibromofluoromethane</i>	96.4 %			Limit 70-130	1	08/12/2008	VCM	0800245
	<i>Surrogate: 1,2-Dichloroethane-d4</i>	99.8 %			Limit 70-130	1	08/12/2008	VCM	0800245
	<i>Surrogate: Toluene-d8</i>	105 %			Limit 70-130	1	08/12/2008	VCM	0800245
	<i>Surrogate: 4-Bromofluorobenzene</i>	87.2 %			Limit 70-130	1	08/12/2008	VCM	0800245

Station ID: SP-OUT-2

Date / Time Sampled: 08/08/08 11:04

Workorder: 8808007

EPA Tag No.: GF080408-10

Matrix: Water

Lab Number: 8808007-08 A

Method	Parameter	Results	Units	Qual-ifier	Report Limit	Dilution Factor	Analyzed	By	Batch
EPA 8260B	Dichlorodifluoromethane	< 2.50	ug/L	J	2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Chloromethane	10.1	ug/L	J	2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Vinyl chloride	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Bromomethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Chloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Trichlorofluoromethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Methylene chloride	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	trans-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	cis-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	2,2-Dichloropropane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Bromochloromethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Chloroform	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Carbon tetrachloride	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1,1-Trichloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1-Dichloropropene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Benzene	7470	ug/L	J	1000	400	08/12/2008	VCM	0800245
EPA 8260B	1,2-Dichloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Trichloroethene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245

Project: Garfield County CBM LSR No: R8080111

Certificate of Analysis

EPA 8260B	Dibromomethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2-Dichloropropane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Bromodichloromethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	cis-1,3-Dichloropropene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Toluene	16200	ug/L	J	1000	400	08/12/2008	VCM	0800245
EPA 8260B	trans-1,3-Dichloropropene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Tetrachloroethene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1,2-Trichloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Chlorodibromomethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,3-Dichloropropane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2-Dibromoethane (EDB)	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Chlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Ethylbenzene	568	ug/L	J	1000	400	08/12/2008	VCM	0800245
EPA 8260B	1,1,1,2-Tetrachloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	m,p-Xylene	8850	ug/L	J	1000	400	08/12/2008	VCM	0800245
EPA 8260B	o-Xylene	1460	ug/L	J	1000	400	08/12/2008	VCM	0800245
EPA 8260B	Styrene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Bromoform	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Isopropylbenzene	67.3	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	n-Propyl Benzene	89.8	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Bromobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,1,2,2-Tetrachloroethane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,3,5-Trimethylbenzene	76.2	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	2-Chlorotoluene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2,3-Trichloropropane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	4-Chlorotoluene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	tert-Butylbenzene	2.24	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2,4-Trimethylbenzene	1190	ug/L	J	1000	400	08/12/2008	VCM	0800245
EPA 8260B	sec-Butylbenzene	11.8	ug/L	J	2.50	1	08/12/2008	VCM	0800245
EPA 8260B	p-Isopropyltoluene	60.7	ug/L	J	2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,3-Dichlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,4-Dichlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	n-Butyl Benzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2-Dichlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2-Dibromo-3-chloropropane	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Hexachlorobutadiene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2,4-Trichlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
EPA 8260B	Naphthalene	183	ug/L	J	2.50	1	08/12/2008	VCM	0800245
EPA 8260B	1,2,3-Trichlorobenzene	< 2.50	ug/L		2.50	1	08/12/2008	VCM	0800245
	<i>Surrogate: Dibromofluoromethane</i>	<i>81.0 %</i>	<i>Limit 70-130</i>			<i>1</i>	<i>08/12/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>84.8 %</i>	<i>Limit 70-130</i>			<i>1</i>	<i>08/12/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: Toluene-d8</i>	<i>106 %</i>	<i>Limit 70-130</i>			<i>1</i>	<i>08/12/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 4-Bromofluorobenzene</i>	<i>106 %</i>	<i>Limit 70-130</i>			<i>1</i>	<i>08/12/2008</i>	<i>VCM</i>	<i>0800245</i>

Station ID: SP-OUT-2 DUP

Date / Time Sampled: 08/08/08 11:04

Workorder 8808007

EPA Tag No.: GF080408-11

Matrix: Water

Lab Number: 8808007-09 A

Method	Parameter	Results	Units	Qual- ifier	Report Limit	Dilution Factor	Analyzed	By	Batch
EPA 8260B	Dichlorodifluoromethane	< 2.50	ug/L	J	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Vinyl chloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromomethane	< 2.50	ug/L	J	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Trichlorofluoromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Methylene chloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	trans-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	cis-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	2,2-Dichloropropane	< 2.50	ug/L	J	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromochloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloroform	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Carbon tetrachloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,1-Trichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloropropene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Benzene	10700	ug/L	J	1000	400	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Trichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Dibromomethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromodichloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	cis-1,3-Dichloropropene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Toluene	21900	ug/L	J	1000	400	08/13/2008	VCM	0800245
EPA 8260B	trans-1,3-Dichloropropene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Tetrachloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,2-Trichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chlorodibromomethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3-Dichloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dibromoethane (EDB)	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chlorobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Ethylbenzene	684	ug/L	J	1000	400	08/13/2008	VCM	0800245
EPA 8260B	1,1,1,2-Tetrachloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	m,p-Xylene	11000	ug/L	J	1000	400	08/13/2008	VCM	0800245
EPA 8260B	o-Xylene	1760	ug/L	J	1000	400	08/13/2008	VCM	0800245
EPA 8260B	Styrene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromoform	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Isopropylbenzene	60.0	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	n-Propyl Benzene	73.2	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,2,2-Tetrachloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245

Project: Garfield County CBM LSR No: R8080111

Certificate of Analysis

EPA 8260B	1,3,5-Trimethylbenzene	67.3	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	2-Chlorotoluene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,3-Trichloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	4-Chlorotoluene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	tert-Butylbenzene	101	ug/L	J	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,4-Trimethylbenzene	1220	ug/L	J	1000	400	08/13/2008	VCM	0800245
EPA 8260B	sec-Butylbenzene	11.6	ug/L	J	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	p-Isopropyltoluene	21.9	ug/L	J	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3-Dichlorobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,4-Dichlorobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	n-Butyl Benzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichlorobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dibromo-3-chloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Hexachlorobutadiene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,4-Trichlorobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Naphthalene	167	ug/L	J	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,3-Trichlorobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
	<i>Surrogate: Dibromofluoromethane</i>	<i>80.2 %</i>	<i>Limit 70-130</i>			<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>85.3 %</i>	<i>Limit 70-130</i>			<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: Toluene-d8</i>	<i>106 %</i>	<i>Limit 70-130</i>			<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 4-Bromofluorobenzene</i>	<i>105 %</i>	<i>Limit 70-130</i>			<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>

Station ID: N-OUT-2

Date / Time Sampled: 08/08/08 11:12

Workorder 8808007

EPA Tag No.: GF080408-3

Matrix: Water

Lab Number: 8808007-10 A

Method	Parameter	Results	Units	Qual-ifier	Report Limit	Dilution Factor	Analyzed	By	Batch
EPA 8260B	Dichlorodifluoromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Vinyl chloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromomethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Trichlorofluoromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Methylene chloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	trans-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	cis-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	2,2-Dichloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromochloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloroform	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Carbon tetrachloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,1-Trichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloropropene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Benzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245

Project: Garfield County CBM LSR No: R8080111

Certificate of Analysis

EPA 8260B	Trichloroethene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Dibromomethane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichloropropane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromodichloromethane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	cis-1,3-Dichloropropene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Toluene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	trans-1,3-Dichloropropene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Tetrachloroethene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,2-Trichloroethane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chlorodibromomethane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3-Dichloropropane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dibromoethane (EDB)	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Ethylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,1,2-Tetrachloroethane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	m,p-Xylene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	o-Xylene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Styrene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromoform	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Isopropylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	n-Propyl Benzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,2,2-Tetrachloroethane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3,5-Trimethylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	2-Chlorotoluene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,3-Trichloropropane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	4-Chlorotoluene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	tert-Butylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,4-Trimethylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	sec-Butylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	p-Isopropyltoluene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3-Dichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,4-Dichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	n-Butyl Benzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dibromo-3-chloropropane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Hexachlorobutadiene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,4-Trichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Naphthalene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,3-Trichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
	<i>Surrogate: Dibromofluoromethane</i>	<i>92.7 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>97.8 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: Toluene-d8</i>	<i>101 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 4-Bromofluorobenzene</i>	<i>104 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>

Station ID: N-OUT-2 LOW

Date / Time Sampled: 08/08/08 11:12

Workorder 8808007

EPA Tag No.: GF080408-7

Matrix: Water

Lab Number: 8808007-11 A

Method	Parameter	Results	Units	Qual- ifier	Report Limit	Dilution Factor	Analyzed	By	Batch
EPA 8260B	Dichlorodifluoromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Vinyl chloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromomethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Trichlorofluoromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Methylene chloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	trans-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	cis-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	2,2-Dichloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromochloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloroform	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Carbon tetrachloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,1-Trichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloropropene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Benzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Trichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Dibromomethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromodichloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	cis-1,3-Dichloropropene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Toluene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	trans-1,3-Dichloropropene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Tetrachloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,2-Trichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chlorodibromomethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3-Dichloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dibromoethane (EDB)	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chlorobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Ethylbenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,1,2-Tetrachloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	m,p-Xylene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	o-Xylene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Styrene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromoform	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Isopropylbenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	n-Propyl Benzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,2,2-Tetrachloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245

Project: Garfield County CBM LSR No: R8080111

Certificate of Analysis

EPA 8260B	1,3,5-Trimethylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	2-Chlorotoluene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,3-Trichloropropane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	4-Chlorotoluene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	tert-Butylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,4-Trimethylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	sec-Butylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	p-Isopropyltoluene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3-Dichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,4-Dichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	n-Butyl Benzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dibromo-3-chloropropane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Hexachlorobutadiene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,4-Trichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Naphthalene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,3-Trichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
	<i>Surrogate: Dibromofluoromethane</i>	<i>90.5 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>95.6 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: Toluene-d8</i>	<i>101 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 4-Bromofluorobenzene</i>	<i>104 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>

Station ID: N-OUT-2 HIGH **Date / Time Sampled:** 08/08/08 11:12 **Workorder:** 8808007
EPA Tag No.: GF080408-13 **Matrix:** Water **Lab Number:** 8808007-12 A

Method	Parameter	Results	Units	Qual-ifier	Report Limit	Dilution Factor	Analyzed	By	Batch
EPA 8260B	Dichlorodifluoromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Vinyl chloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromomethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Trichlorofluoromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Methylene chloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	trans-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	cis-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	2,2-Dichloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromochloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloroform	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Carbon tetrachloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,1-Trichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloropropene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Benzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245

Project: Garfield County CBM LSR No: R8080111

Certificate of Analysis

EPA 8260B	Trichloroethene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Dibromomethane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichloropropane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromodichloromethane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	cis-1,3-Dichloropropene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Toluene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	trans-1,3-Dichloropropene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Tetrachloroethene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,2-Trichloroethane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chlorodibromomethane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3-Dichloropropane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dibromoethane (EDB)	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Ethylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,1,2-Tetrachloroethane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	m,p-Xylene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	o-Xylene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Styrene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromoform	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Isopropylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	n-Propyl Benzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,2,2-Tetrachloroethane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3,5-Trimethylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	2-Chlorotoluene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,3-Trichloropropane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	4-Chlorotoluene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	tert-Butylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,4-Trimethylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	sec-Butylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	p-Isopropyltoluene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3-Dichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,4-Dichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	n-Butyl Benzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dibromo-3-chloropropane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Hexachlorobutadiene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,4-Trichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Naphthalene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,3-Trichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
	<i>Surrogate: Dibromofluoromethane</i>	<i>90.7 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>96.9 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: Toluene-d8</i>	<i>101 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 4-Bromofluorobenzene</i>	<i>103 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>

Station ID: S-OUT-2

Date / Time Sampled: 08/08/08 11:19

Workorder 8808007

EPA Tag No.: GF080408-12

Matrix: Water

Lab Number: 8808007-13 A

Method	Parameter	Results	Units	Qual- ifier	Report Limit	Dilution Factor	Analyzed	By	Batch
EPA 8260B	Dichlorodifluoromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Vinyl chloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromomethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Trichlorofluoromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Methylene chloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	trans-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	cis-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	2,2-Dichloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromochloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloroform	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Carbon tetrachloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,1-Trichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloropropene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Benzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Trichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Dibromomethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromodichloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	cis-1,3-Dichloropropene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Toluene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	trans-1,3-Dichloropropene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Tetrachloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,2-Trichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chlorodibromomethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3-Dichloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dibromoethane (EDB)	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chlorobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Ethylbenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,1,2-Tetrachloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	m,p-Xylene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	o-Xylene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Styrene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromoform	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Isopropylbenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	n-Propyl Benzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,2,2-Tetrachloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245

Project: Garfield County CBM LSR No: R8080111

Certificate of Analysis

EPA 8260B	1,3,5-Trimethylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	2-Chlorotoluene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,3-Trichloropropane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	4-Chlorotoluene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	tert-Butylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,4-Trimethylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	sec-Butylbenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	p-Isopropyltoluene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3-Dichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,4-Dichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	n-Butyl Benzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dibromo-3-chloropropane	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Hexachlorobutadiene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,4-Trichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Naphthalene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,3-Trichlorobenzene	< 2.50	ug/L	2.50	1	08/13/2008	VCM	0800245
	<i>Surrogate: Dibromofluoromethane</i>	<i>88.7 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>95.6 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: Toluene-d8</i>	<i>101 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 4-Bromofluorobenzene</i>	<i>106 %</i>	<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>

Station ID: SP-OUT-3

Date / Time Sampled: 08/08/08 11:35

Workorder: 8808007

EPA Tag No.: GF080408-6

Matrix: Water

Lab Number: 8808007-14 A

Method	Parameter	Results	Units	Qual-ifier	Report Limit	Dilution Factor	Analyzed	By	Batch
EPA 8260B	Dichlorodifluoromethane	< 2.50	ug/L	J	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Vinyl chloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromomethane	< 2.50	ug/L	J	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Trichlorofluoromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Methylene chloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	trans-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	cis-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	2,2-Dichloropropane	< 2.50	ug/L	J	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromochloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloroform	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Carbon tetrachloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,1-Trichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloropropene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Benzene	11300	ug/L	J	1250	500	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichloroethane	75.9	ug/L		2.50	1	08/13/2008	VCM	0800245

Project: Garfield County CBM LSR No: R8080111

Certificate of Analysis

EPA 8260B	Trichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Dibromomethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromodichloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	cis-1,3-Dichloropropene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Toluene	23600	ug/L	J	1250	500	08/13/2008	VCM	0800245
EPA 8260B	trans-1,3-Dichloropropene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Tetrachloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,2-Trichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chlorodibromomethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3-Dichloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dibromoethane (EDB)	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chlorobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Ethylbenzene	750	ug/L	J	1250	500	08/13/2008	VCM	0800245
EPA 8260B	1,1,1,2-Tetrachloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	m,p-Xylene	11900	ug/L	J	1250	500	08/13/2008	VCM	0800245
EPA 8260B	o-Xylene	1850	ug/L	J	1250	500	08/13/2008	VCM	0800245
EPA 8260B	Styrene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromoform	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Isopropylbenzene	69.3	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	n-Propyl Benzene	78.4	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,2,2-Tetrachloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3,5-Trimethylbenzene	72.7	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	2-Chlorotoluene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,3-Trichloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	4-Chlorotoluene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	tert-Butylbenzene	111	ug/L	J	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,4-Trimethylbenzene	1340	ug/L	J	1250	500	08/13/2008	VCM	0800245
EPA 8260B	sec-Butylbenzene	1.29	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	p-Isopropyltoluene	24.6	ug/L	J	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3-Dichlorobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,4-Dichlorobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	n-Butyl Benzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichlorobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dibromo-3-chloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Hexachlorobutadiene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,4-Trichlorobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Naphthalene	178	ug/L	J	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,3-Trichlorobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
	<i>Surrogate: Dibromofluoromethane</i>	<i>81.9 %</i>	<i>Limit 70-130</i>			<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>84.0 %</i>	<i>Limit 70-130</i>			<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: Toluene-d8</i>	<i>105 %</i>	<i>Limit 70-130</i>			<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>
	<i>Surrogate: 4-Bromofluorobenzene</i>	<i>101 %</i>	<i>Limit 70-130</i>			<i>1</i>	<i>08/13/2008</i>	<i>VCM</i>	<i>0800245</i>

Station ID: SP-OUT-4

Date / Time Sampled: 08/08/08 11:51

Workorder 8808007

EPA Tag No.: GF080408-8

Matrix: Water

Lab Number: 8808007-15 A

Method	Parameter	Results	Units	Qual- ifier	Report Limit	Dilution Factor	Analyzed	By	Batch
EPA 8260B	Dichlorodifluoromethane	< 2.50	ug/L	J	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Vinyl chloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromomethane	< 2.50	ug/L	J	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Trichlorofluoromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Methylene chloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	trans-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	cis-1,2-Dichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	2,2-Dichloropropane	< 2.50	ug/L	J	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromochloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chloroform	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Carbon tetrachloride	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,1-Trichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1-Dichloropropene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Benzene	12000	ug/L	J	1250	500	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichloroethane	75.8	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Trichloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Dibromomethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromodichloromethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	cis-1,3-Dichloropropene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Toluene	27400	ug/L	J	1250	500	08/13/2008	VCM	0800245
EPA 8260B	trans-1,3-Dichloropropene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Tetrachloroethene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,2-Trichloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chlorodibromomethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3-Dichloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dibromoethane (EDB)	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Chlorobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Ethylbenzene	1050	ug/L	J	1250	500	08/13/2008	VCM	0800245
EPA 8260B	1,1,1,2-Tetrachloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	m,p-Xylene	16100	ug/L	J	1250	500	08/13/2008	VCM	0800245
EPA 8260B	o-Xylene	2460	ug/L	J	1250	500	08/13/2008	VCM	0800245
EPA 8260B	Styrene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromoform	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Isopropylbenzene	76.2	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	n-Propyl Benzene	94.7	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Bromobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,1,2,2-Tetrachloroethane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245

Project: Garfield County CBM LSR No: R8080111

Certificate of Analysis

EPA 8260B	1,3,5-Trimethylbenzene	82.5	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	2-Chlorotoluene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,3-Trichloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	4-Chlorotoluene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	tert-Butylbenzene	111	ug/L	J	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,4-Trimethylbenzene	1940	ug/L	J	1250	500	08/13/2008	VCM	0800245
EPA 8260B	sec-Butylbenzene	16.0	ug/L	J	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	p-Isopropyltoluene	28.4	ug/L	J	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,3-Dichlorobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,4-Dichlorobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	n-Butyl Benzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dichlorobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2-Dibromo-3-chloropropane	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Hexachlorobutadiene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,4-Trichlorobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
EPA 8260B	Naphthalene	170	ug/L	J	2.50	1	08/13/2008	VCM	0800245
EPA 8260B	1,2,3-Trichlorobenzene	< 2.50	ug/L		2.50	1	08/13/2008	VCM	0800245
	<i>Surrogate: Dibromofluoromethane</i>	80.6 %			<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM 0800245</i>
	<i>Surrogate: 1,2-Dichloroethane-d4</i>	87.1 %			<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM 0800245</i>
	<i>Surrogate: Toluene-d8</i>	105 %			<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM 0800245</i>
	<i>Surrogate: 4-Bromofluorobenzene</i>	102 %			<i>Limit 70-130</i>		<i>1</i>	<i>08/13/2008</i>	<i>VCM 0800245</i>

Note: "J" Qualifier indicates an estimated value.

Volatile Organic Compounds by EPA Method 8260B - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------

Batch 0800245 - Default Prep VOC

Method Blank (0800245-BLK1)

Prepared & Analyzed: 08/12/08

Dichlorodifluoromethane	< 2.50	2.50	ug/L				70-130		
Chloromethane	< 2.50	2.50	"				70-130		
Vinyl chloride	< 2.50	2.50	"				70-130		
Bromomethane	< 2.50	2.50	"				70-130		
Chloroethane	< 2.50	2.50	"				70-130		
Trichlorofluoromethane	< 2.50	2.50	"				70-130		
1,1-Dichloroethene	< 2.50	2.50	"				70-130		
Methylene chloride	< 2.50	2.50	"				70-130		
trans-1,2-Dichloroethene	< 2.50	2.50	"				70-130		
1,1-Dichloroethane	< 2.50	2.50	"				70-130		
cis-1,2-Dichloroethene	< 2.50	2.50	"				70-130		
2,2-Dichloropropane	< 2.50	2.50	"				70-130		
Bromochloromethane	< 2.50	2.50	"				70-130		
Chloroform	< 2.50	2.50	"				70-130		
Carbon tetrachloride	< 2.50	2.50	"				70-130		
1,1,1-Trichloroethane	< 2.50	2.50	"				70-130		
1,1-Dichloropropene	< 2.50	2.50	"				70-130		
Benzene	< 2.50	2.50	"				70-130		
1,2-Dichloroethane	< 2.50	2.50	"				70-130		
Trichloroethene	< 2.50	2.50	"				70-130		
Dibromomethane	< 2.50	2.50	"				70-130		
1,2-Dichloropropane	< 2.50	2.50	"				70-130		
Bromodichloromethane	< 2.50	2.50	"				70-130		
cis-1,3-Dichloropropene	< 2.50	2.50	"				70-130		
Toluene	< 2.50	2.50	"				70-130		
trans-1,3-Dichloropropene	< 2.50	2.50	"				70-130		
Tetrachloroethene	< 2.50	2.50	"				70-130		
1,1,2-Trichloroethane	< 2.50	2.50	"				70-130		
Chlorodibromomethane	< 2.50	2.50	"				70-130		
1,3-Dichloropropane	< 2.50	2.50	"				70-130		
1,2-Dibromoethane (EDB)	< 2.50	2.50	"				70-130		
Chlorobenzene	< 2.50	2.50	"				70-130		
Ethylbenzene	< 2.50	2.50	"				70-130		
1,1,1,2-Tetrachloroethane	< 2.50	2.50	"				70-130		
m,p-Xylene	< 2.50	2.50	"				70-130		
o-Xylene	< 2.50	2.50	"				70-130		
Styrene	< 2.50	2.50	"				70-130		
Bromoform	< 2.50	2.50	"				70-130		
Isopropylbenzene	< 2.50	2.50	"				70-130		
n-Propyl Benzene	< 2.50	2.50	"				70-130		
Bromobenzene	< 2.50	2.50	"				70-130		
1,1,2,2-Tetrachloroethane	< 2.50	2.50	"				70-130		
1,3,5-Trimethylbenzene	< 2.50	2.50	"				70-130		
2-Chlorotoluene	< 2.50	2.50	"				70-130		
1,2,3-Trichloropropane	< 2.50	2.50	"				70-130		
4-Chlorotoluene	< 2.50	2.50	"				70-130		
tert-Butylbenzene	< 2.50	2.50	"				70-130		
1,2,4-Trimethylbenzene	< 2.50	2.50	"				70-130		
sec-Butylbenzene	< 2.50	2.50	"				70-130		
p-Isopropyltoluene	< 2.50	2.50	"				70-130		
1,3-Dichlorobenzene	< 2.50	2.50	"				70-130		
1,4-Dichlorobenzene	< 2.50	2.50	"				70-130		
n-Butyl Benzene	< 2.50	2.50	"				70-130		

Volatile Organic Compounds by EPA Method 8260B - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch 0800245 - Default Prep VOC

Method Blank (0800245-BLK1)

Prepared & Analyzed: 08/12/08

1,2-Dichlorobenzene	< 2.50	2.50	ug/L				70-130		
1,2-Dibromo-3-chloropropane	< 2.50	2.50	"				70-130		
Hexachlorobutadiene	< 2.50	2.50	"				70-130		
1,2,4-Trichlorobenzene	< 2.50	2.50	"				70-130		
Naphthalene	< 2.50	2.50	"				70-130		
1,2,3-Trichlorobenzene	< 2.50	2.50	"				70-130		
<i>Surrogate: Dibromofluoromethane</i>	20.7		"	20.0		104	70-130		
<i>Surrogate: 1,2-Dichloroethane-d4</i>	20.8		"	20.0		104	70-130		
<i>Surrogate: Toluene-d8</i>	19.7		"	20.0		98.6	70-130		
<i>Surrogate: 4-Bromofluorobenzene</i>	20.8		"	20.0		104	70-130		

Method Blank Spike (0800245-BS1)

Prepared & Analyzed: 08/12/08

Dichlorodifluoromethane	48.1	2.50	ug/L	50.0		96.2	70-130		
Chloromethane	49.9	2.50	"	50.0		99.9	70-130		
Vinyl chloride	50.4	2.50	"	50.0		101	70-130		
Bromomethane	50.0	2.50	"	50.0		100	70-130		
Chloroethane	51.0	2.50	"	50.0		102	70-130		
Trichlorofluoromethane	51.2	2.50	"	50.0		102	70-130		
1,1-Dichloroethene	50.9	2.50	"	50.0		102	70-130		
Methylene chloride	50.7	2.50	"	50.0		101	70-130		
trans-1,2-Dichloroethene	51.6	2.50	"	50.0		103	70-130		
1,1-Dichloroethane	50.5	2.50	"	50.0		101	70-130		
cis-1,2-Dichloroethene	52.3	2.50	"	50.0		105	70-130		
2,2-Dichloropropane	49.4	2.50	"	50.0		98.8	70-130		
Bromochloromethane	50.9	2.50	"	50.0		102	70-130		
Chloroform	49.8	2.50	"	50.0		99.5	70-130		
Carbon tetrachloride	51.1	2.50	"	50.0		102	70-130		
1,1,1-Trichloroethane	50.9	2.50	"	50.0		102	70-130		
1,1-Dichloropropene	54.4	2.50	"	50.0		109	70-130		
Benzene	51.2	2.50	"	50.0		102	70-130		
1,2-Dichloroethane	49.5	2.50	"	50.0		99.0	70-130		
Trichloroethene	54.2	2.50	"	50.0		108	70-130		
Dibromomethane	50.8	2.50	"	50.0		102	70-130		
1,2-Dichloropropane	51.8	2.50	"	50.0		104	70-130		
Bromodichloromethane	51.4	2.50	"	50.0		103	70-130		
cis-1,3-Dichloropropene	54.0	2.50	"	50.0		108	70-130		
Toluene	51.7	2.50	"	50.0		103	70-130		
trans-1,3-Dichloropropene	52.7	2.50	"	50.0		105	70-130		
Tetrachloroethene	52.1	2.50	"	50.0		104	70-130		
1,1,2-Trichloroethane	50.3	2.50	"	50.0		101	70-130		
Chlorodibromomethane	52.2	2.50	"	50.0		104	70-130		
1,3-Dichloropropane	51.0	2.50	"	50.0		102	70-130		
1,2-Dibromoethane (EDB)	51.8	2.50	"	50.0		104	70-130		
Chlorobenzene	50.7	2.50	"	50.0		101	70-130		
Ethylbenzene	52.3	2.50	"	50.0		105	70-130		
1,1,1,2-Tetrachloroethane	50.9	2.50	"	50.0		102	70-130		
m,p-Xylene	104	2.50	"	100		104	70-130		
o-Xylene	52.9	2.50	"	50.0		106	70-130		
Styrene	52.7	2.50	"	50.0		105	70-130		
Bromoform	53.9	2.50	"	50.0		108	70-130		
Isopropylbenzene	53.6	2.50	"	50.0		107	70-130		
n-Propyl Benzene	52.2	2.50	"	50.0		104	70-130		
Bromobenzene	51.5	2.50	"	50.0		103	70-130		

Volatile Organic Compounds by EPA Method 8260B - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch 0800245 - Default Prep VOC

Method Blank Spike (0800245-BS1)

Prepared & Analyzed: 08/12/08

1,1,2,2-Tetrachloroethane	49.4	2.50	ug/L	50.0		98.8	70-130		
1,3,5-Trimethylbenzene	53.9	2.50	"	50.0		108	70-130		
2-Chlorotoluene	51.7	2.50	"	50.0		103	70-130		
1,2,3-Trichloropropane	50.7	2.50	"	50.0		101	70-130		
4-Chlorotoluene	52.2	2.50	"	50.0		104	70-130		
tert-Butylbenzene	53.5	2.50	"	50.0		107	70-130		
1,2,4-Trimethylbenzene	51.6	2.50	"	50.0		103	70-130		
sec-Butylbenzene	53.3	2.50	"	50.0		107	70-130		
p-Isopropyltoluene	53.0	2.50	"	50.0		106	70-130		
1,3-Dichlorobenzene	50.9	2.50	"	50.0		102	70-130		
1,4-Dichlorobenzene	50.8	2.50	"	50.0		102	70-130		
n-Butyl Benzene	52.0	2.50	"	50.0		104	70-130		
1,2-Dichlorobenzene	51.2	2.50	"	50.0		102	70-130		
1,2-Dibromo-3-chloropropane	53.3	2.50	"	50.0		107	70-130		
Hexachlorobutadiene	52.4	2.50	"	50.0		105	70-130		
1,2,4-Trichlorobenzene	50.9	2.50	"	50.0		102	70-130		
Naphthalene	49.7	2.50	"	50.0		99.4	70-130		
1,2,3-Trichlorobenzene	50.6	2.50	"	50.0		101	70-130		
<i>Surrogate: Dibromofluoromethane</i>	<i>19.6</i>		<i>"</i>	<i>20.0</i>		<i>98.2</i>	<i>70-130</i>		
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>19.4</i>		<i>"</i>	<i>20.0</i>		<i>96.8</i>	<i>70-130</i>		
<i>Surrogate: Toluene-d8</i>	<i>19.9</i>		<i>"</i>	<i>20.0</i>		<i>99.6</i>	<i>70-130</i>		
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>19.9</i>		<i>"</i>	<i>20.0</i>		<i>99.6</i>	<i>70-130</i>		

Reference (0800245-SRM1)

Prepared & Analyzed: 08/12/08

Vinyl chloride	8.05	2.50	ug/L	8.70		92.5	70-130		
1,1-Dichloroethene	14.0	2.50	"	13.4		105	70-130		
trans-1,2-Dichloroethene	11.0	2.50	"	11.0		99.8	70-130		
cis-1,2-Dichloroethene	11.6	2.50	"	12.0		96.4	70-130		
1,1,1-Trichloroethane	7.14	2.50	"	7.25		98.5	70-130		
Benzene	5.04	2.50	"	5.35		94.2	70-130		
1,2-Dichloroethane	7.37	2.50	"	7.91		93.2	70-130		
Trichloroethene	13.0	2.50	"	13.2		98.6	70-130		
1,2-Dichloropropane	12.6	2.50	"	12.7		99.4	70-130		
Toluene	16.0	2.50	"	16.3		98.2	70-130		
Tetrachloroethene	6.43	2.50	"	6.72		95.7	70-130		
1,1,2-Trichloroethane	18.7	2.50	"	18.9		99.0	70-130		
Chlorobenzene	22.2	2.50	"	22.1		101	70-130		
Ethylbenzene	3.41	2.50	"	3.51		97.2	70-130		
m,p-Xylene	18.3	2.50	"	19.0		96.5	70-130		
o-Xylene	3.47	2.50	"	3.00		116	70-130		
Styrene	16.9	2.50	"	17.9		94.3	70-130		
1,4-Dichlorobenzene	16.3	2.50	"	14.9		109	70-130		
1,2-Dichlorobenzene	11.7	2.50	"	11.3		104	70-130		
1,2,4-Trichlorobenzene	9.32	2.50	"	8.90		105	70-130		
<i>Surrogate: Dibromofluoromethane</i>	<i>19.3</i>		<i>"</i>	<i>20.0</i>		<i>96.6</i>	<i>70-130</i>		
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>19.4</i>		<i>"</i>	<i>20.0</i>		<i>97.1</i>	<i>70-130</i>		
<i>Surrogate: Toluene-d8</i>	<i>19.7</i>		<i>"</i>	<i>20.0</i>		<i>98.7</i>	<i>70-130</i>		
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>21.4</i>		<i>"</i>	<i>20.0</i>		<i>107</i>	<i>70-130</i>		

Volatile Organic Compounds by EPA Method 8260B - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch 0800245 - Default Prep VOC

Reference (0800245-SRM2)

Prepared & Analyzed: 08/12/08

Dichlorodifluoromethane	< 2.50	2.50	ug/L	0.00			70-130		
Bromomethane	< 2.50	2.50	"	0.00			70-130		
Chloroethane	< 2.50	2.50	"	0.00			70-130		
Trichlorofluoromethane	< 2.50	2.50	"	0.00			70-130		
1,1-Dichloroethane	< 2.50	2.50	"	0.00			70-130		
2,2-Dichloropropane	< 2.50	2.50	"	0.00			70-130		
Bromochloromethane	42.4	2.50	"	38.5		110	70-130		
1,1-Dichloropropene	< 2.50	2.50	"	0.00			70-130		
Dibromomethane	45.7	2.50	"	42.2		108	70-130		
cis-1,3-Dichloropropene	15.8	2.50	"	15.3		103	70-130		
trans-1,3-Dichloropropene	15.9	2.50	"	16.1		98.6	70-130		
1,3-Dichloropropane	48.1	2.50	"	45.8		105	70-130		
1,1,1,2-Tetrachloroethane	9.83	2.50	"	9.11		108	70-130		
Isopropylbenzene	10.2	2.50	"	9.91		103	70-130		
n-Propyl Benzene	33.6	2.50	"	31.1		108	70-130		
Bromobenzene	33.6	2.50	"	31.0		108	70-130		
1,1,2,2-Tetrachloroethane	< 2.50	2.50	"	0.00			70-130		
1,3,5-Trimethylbenzene	10.5	2.50	"	0.00			70-130		
2-Chlorotoluene	17.9	2.50	"	18.5		96.5	70-130		
1,2,3-Trichloropropane	15.6	2.50	"	9.73		160	70-130		
4-Chlorotoluene	18.2	2.50	"	16.8		108	70-130		
tert-Butylbenzene	8.13	2.50	"	7.64		106	70-130		
1,2,4-Trimethylbenzene	16.6	2.50	"	15.6		107	70-130		
sec-Butylbenzene	23.4	2.50	"	21.8		107	70-130		
p-Isopropyltoluene	57.2	2.50	"	49.3		116	70-130		
1,3-Dichlorobenzene	< 2.50	2.50	"	0.00			70-130		
Hexachlorobutadiene	28.9	2.50	"	27.6		105	70-130		
Naphthalene	5.20	2.50	"	5.78		90.0	70-130		
1,2,3-Trichlorobenzene	< 2.50	2.50	"	0.00			70-130		
<i>Surrogate: Dibromofluoromethane</i>	<i>20.2</i>		<i>"</i>	<i>20.0</i>		<i>101</i>	<i>70-130</i>		
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>20.2</i>		<i>"</i>	<i>20.0</i>		<i>101</i>	<i>70-130</i>		
<i>Surrogate: Toluene-d8</i>	<i>20.2</i>		<i>"</i>	<i>20.0</i>		<i>101</i>	<i>70-130</i>		
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>19.5</i>		<i>"</i>	<i>20.0</i>		<i>97.6</i>	<i>70-130</i>		

Volatile Organic Compounds by EPA Method 8260B - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch 0800245 - Default Prep VOC

Reference (0800245-SRM3)

Prepared & Analyzed: 08/12/08

Chloroform	41.2	2.50	ug/L	40.4		102	70-130		
Bromodichloromethane	21.0	2.50	"	21.8		96.2	70-130		
Bromoform	39.2	2.50	"	40.7		96.3	70-130		
<i>Surrogate: Dibromofluoromethane</i>	<i>20.4</i>		<i>"</i>	<i>20.0</i>		<i>102</i>	<i>70-130</i>		
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>20.2</i>		<i>"</i>	<i>20.0</i>		<i>101</i>	<i>70-130</i>		
<i>Surrogate: Toluene-d8</i>	<i>19.7</i>		<i>"</i>	<i>20.0</i>		<i>98.5</i>	<i>70-130</i>		
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>21.1</i>		<i>"</i>	<i>20.0</i>		<i>106</i>	<i>70-130</i>		

HOLDING BLANK (8808007-01)

Prepared & Analyzed: 08/12/08

Dichlorodifluoromethane	< 2.50	2.50	ug/L				70-130		
Chloromethane	< 2.50	2.50	"				70-130		
Vinyl chloride	< 2.50	2.50	"				70-130		
Bromomethane	< 2.50	2.50	"				70-130		
Chloroethane	< 2.50	2.50	"				70-130		
Trichlorofluoromethane	< 2.50	2.50	"				70-130		
1,1-Dichloroethene	< 2.50	2.50	"				70-130		
Methylene chloride	< 2.50	2.50	"				70-130		
trans-1,2-Dichloroethene	< 2.50	2.50	"				70-130		
1,1-Dichloroethane	< 2.50	2.50	"				70-130		
cis-1,2-Dichloroethene	< 2.50	2.50	"				70-130		
2,2-Dichloropropane	< 2.50	2.50	"				70-130		
Bromochloromethane	< 2.50	2.50	"				70-130		
Chloroform	< 2.50	2.50	"				70-130		
Carbon tetrachloride	< 2.50	2.50	"				70-130		
1,1,1-Trichloroethane	< 2.50	2.50	"				70-130		
1,1-Dichloropropene	< 2.50	2.50	"				70-130		
Benzene	< 2.50	2.50	"				70-130		
1,2-Dichloroethane	< 2.50	2.50	"				70-130		
Trichloroethene	< 2.50	2.50	"				70-130		
Dibromomethane	< 2.50	2.50	"				70-130		
1,2-Dichloropropane	< 2.50	2.50	"				70-130		
Bromodichloromethane	< 2.50	2.50	"				70-130		
cis-1,3-Dichloropropene	< 2.50	2.50	"				70-130		
Toluene	< 2.50	2.50	"				70-130		
trans-1,3-Dichloropropene	< 2.50	2.50	"				70-130		
Tetrachloroethene	< 2.50	2.50	"				70-130		
1,1,2-Trichloroethane	< 2.50	2.50	"				70-130		
Chlorodibromomethane	< 2.50	2.50	"				70-130		
1,3-Dichloropropane	< 2.50	2.50	"				70-130		
1,2-Dibromoethane (EDB)	< 2.50	2.50	"				70-130		
Chlorobenzene	< 2.50	2.50	"				70-130		
Ethylbenzene	< 2.50	2.50	"				70-130		
1,1,1,2-Tetrachloroethane	< 2.50	2.50	"				70-130		
m,p-Xylene	< 2.50	2.50	"				70-130		
o-Xylene	< 2.50	2.50	"				70-130		
Styrene	< 2.50	2.50	"				70-130		
Bromoform	< 2.50	2.50	"				70-130		
Isopropylbenzene	< 2.50	2.50	"				70-130		
n-Propyl Benzene	< 2.50	2.50	"				70-130		
Bromobenzene	< 2.50	2.50	"				70-130		
1,1,2,2-Tetrachloroethane	< 2.50	2.50	"				70-130		
1,3,5-Trimethylbenzene	< 2.50	2.50	"				70-130		
2-Chlorotoluene	< 2.50	2.50	"				70-130		

Volatile Organic Compounds by EPA Method 8260B - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch 0800245 - Default Prep VOC

HOLDING BLANK (8808007-01)

Prepared & Analyzed: 08/12/08

1,2,3-Trichloropropane	< 2.50	2.50	ug/L				70-130		
4-Chlorotoluene	< 2.50	2.50	"				70-130		
tert-Butylbenzene	< 2.50	2.50	"				70-130		
1,2,4-Trimethylbenzene	< 2.50	2.50	"				70-130		
sec-Butylbenzene	< 2.50	2.50	"				70-130		
p-Isopropyltoluene	< 2.50	2.50	"				70-130		
1,3-Dichlorobenzene	< 2.50	2.50	"				70-130		
1,4-Dichlorobenzene	< 2.50	2.50	"				70-130		
n-Butyl Benzene	< 2.50	2.50	"				70-130		
1,2-Dichlorobenzene	< 2.50	2.50	"				70-130		
1,2-Dibromo-3-chloropropane	< 2.50	2.50	"				70-130		
Hexachlorobutadiene	< 2.50	2.50	"				70-130		
1,2,4-Trichlorobenzene	< 2.50	2.50	"				70-130		
Naphthalene	< 2.50	2.50	"				70-130		
1,2,3-Trichlorobenzene	< 2.50	2.50	"				70-130		
<i>Surrogate: Dibromofluoromethane</i>	20.7		"	20.0		104	70-130		
<i>Surrogate: 1,2-Dichloroethane-d4</i>	21.2		"	20.0		106	70-130		
<i>Surrogate: Toluene-d8</i>	19.8		"	20.0		98.8	70-130		
<i>Surrogate: 4-Bromofluorobenzene</i>	20.7		"	20.0		103	70-130		

Trip Blank (8808007-02)

Prepared & Analyzed: 08/12/08

Dichlorodifluoromethane	< 2.50	2.50	ug/L				70-130		
Chloromethane	< 2.50	2.50	"				70-130		
Vinyl chloride	< 2.50	2.50	"				70-130		
Bromomethane	< 2.50	2.50	"				70-130		
Chloroethane	< 2.50	2.50	"				70-130		
Trichlorofluoromethane	< 2.50	2.50	"				70-130		
1,1-Dichloroethene	< 2.50	2.50	"				70-130		
Methylene chloride	< 2.50	2.50	"				70-130		
trans-1,2-Dichloroethene	< 2.50	2.50	"				70-130		
1,1-Dichloroethane	< 2.50	2.50	"				70-130		
cis-1,2-Dichloroethene	< 2.50	2.50	"				70-130		
2,2-Dichloropropane	< 2.50	2.50	"				70-130		
Bromochloromethane	< 2.50	2.50	"				70-130		
Chloroform	< 2.50	2.50	"				70-130		
Carbon tetrachloride	< 2.50	2.50	"				70-130		
1,1,1-Trichloroethane	< 2.50	2.50	"				70-130		
1,1-Dichloropropene	< 2.50	2.50	"				70-130		
Benzene	< 2.50	2.50	"				70-130		
1,2-Dichloroethane	< 2.50	2.50	"				70-130		
Trichloroethene	< 2.50	2.50	"				70-130		
Dibromomethane	< 2.50	2.50	"				70-130		
1,2-Dichloropropane	< 2.50	2.50	"				70-130		
Bromodichloromethane	< 2.50	2.50	"				70-130		
cis-1,3-Dichloropropene	< 2.50	2.50	"				70-130		
Toluene	< 2.50	2.50	"				70-130		
trans-1,3-Dichloropropene	< 2.50	2.50	"				70-130		
Tetrachloroethene	< 2.50	2.50	"				70-130		
1,1,2-Trichloroethane	< 2.50	2.50	"				70-130		
Chlorodibromomethane	< 2.50	2.50	"				70-130		
1,3-Dichloropropane	< 2.50	2.50	"				70-130		
1,2-Dibromoethane (EDB)	< 2.50	2.50	"				70-130		
Chlorobenzene	< 2.50	2.50	"				70-130		

Volatile Organic Compounds by EPA Method 8260B - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------

Batch 0800245 - Default Prep VOC

Trip Blank (8808007-02)			Prepared & Analyzed: 08/12/08						
Ethylbenzene	< 2.50	2.50	ug/L				70-130		
1,1,1,2-Tetrachloroethane	< 2.50	2.50	"				70-130		
m,p-Xylene	< 2.50	2.50	"				70-130		
o-Xylene	< 2.50	2.50	"				70-130		
Styrene	< 2.50	2.50	"				70-130		
Bromoform	< 2.50	2.50	"				70-130		
Isopropylbenzene	< 2.50	2.50	"				70-130		
n-Propyl Benzene	< 2.50	2.50	"				70-130		
Bromobenzene	< 2.50	2.50	"				70-130		
1,1,2,2-Tetrachloroethane	< 2.50	2.50	"				70-130		
1,3,5-Trimethylbenzene	< 2.50	2.50	"				70-130		
2-Chlorotoluene	< 2.50	2.50	"				70-130		
1,2,3-Trichloropropane	< 2.50	2.50	"				70-130		
4-Chlorotoluene	< 2.50	2.50	"				70-130		
tert-Butylbenzene	< 2.50	2.50	"				70-130		
1,2,4-Trimethylbenzene	< 2.50	2.50	"				70-130		
sec-Butylbenzene	< 2.50	2.50	"				70-130		
p-Isopropyltoluene	< 2.50	2.50	"				70-130		
1,3-Dichlorobenzene	< 2.50	2.50	"				70-130		
1,4-Dichlorobenzene	< 2.50	2.50	"				70-130		
n-Butyl Benzene	< 2.50	2.50	"				70-130		
1,2-Dichlorobenzene	< 2.50	2.50	"				70-130		
1,2-Dibromo-3-chloropropane	< 2.50	2.50	"				70-130		
Hexachlorobutadiene	< 2.50	2.50	"				70-130		
1,2,4-Trichlorobenzene	< 2.50	2.50	"				70-130		
Naphthalene	< 2.50	2.50	"				70-130		
1,2,3-Trichlorobenzene	< 2.50	2.50	"				70-130		
Surrogate: Dibromofluoromethane	20.8		"	20.0		104	70-130		
Surrogate: 1,2-Dichloroethane-d4	21.4		"	20.0		107	70-130		
Surrogate: Toluene-d8	19.6		"	20.0		98.2	70-130		
Surrogate: 4-Bromofluorobenzene	20.6		"	20.0		103	70-130		

NOTE:

%REC is percent recovery, Result (less sample contribution) divided by the Spike Level

RPD is the Relative Percent Difference (difference between the Result and the Source Result) divided by their average

U.S. ENVIRONMENTAL PROTECTION AGENCY

Region 8 Laboratory
15150 West 40th Drive
Golden, CO 80601-7900

Chain of Custody

Page 1 of 1

STATION NO.	SAMPLE ID	DATE	TIME	REMARKS	ANALYSIS		Number of Containers	BPA TAG NUMBER	COMMENTS
					PERCENTAGE	REMARKS			
	TEMP BLANK	8-4-08	14:30	2	7	A	2	6F080408-29	-02 A
	SD-IND-1	8-7-08	13:34	2	7	A	2	6F080408-9	-03 A
	SP-DAT-1	8-7-08	13:45	2	7	A	2	6F080408-2	-04 A
	N-DAT-1	8-7-08	13:59	2	7	A	2	6F080408-1	-05 A
	SP-DAT-1	8-7-08	14:04	2	7	A	2	6F080408-5	-06 A
	SP-5N-2	8-8-08	11:02	2	7	A	2	6F080408-4	-07 A
	SP-DAT-2	8-8-08	11:04	2	7	A	2	6F080408-10	-08 A
	SP-DAT-2	8-8-08	11:04	2	7	A	2	6F080408-11	-09 A
	N-DAT-2	8-8-08	11:12	2	7	A	2	6F080408-3	-10 A
	N-DAT-2	8-8-08	11:12	2	7	A	2	6F080408-7	-11 A
	N-DAT-2	8-8-08	11:12	2	7	A	2	6F080408-13	-12 A
	N-DAT-2	8-8-08	11:19	2	7	A	2	6F080408-12	-13 A
	SP-DAT-3	8-8-08	11:35	2	7	A	2	6F080408-6	-14 A
	SP-DAT-4	8-8-08	11:51	2	7	A	2	6F080408-8	-15 A
	HOLDING BLANK	8-12-08	9:15	2	7	A	1		-01 A

COMMENTS
Seal intact
Caddy bag: 2002

REMARKS 8808007

Requested By: Elmer Date/TIME: 8/10/08 12:29

Received By: [Signature] Date/TIME: 8/15/08

Department: 1 Date/TIME: 9:15

Signature: _____

- PRESERVATIVES
- 1 - 10ml GPC
 - 2 - Sodium Urethane (SU)
 - 3 - Sodium Dithionite (SD)
 - 4 - 10ml GPC
 - 5 - Sodium Sulfite (SS)
 - 6 - Sodium Sulfate (SS)
 - 7 - 10ml GPC
 - 8 - 10ml GPC
 - 9 - 10ml GPC
 - 10 - 10ml GPC
 - 11 - 10ml GPC
 - 12 - 10ml GPC
 - 13 - 10ml GPC
 - 14 - 10ml GPC
 - 15 - 10ml GPC
 - 16 - 10ml GPC
 - 17 - 10ml GPC
 - 18 - 10ml GPC
 - 19 - 10ml GPC
 - 20 - 10ml GPC

8808007

Date Due: 09/26/2008

TAT: 45

Report To: Air Enforcement Program
1595 Wynkoop Street
Denver, CO 80202

Invoice To: Air Enforcement Program
1595 Wynkoop Street
Denver, CO 80202

Client Contact:
(303) 312-6010
None

Invoice Contact:
(303) 312-6010

FAX Date/Initials: _____
 EMAIL Date/Initials: _____
 EDF Date/Initials: _____

Mail Instructions:

Report Instructions:

Proofing

Report Date/Initials: _____
Sub Report Date/Initials: _____
Invoice Date/Initials: _____

Format Correct?	_____	_____	Test Name vs. C.O.C. & Benchsheet
Report to: vs. C.O.C.	_____	_____	Hold times
Attention: vs. C.O.C.	_____	_____	Method vs. Benchsheet
Phone: vs. C.O.C.	_____	_____	Units vs. Benchsheet
Project Name & Number, PO Number	_____	_____	Reporting Limit vs. Benchsheet
Sample ID: vs. C.O.C.	_____	_____	Date Analyzed
Sample Type: vs. C.O.C.	_____	_____	Results vs. Benchsheet
Date/Time Sampled vs. C.O.C.	_____	_____	Qualifiers
Date/Time Received vs. C.O.C.	_____	_____	