


**NOTES:**

1. TREE WELL FILTERS ARE TO BE BACKFILLED WITH PLANTING/SOIL MEDIA PER SPECIFICATIONS PROVIDED IN THE LA COUNTY DEPARTMENT OF PUBLIC WORKS LOW IMPACT DEVELOPMENT STANDARDS MANUAL FEB. 2014 BIO-1 BIOFILTRATION FACT SHEET.
2. WATERING: WATER DEEPLY ONCE A WEEK DURING THE FIRST TWO SUMMERS. APPLY A MIN. OF 5-10 GALLONS EACH WEEK.
3. ROOT CONTROL BARRIER SHALL BE FABRICATED FROM A HIGH DENSITY AND HIGH IMPACT PLASTIC SUCH AS POLYVINYL CHLORIDE, ABS OR POLYETHYLENE AND HAVE A MIN. THICKNESS OF 0.06". THE PLASTIC SHALL HAVE 1/2" HIGH RAISED VERTICAL RIBS ON THE INNER SURFACE SPACED NOT MORE THAN 8" APART.
4. THE TOP OF THE ROOT CONTROL BARRIER SHALL BE SET FLUSH WITH TOP OF SOIL MEDIA.
5. REFER TO SHEET 2 FOR CURB CUT OUT DETIAL.


## CITY OF CARSON

REVISIONS	DATE	<b>TREE WELL FILTER WITH CURB CUT</b>	DRAWN BY:
DATE APPROVED: <i>8/29/22</i>	RECOMMENDED: <i>[Signature]</i>	APPROVED: <i>[Signature]</i>	<b>NO. 702</b>
<b>SHEET 1 OF 2</b>	CITY ENGINEER	DIRECTOR OF PUBLIC WORKS	




**PLAN**

NTS



**PERSPECTIVE VIEW**

NTS



**SECTION B**

NTS

**BIORETENTION DESIGN NOTES**

1. CURB AND WALL DETAILS MAY BE MODIFIED BY CIVIL AND GEOTECHNICAL ENGINEERS SUBJECT TO APPROVAL BY CITY ENGINEER.

**CONSTRUCTION NOTES**

1. AFTER CONSTRUCTION PLACE SAND BAGS AT GUTTER OPENINGS TO KEEP STORM FLOWS FROM ENTERING FACILITY UNTIL VEGETATION IS ESTABLISHED.

**CITY OF CARSON**

REVISIONS	DATE	TREE WELL FILTER WITH CURB CUT		DRAWN BY:
		RECOMMENDED:	APPROVED:	
DATE APPROVED:	8/29/22	<i>[Signature]</i>	<i>[Signature]</i>	<b>NO. 702</b>
<b>SHEET 2 OF 2</b>		CITY ENGINEER	DIRECTOR OF PUBLIC WORKS	